Yahoo Group Archive:
FT-1D

Yahoo Group summary: FT-1DR

These Yahoo Groups messages were archived in WARC format by ArchiveTeam in 2018. This PDF was generated by Digital Library of Amateur Radio & Communications from the WARC files in 2026.

Date span: 2012-05-15 through 2018-07-04

Source WARC: ft-1d.1j7AL7X.warc.gz

Source item: https://archive.org/details/yahoo-groups-2018-09-29T07-06-59Z-ac760d

Messages included in this PDF: 570

Yahoo replaced the domain portions of email addresses with @... in the archived messages. Characters lost in Yahoo's archived text appear as ?.

Messages are presented in ascending Yahoo message-ID order. Gaps indicate records absent from the source WARC or messages omitted from this PDF as spam.

1. Anyone going to Dayton to look at the FT1D?

Yahoo group: FT-1D
Date: 2012-05-15 17:39:15 UTC
From: ka1mzy
Topic: 1 Message: 1

If so, can you post a report, pictures and any extra info from Yaesu here for us that can't go?

They are real hush about the details on this radio!

2. FT-1D appears to not be P25

Yahoo group: FT-1D
Date: 2012-05-18 17:17:50 UTC
From: ac0wa
Topic: 2 Message: 2

My friend just text me from the Yaesu booth at Dayton. He said the FT-1D does not appear to be P25. He tested the FT-1D display model against a Bendix King DPHx5102x P25 radio. The BK radio would not decode the FT-1D and the FT-1D would not decode the BK. And according to Yaesu's brochure it's not TDMA either. He said it looks like they went with a proprietary protocol.

3. Re: FT-1D appears to not be P25

Yahoo group: FT-1D
Date: 2012-05-18 17:41:38 UTC
From: ka1mzy
Topic: 2 Message: 3

Ok so another proprietary mode. *Sigh*

Well, maybe Yaesu will have some success with it and it will reduce some ICOM prices. To me it would have made much more sense to make them all talk to one another.

Thanks for the report from the Convention!

JP

--- In FT-1D@yahoogroups.com, "ac0wa" <ac0wa@...> wrote:
>
> My friend just text me from the Yaesu booth at Dayton. He said the FT-1D does not appear to be P25. He tested the FT-1D display model against a Bendix King DPHx5102x P25 radio. The BK radio would not decode the FT-1D and the FT-1D would not decode the BK. And according to Yaesu's brochure it's not TDMA either. He said it looks like they went with a proprietary protocol.
>

4. Re: Anyone going to Dayton to look at the FT1D?

Yahoo group: FT-1D
Date: 2012-05-18 20:11:05 UTC
From: ka1mzy
Topic: 1 Message: 4

Dealers at Dayton saying end of the year for FCC approval on the FT1D....

5. Missing messages

Yahoo group: FT-1D
Date: 2012-05-20 12:53:58 UTC
From: Howard
Topic: 5 Message: 5

The home page shows four messages were posted in May but none show up! I am posting this to test if there is a problem and/or force them to appear.

Howard
VK4BS

6. Re: Missing messages

Yahoo group: FT-1D
Date: 2012-05-21 15:07:49 UTC
From: ka1mzy
Topic: 5 Message: 6

Theres 4 posts. There was very little information obtained at Dayton about this radio. Apparently, the Yaesu reps didnt have much.

--- In FT-1D@yahoogroups.com, "Howard" <howard@...> wrote:
>
> The home page shows four messages were posted in May but none show up! I am posting this to test if there is a problem and/or force them to appear.
>
> Howard
> VK4BS
>

7. FCC Approved

Yahoo group: FT-1D
Date: 2012-08-14 00:13:31 UTC
From: rjohnee
Topic: 7 Message: 7

I noticed today the Universal Radio webpage for the FT-1D has been updated, and now says that FCC approval has been granted.

8. Re: FCC Approved

Yahoo group: FT-1D
Date: 2012-08-14 00:24:59 UTC
From: ka1mzy
Topic: 7 Message: 8

Very nice to see. This one seemed to take longer than usual. But maybe it was because I've been watching it.

The Universal Radio website has been updated, but still not showing any pricing.

--- In FT-1D@yahoogroups.com, "rjohnee" <k7mdh@...> wrote:
>
> I noticed today the Universal Radio webpage for the FT-1D has been updated, and now says that FCC approval has been granted.
>

9. POsting a test message

Yahoo group: FT-1D
Date: 2012-08-14 20:33:02 UTC
From: ka1mzy
Topic: 9 Message: 9

```
Testing post system only.
```

10. Message Posting Error Being reported

Yahoo group: FT-1D
Date: 2012-08-15 02:13:55 UTC
From: FT-1D-owner@yahoogroups.com
Topic: 10 Message: 10

A member is advising of a posting/reading error on the forum where they can't post or read messages. This is being researched and yahoo will be contacted if there is a problem with the group. Please let me know if you are having a problem on the board so we can get it fixed.

JP

11. Re: Message Posting Error Being reported

Yahoo group: FT-1D
Date: 2012-08-17 23:42:22 UTC
From: ka1mzy
Topic: 10 Message: 11

K7MDH notified me of a message error recently where messages could not be read. This apparently affected the whole group but I had no idea there was a setting incorrect on the group. It most likely contributed to the lack of messages being posted.

Everything should be working fine now where messages can be freely read. If you have noticed no-messages listed on the forum, it was because of a setting that was in place, incorrectly.

Everyone should be able to read all messages now at this point.

Thanks K7MDH !

--- In FT-1D@yahoogroups.com, FT-1D-owner@yahoogroups.com wrote:
>
> A member is advising of a posting/reading error on the forum where they can't post or read messages. This is being researched and yahoo will be contacted if there is a problem with the group. Please let me know if you are having a problem on the board so we can get it fixed.
>
> JP
>

12. Re: FCC Approved

Yahoo group: FT-1D
Date: 2012-08-19 15:24:05 UTC
From: rjohnee
Topic: 7 Message: 12

Maybe there will be an announcement of price and availability at the Tokyo Ham Fair this coming weekend, Aug 25 - 26.

--- In FT-1D@yahoogroups.com, "ka1mzy" <ka1mzy@...> wrote:
> The Universal Radio website has been updated, but still not showing any pricing.
>

13. Re: FCC Approved

Yahoo group: FT-1D
Date: 2012-08-23 11:16:55 UTC
From: ka1mzy
Topic: 7 Message: 13

That would be some good info. Usually, with that price, we can estimate it with conversion and typical price ranges of new HT's.

Any idea what kind of Digital format going on? Is Yaesu going to try to coin their own system now?

--- In FT-1D@yahoogroups.com, "rjohnee" <k7mdh@...> wrote:
>
>
> Maybe there will be an announcement of price and availability at the Tokyo Ham Fair this coming weekend, Aug 25 - 26.
>
>
> --- In FT-1D@yahoogroups.com, "ka1mzy" <ka1mzy@> wrote:
> > The Universal Radio website has been updated, but still not showing any pricing.
> >
>

14. Anyone call gigaparts yet ?

Yahoo group: FT-1D
Date: 2012-09-17 09:37:20 UTC
From: ka1mzy
Topic: 14 Message: 14

They are posting a " CALL US " for the price on the radio. Has anyone called to find out how much they want ?

15. Re: Anyone call gigaparts yet ?

Yahoo group: FT-1D
Date: 2012-09-20 00:32:18 UTC
From: noboba
Topic: 14 Message: 15

The MSRP announced in Japan is 59,800JPY.

73
Oba
JA7UDE

--- In FT-1D@yahoogroups.com, "ka1mzy" <ka1mzy@...> wrote:
>
> They are posting a " CALL US " for the price on the radio. Has anyone called to find out how much they want ?
>

16. Re: Anyone call gigaparts yet ?

Yahoo group: FT-1D
Date: 2012-12-31 21:58:25 UTC
From: ka1mzy
Topic: 14 Message: 16

So, 550$ here in the US?

--- In FT-1D@yahoogroups.com, "noboba" <ja7ude@...> wrote:
>
> The MSRP announced in Japan is 59,800JPY.
>
> 73
> Oba
> JA7UDE
>
>
> --- In FT-1D@yahoogroups.com, "ka1mzy" <ka1mzy@> wrote:
> >
> > They are posting a " CALL US " for the price on the radio. Has anyone called to find out how much they want ?
> >
>

17. RE: [FT-1D] Re: Anyone call gigaparts yet ?

Yahoo group: FT-1D
Date: 2012-12-31 23:05:11 UTC
From: Howard Small
Topic: 14 Message: 17
Attachments: 2 described; binary payloads are missing from this source WARC

More like $689 on current rates and higher if you guys fall over the cliff!

Howard

VK4BS

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of ka1mzy
Sent: Tuesday, 1 January 2013 7:58 AM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Re: Anyone call gigaparts yet ?

So, 550$ here in the US?

--- In FT-1D@yahoogroups.com <mailto:FT-1D%40yahoogroups.com> , "noboba" <ja7ude@...> wrote:
>
> The MSRP announced in Japan is 59,800JPY.
>
> 73
> Oba
> JA7UDE
>
>
> --- In FT-1D@yahoogroups.com <mailto:FT-1D%40yahoogroups.com> , "ka1mzy" <ka1mzy@> wrote:
> >
> > They are posting a " CALL US " for the price on the radio. Has anyone called to find out how much they want ?
> >
>

18. Re: [FT-1D] Re: Anyone call gigaparts yet ?

Yahoo group: FT-1D
Date: 2013-01-01 00:41:47 UTC
From: qrv@kd4e.com
Topic: 14 Message: 18

We started toward the "Cliff" with FDR. No informed person was
surprised that we finally ran out of road ...

$550. for a 2/440 handheld just as below $55. 2/440 handhelds
have flooded the market?

There are some neat features but they will never make major
inroads into the market until they offer something a whole
lot cheaper than that!

I suppose new technology is always expensive & if Yaesu can
get others to follow their lead, something Icom has failed to
do, then competition will build a user base and lower the
cost to play.

Details:
http://www.scribd.com/doc/94328100/Ft1d-Brochure

> More like $689 on current rates and higher if you guys fall over the
> cliff! Howard VK4BS
>
> So, 550$ here in the US?
>
>> The MSRP announced in Japan is 59,800JPY. 73 Oba JA7UDE
>>
>>> They are posting a " CALL US " for the price on the radio. Has
> anyone called to find out how much they want ?

--

Thanks! & 73, KD4E.com
David Colburn nevils-station.com
I don't google I SEARCH! duckduckgo.com
Network: groups.yahoo.com/group/qrv
Restored to design-spec at Heaven's gate 1Cor15:22

19. RE: [FT-1D] Re: Anyone call gigaparts yet ?

Yahoo group: FT-1D
Date: 2013-01-01 00:53:34 UTC
From: andy rudd
Topic: 14 Message: 19

The trouble is, Yaesu are using a "mode" which nobody else is..How have Icom "failed to get others to follow ?.At least Icom supply repeaters and mobiles and Handhelds. Also 3rd parties are able to make suitable equipment..(DVap etc...)
Enjoy your cliff...
Andy G6MRI

To: FT-1D@yahoogroups.com
From: qrv@...
Date: Mon, 31 Dec 2012 19:41:47 -0500
Subject: Re: [FT-1D] Re: Anyone call gigaparts yet ?

We started toward the "Cliff" with FDR. No informed person was

surprised that we finally ran out of road ...

$550. for a 2/440 handheld just as below $55. 2/440 handhelds

have flooded the market?

There are some neat features but they will never make major

inroads into the market until they offer something a whole

lot cheaper than that!

I suppose new technology is always expensive & if Yaesu can

get others to follow their lead, something Icom has failed to

do, then competition will build a user base and lower the

cost to play.

Details:

http://www.scribd.com/doc/94328100/Ft1d-Brochure

> More like $689 on current rates and higher if you guys fall over the

> cliff! Howard VK4BS

>

> So, 550$ here in the US?

>

>> The MSRP announced in Japan is 59,800JPY. 73 Oba JA7UDE

>>

>>> They are posting a " CALL US " for the price on the radio. Has

> anyone called to find out how much they want ?

--

Thanks! & 73, KD4E.com

David Colburn nevils-station.com

I don't google I SEARCH! duckduckgo.com

Network: groups.yahoo.com/group/qrv

Restored to design-spec at Heaven's gate 1Cor15:22

20. Re: [FT-1D] Re: Anyone call gigaparts yet ?

Yahoo group: FT-1D
Date: 2013-01-01 01:03:39 UTC
From: qrv@kd4e.com
Topic: 14 Message: 20

Actually, Yaesu is using a technology that has been growing for a while
in the huge commercial/public service market:

http://wiki.radioreference.com/index.php/Project_25

Project 25 Phase I FDMA

Phase I FDMA consists of C4FM modulated signal or a CQPSK modulated
signal. Both fit in a 12.5 kHz channel. Subscriber equipment transmit in
C4FM. Site equipment may transmit in C4FM or CQPSK. CQPSK permits
simulcast operation. Harris and Motorola offer simulcast equipment.
Motorola's brand name for simulcast is called LSM.

http://www.falcondirect.com/digital/differences/

APCO-25 (C4FM and CQPSK)

More commonly known as P25, this is the digital standard selected by
U.S. Government agencies and presumed by many
to be the platform best suited for all public safety users. The purpose
of P25 was and is to provide a common platform
offering the highest level of interoperability while simultaneously
addressing the need to move to narrow frequency channel
spacing. On of the best overviews of P25 has been prepared by Aeroflex,
a test equipment manufacturer offering equip-
ment for the servicing of P25 equipment. For additional information,
click here. Technically, this is known as C4FM,
compatible four-level frequency modulation) in a 12.5 kHz channel or
CQPSK, compatible quadrature phase shift keying)
in a 6.25 kHz channel.

FDMA (4 Level FSK)

FDMA is a new commercial digital standard jointly developed by ICOM and
Kenwood to provide the ability for a radio to
function in either a digital or analog mode at 25 kHz, 12.5 kHz, or 6.25
kHz. Technically known as Frequency Division
Multiple Access (4 level FSK), it is currently the most flexible and
affordable platform available for VHF or UHF systems.
Additional information is available by clicking here.

> The trouble is, Yaesu are using a "mode" which nobody else is..How
> have Icom "failed to get others to follow ?.At least Icom supply
> repeaters and mobiles and Handhelds. Also 3rd parties are able to
> make suitable equipment..(DVap etc...)
>
> Andy G6MRI

--

Thanks! & 73, KD4E.com
David Colburn nevils-station.com
I don't google I SEARCH! duckduckgo.com
Network: groups.yahoo.com/group/qrv
Restored to design-spec at Heaven's gate 1Cor15:22

21. RE: [FT-1D] Re: Anyone call gigaparts yet ?

Yahoo group: FT-1D
Date: 2013-01-01 01:25:51 UTC
From: andy rudd
Topic: 14 Message: 21

Hopefully you are right. According to the Yaesu leaflet, it is 12.5khz bandwith, with motorola, vertex and hytera etc being 2 x 6.25 khz..
It would be good if it works with Motobro...As far as I can see, the FT-1D does not conform to the DMR air interface.
Also project 25 is a completely different kettle of fish, and mainly USA only. The Yaesu being an amateur radio, I assume it should work world wide.
I suppose until we see one, we cannot know for sure. Also, unfortunately, although Moto. Vertex and Hytera are all DMR, they only just about talk to each other...
I shall stick to D-Star for now...
Happy New Year and all that...
Andy...G6MRI

> To: FT-1D@yahoogroups.com
> From: qrv@...
> Date: Mon, 31 Dec 2012 20:03:39 -0500
> Subject: Re: [FT-1D] Re: Anyone call gigaparts yet ?
>
> Actually, Yaesu is using a technology that has been growing for a while
> in the huge commercial/public service market:
>
> http://wiki.radioreference.com/index.php/Project_25
>
> Project 25 Phase I FDMA
>
> Phase I FDMA consists of C4FM modulated signal or a CQPSK modulated
> signal. Both fit in a 12.5 kHz channel. Subscriber equipment transmit in
> C4FM. Site equipment may transmit in C4FM or CQPSK. CQPSK permits
> simulcast operation. Harris and Motorola offer simulcast equipment.
> Motorola's brand name for simulcast is called LSM.
>
> http://www.falcondirect.com/digital/differences/
>
> APCO-25 (C4FM and CQPSK)
>
> More commonly known as P25, this is the digital standard selected by
> U.S. Government agencies and presumed by many
> to be the platform best suited for all public safety users. The purpose
> of P25 was and is to provide a common platform
> offering the highest level of interoperability while simultaneously
> addressing the need to move to narrow frequency channel
> spacing. On of the best overviews of P25 has been prepared by Aeroflex,
> a test equipment manufacturer offering equip-
> ment for the servicing of P25 equipment. For additional information,
> click here. Technically, this is known as C4FM,
> compatible four-level frequency modulation) in a 12.5 kHz channel or

> CQPSK, compatible quadrature phase shift keying)
> in a 6.25 kHz channel.
>
> FDMA (4 Level FSK)
>
> FDMA is a new commercial digital standard jointly developed by ICOM and
> Kenwood to provide the ability for a radio to
> function in either a digital or analog mode at 25 kHz, 12.5 kHz, or 6.25
> kHz. Technically known as Frequency Division
> Multiple Access (4 level FSK), it is currently the most flexible and
> affordable platform available for VHF or UHF systems.
> Additional information is available by clicking here.
>
> > The trouble is, Yaesu are using a "mode" which nobody else is..How
> > have Icom "failed to get others to follow ?.At least Icom supply
> > repeaters and mobiles and Handhelds. Also 3rd parties are able to
> > make suitable equipment..(DVap etc...)
> >
> > Andy G6MRI
>
>
> --
>
> Thanks! & 73, KD4E.com
> David Colburn nevils-station.com
> I don't google I SEARCH! duckduckgo.com
> Network: groups.yahoo.com/group/qrv
> Restored to design-spec at Heaven's gate 1Cor15:22
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

22. First shipment

Yahoo group: FT-1D
Date: 2013-03-20 23:55:51 UTC
From: noboba
Topic: 22 Message: 22

I was informed that the shipment will start at the end of March.

73
Oba
JA7UDE

23. Dayton Inquiry

Yahoo group: FT-1D
Date: 2013-05-11 16:05:46 UTC
From: rjohnee
Topic: 23 Message: 23

If any of you folks are going to Dayton next weekend, please press the Yaesu folks for more info on price and availability of the FT-1D and please post their response (or non-response) here on the board.

With the very quick and recent intoductions of the FT-252 / FT-257 HT's and the FTDX-1200 for HF bands, they appear to have dropped emphasis on the FT-1D and mobile FTM-400DR. It's been a long time since they both got FCC approval, and a very long time since they were announced. It does seem like it's time to either ship it or forget it.

Richard

24. RE: [FT-1D] Dayton Inquiry

Yahoo group: FT-1D
Date: 2013-05-11 16:44:13 UTC
From: Howard Small
Topic: 23 Message: 24

Yes, after all the hype about their new way forward this product died a quiet death, didn't it?

Look forward to hearing the update.

73

Howard

VK4BS

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of rjohnee
Sent: Sunday, 12 May 2013 2:06 AM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Dayton Inquiry

If any of you folks are going to Dayton next weekend, please press the Yaesu folks for more info on price and availability of the FT-1D and please post their response (or non-response) here on the board.

With the very quick and recent intoductions of the FT-252 / FT-257 HT's and the FTDX-1200 for HF bands, they appear to have dropped emphasis on the FT-1D and mobile FTM-400DR. It's been a long time since they both got FCC approval, and a very long time since they were announced. It does seem like it's time to either ship it or forget it.

Richard

25. Re: [FT-1D] Dayton Inquiry

Yahoo group: FT-1D
Date: 2013-05-11 16:58:08 UTC
From: qrv@kd4e.com
Topic: 23 Message: 25

Could it be that the cheap Chinese X1M, and expected follow-on rigs,
has thrashed their profitability margins (price competition plus
fewer likely buyers)?

One has to think that all of the traditional manufacturers are
taking a hard look at new products in light of this leading-edge
of a tsunami of cheap rigs.

One US Ham has a DC-daylight multimode rig planned for 2014 that
will sell for $200. as a kit!

The synthesized vfo chips, RTL-SDR receiving devices, and other
cheap chips & digital readouts from Chinese and Texas Instruments
sources are likely to transform the Ham rig marketplace.

IMHO, YMMV ... 73, David KD4E

> Yes, after all the hype about their new way forward this product
> died a quiet death, didn?t it?
>
> Look forward to hearing the update.
>
> 73
>
> Howard
>
> VK4BS
>
>
> If any of you folks are going to Dayton next weekend, please press
> the Yaesu folks for more info on price and availability of the FT-1D
> and please post their response (or non-response) here on the board.
>
> With the very quick and recent intoductions of the FT-252 / FT-257
> HT's and the FTDX-1200 for HF bands, they appear to have dropped
> emphasis on the FT-1D and mobile FTM-400DR. It's been a long time
> since they both got FCC approval, and a very long time since they
> were announced. It does seem like it's time to either ship it or
> forget it.
>
> Richard

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

26. Re: [FT-1D] Dayton Inquiry

Yahoo group: FT-1D
Date: 2013-05-12 05:29:53 UTC
From: Howard Small
Topic: 23 Message: 26

Or could it be that they finally realised that pushing out a hand held and a mobile radio does not make a digital radio system? Not a whisper of repeaters, supporting infrastucture or integration with other systems...

Despite the cheap kit you mention, the ID-31 sold well and I gather the ID-51 is going down the same path. Hams will always pay for innovation, technology advances and experimentation provided they are not looking at an immediate dead end.

Howard
VK4BS

On 12/05/2013, at 2:58, "qrv@..." <qrv@...m> wrote:

> Could it be that the cheap Chinese X1M, and expected follow-on rigs,
> has thrashed their profitability margins (price competition plus
> fewer likely buyers)?
>
> One has to think that all of the traditional manufacturers are
> taking a hard look at new products in light of this leading-edge
> of a tsunami of cheap rigs.
>
> One US Ham has a DC-daylight multimode rig planned for 2014 that
> will sell for $200. as a kit!
>
> The synthesized vfo chips, RTL-SDR receiving devices, and other
> cheap chips & digital readouts from Chinese and Texas Instruments
> sources are likely to transform the Ham rig marketplace.
>
> IMHO, YMMV ... 73, David KD4E
>
>> Yes, after all the hype about their new way forward this product
>> died a quiet death, didn’t it?
>>
>> Look forward to hearing the update.
>>
>> 73
>>
>> Howard
>>
>> VK4BS
>>
>>
>> If any of you folks are going to Dayton next weekend, please press
>> the Yaesu folks for more info on price and availability of the FT-1D
>> and please post their response (or non-response) here on the board.
>>

>> With the very quick and recent intoductions of the FT-252 / FT-257
>> HT's and the FTDX-1200 for HF bands, they appear to have dropped
>> emphasis on the FT-1D and mobile FTM-400DR. It's been a long time
>> since they both got FCC approval, and a very long time since they
>> were announced. It does seem like it's time to either ship it or
>> forget it.
>>
>> Richard
>
>
>
> --
>
> Thanks! & 73, KD4E.com
>
> David Colburn - Nevils, Georgia USA
>
> Search with: duckduckgo.com
>
> Android for Hams: groups.yahoo.com/group/hamdroid
> Creative Tech: groups.yahoo.com/group/ham-macguyver
> Raspi Alternative: groups.yahoo.com/group/beagleboneblack/
>
> Restored to design-spec at Heaven's gate 1Cor15:22
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

27. Price Posted

Yahoo group: FT-1D
Date: 2013-05-13 17:29:29 UTC
From: rjohnee
Topic: 27 Message: 27

On Universal Radio's website, the FT-1D now shows a list price of $660.00 and a sales price of $539.95. This is the first time I've seen it listed in the US.

It shows both a black and a silver case version.

Availability is not mentioned, so it may be now.

Richard

28. Re: [FT-1D] Price Posted

Yahoo group: FT-1D
Date: 2013-05-13 17:39:35 UTC
From: qrv@kd4e.com
Topic: 27 Message: 28

Is the top graphic here actually displayed on the FT-1D?

Camera-mic option isn't yet available & no specs yet.

Is there a dongle for a PC, as for D-Star, that would broaden the capacity to access the Yaesu digital mode (at least on the receive side)?

If the only way to participate is to buy a FT-1D this could be a really tough slog to sell in this market.

I've not kept up with the conversation here so some of this may have been previously addressed.

73, David KD4E

> On Universal Radio's website, the FT-1D now shows a list price of
> $660.00 and a sales price of $539.95. This is the first time I've
> seen it listed in the US.
>
> It shows both a black and a silver case version.
>
> Availability is not mentioned, so it may be now.
>
> Richard

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

29. Re: Price Posted

Yahoo group: FT-1D
Date: 2013-05-13 18:01:05 UTC
From: rjohnee
Topic: 27 Message: 29

A correction to my first post - the Universal Radio website shows availability as June 15, 2013. (but it was in small print, and these old eyes of mine ...)

Richard

--- In FT-1D@yahoogroups.com, "rjohnee" <k7mdh@...> wrote:
> Availability is not mentioned, so it may be now.
>

30. Re: Price Posted

Yahoo group: FT-1D
Date: 2013-05-14 12:40:57 UTC
From: ka1mzy
Topic: 27 Message: 30

Their site now shows ORDER, so they are taking orders for $539.00

http://www.universal-radio.com/catalog/ht/0111.html

--- In FT-1D@yahoogroups.com, "rjohnee" <k7mdh@...> wrote:
>
>
> A correction to my first post - the Universal Radio website shows availability as June 15, 2013. (but it was in small print, and these old eyes of mine ...)
>
> Richard
>
>
> --- In FT-1D@yahoogroups.com, "rjohnee" <k7mdh@> wrote:
> > Availability is not mentioned, so it may be now.
> >
>

31. Manuals available online

Yahoo group: FT-1D
Date: 2013-06-10 21:55:03 UTC
From: rjohnee
Topic: 31 Message: 31

At www.yaesu.com they have added the FT-1D as a product listing, and some manuals and a better brochure than I've seen before are available for download.

Time to start reading and figuring it all out ....

32. Re: Manuals available online

Yahoo group: FT-1D
Date: 2013-06-11 19:27:48 UTC
From: n9aa
Topic: 31 Message: 32

Still no "real" owners manual, though...

73,
Scott, N9AA

--- In FT-1D@yahoogroups.com, "rjohnee" <k7mdh@...> wrote:
>
> At www.yaesu.com they have added the FT-1D as a product listing, and some manuals and a better brochure than I've seen before are available for download.
>
> Time to start reading and figuring it all out ....
>

33. Re: Manuals available online

Yahoo group: FT-1D
Date: 2013-06-13 17:13:03 UTC
From: rjohnee
Topic: 31 Message: 33

It's available now.

--- In FT-1D@yahoogroups.com, "n9aa" <n9aa@...> wrote:
>
> Still no "real" owners manual, though...
>
> 73,
> Scott, N9AA
>
>
> --- In FT-1D@yahoogroups.com, "rjohnee" <k7mdh@> wrote:
> >
> > At www.yaesu.com they have added the FT-1D as a product listing, and some manuals and a better brochure than I've seen before are available for download.
> >
> > Time to start reading and figuring it all out ....
> >
>

34. On the way

Yahoo group: FT-1D
Date: 2013-06-20 22:49:05 UTC
From: wolobmp
Topic: 34 Message: 34

I have placed an order for the black version today. Scheduled to arrive this upcoming Monday. Looking forward at programming this ht.
Should prove to be interesting once support hardware starts to be placed online/on-the-air with regards to the digital mode.
73
Mike

35. RE: [FT-1D] On the way

Yahoo group: FT-1D
Date: 2013-06-20 23:09:53 UTC
From: andy rudd
Topic: 34 Message: 35

Sounds exciting !! In the UK we shall have to wait a little longer. Let you guys across the pond work it all out. Be good when Yaesu make a repeater to suit.
Keep us all informed.
73Andy G6MRI

To: FT-1D@yahoogroups.com
From: wolobmp@...
Date: Thu, 20 Jun 2013 22:49:05 +0000
Subject: [FT-1D] On the way

I have placed an order for the black version today. Scheduled to arrive this upcoming Monday. Looking forward at programming this ht.

Should prove to be interesting once support hardware starts to be placed online/on-the-air with regards to the digital mode.

73

Mike

36. Re: [FT-1D] On the way

Yahoo group: FT-1D
Date: 2013-06-20 23:20:54 UTC
From: qrv@kd4e.com
Topic: 34 Message: 36

Can't an analog repeater pass the digital signals?

> Sounds exciting !! In the UK we shall have to wait a little longer. Let
> you guys across the pond work it all out. Be good when Yaesu make a
> repeater to suit.
>
> Keep us all informed.
>
> 73
> Andy G6MRI

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

37. RE: [FT-1D] On the way

Yahoo group: FT-1D
Date: 2013-06-20 23:29:16 UTC
From: andy rudd
Topic: 34 Message: 37

Hi,
If the "digital" signal was something like GMFSK, it would as it is an audio signal. With true digital TDMA, FDMA, D-Star etc , I believe you would need a digital repeater to suit. If Yaesu had gone 6.25 khz bandwith you could use Icom Idas or Kenwood Nexedge. FT1D is 12.5khz so not an option..Motobro is TDMA..Not suitable.I could be wrong...Discuss !!
Andy G6MRI

> To: FT-1D@yahoogroups.com
> From: qrv@...
> Date: Thu, 20 Jun 2013 19:20:54 -0400
> Subject: Re: [FT-1D] On the way
>
> Can't an analog repeater pass the digital signals?
>
> > Sounds exciting !! In the UK we shall have to wait a little longer. Let
> > you guys across the pond work it all out. Be good when Yaesu make a
> > repeater to suit.
> >
> > Keep us all informed.
> >
> > 73
> > Andy G6MRI
>
>
> --
>
> Thanks! & 73, KD4E.com
>
> David Colburn - Nevils, Georgia USA
>
> Search with: duckduckgo.com
>
> Android for Hams: groups.yahoo.com/group/hamdroid
> Creative Tech: groups.yahoo.com/group/ham-macguyver
> Raspi Alternative: groups.yahoo.com/group/beagleboneblack/
>
> Restored to design-spec at Heaven's gate 1Cor15:22
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

38. OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 00:25:12 UTC
From: Howard Small
Topic: 38 Message: 38

Speaking of which there is the Kirisun dPMR 400 - 470 MHz available for USD128 - another digital option.

Howard

VK4BS

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of andy rudd
Sent: Friday, 21 June 2013 9:29 AM
To: FT-1D@yahoogroups.com
Subject: RE: [FT-1D] On the way

Hi,

If the "digital" signal was something like GMFSK, it would as it is an audio signal. With true digital TDMA, FDMA, D-Star etc , I believe you would need a digital repeater to suit. If Yaesu had gone 6.25 khz bandwith you could use Icom Idas or Kenwood Nexedge. FT1D is 12.5khz so not an option..Motobro is TDMA..Not suitable.

I could be wrong...Discuss !!

Andy G6MRI

> To: FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>
> From: qrv@... <mailto:qrv@...>
> Date: Thu, 20 Jun 2013 19:20:54 -0400
> Subject: Re: [FT-1D] On the way
>
> Can't an analog repeater pass the digital signals?
>
> > Sounds exciting !! In the UK we shall have to wait a little longer. Let
> > you guys across the pond work it all out. Be good when Yaesu make a
> > repeater to suit.
> >
> > Keep us all informed.
> >
> > 73
> > Andy G6MRI
>
>
> --
>
> Thanks! & 73, KD4E.com
>
> David Colburn - Nevils, Georgia USA

>
> Search with: duckduckgo.com
>
> Android for Hams: groups.yahoo.com/group/hamdroid
> Creative Tech: groups.yahoo.com/group/ham-macguyver
> Raspi Alternative: groups.yahoo.com/group/beagleboneblack/
>
> Restored to design-spec at Heaven's gate 1Cor15:22
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
<mailto:FT-1D-fullfeatured@yahoogroups.com>
>
>

39. Re: [FT-1D] OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 01:00:47 UTC
From: qrv@kd4e.com
Topic: 38 Message: 39

Is it approved for the USA?

Is it compatible with DStar or Yaesu protocols?

FT-1D sales would be enhanced if it could communicate with
less feature-rich inexpensive digital handhelds.

> Howard Small wrote:
> Kirisun dPMR 400 ? 470 MHz

I spotted a discussion group here:
http://groups.yahoo.com/group/S780/Kirisun

Details:

http://www.409shop.com/409shop_product.php?id=111989

KIRISUN S780U The transceiver is a micro-miniature multiband
FM transceiver with extensive receive frequency coverage,
providing local-area two-way amateur communications along with unmatched
monitoring capability

Product Features:

Excellent noise suppression, digital voice clarity

Digital / analog compatible analog devices to ensure a smooth transition

Ten million sets of figures key voice encryption, safe and secure

Digital intelligent signaling, richer management scheduling function

Function Description:

1, FDMA frequency division multiple access technology, spectrum
efficiency improved several times;

2, support digital mode, analog mode

3, the digital voice encryption

4, a variety of call mode, all call, group call, a call, emergency call

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

40. Re: OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 04:07:25 UTC
From: Howard
Topic: 38 Message: 40

--- In FT-1D@yahoogroups.com, "qrv@..." <qrv@...> wrote:
>
> Is it approved for the USA?

Don't know, don't care ;)

>
> Is it compatible with DStar or Yaesu protocols?

It is dPMR so no and possibly yes

73

Howard
VK4BS

41. RE: [FT-1D] OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 08:29:54 UTC
From: andy rudd
Topic: 38 Message: 41

Don't think it is FCC, but it is CE. Great little radio, great price. Not compatible with Yaesu or Dstar.

We have tested a few here in UK. Only drawback for Ham use is that they are memory only, no vfo mode.

Another repeater up the tower...Won't be any space left !

Andy G6MRI

> To: FT-1D@yahoogroups.com
> From: qrv@...
> Date: Thu, 20 Jun 2013 21:00:47 -0400
> Subject: Re: [FT-1D] OT Digital
>
> Is it approved for the USA?
>
> Is it compatible with DStar or Yaesu protocols?
>
> FT-1D sales would be enhanced if it could communicate with
> less feature-rich inexpensive digital handhelds.
>
> > Howard Small wrote:
> > Kirisun dPMR 400 – 470 MHz
>
> I spotted a discussion group here:
> http://groups.yahoo.com/group/S780/Kirisun
>
> Details:
>
> http://www.409shop.com/409shop_product.php?id=111989
>
> KIRISUN S780U The transceiver is a micro-miniature multiband
> FM transceiver with extensive receive frequency coverage,
> providing local-area two-way amateur communications along with unmatched
> monitoring capability
>
> Product Features:
>
> Excellent noise suppression, digital voice clarity
>
> Digital / analog compatible analog devices to ensure a smooth transition
>
> Ten million sets of figures key voice encryption, safe and secure
>
> Digital intelligent signaling, richer management scheduling function

>
> Function Description:
>
> 1, FDMA frequency division multiple access technology, spectrum
> efficiency improved several times;
>
> 2, support digital mode, analog mode
>
> 3, the digital voice encryption
>
> 4, a variety of call mode, all call, group call, a call, emergency call
>
>
> --
>
> Thanks! & 73, KD4E.com
>
> David Colburn - Nevils, Georgia USA
>
> Search with: duckduckgo.com
>
> Android for Hams: groups.yahoo.com/group/hamdroid
> Creative Tech: groups.yahoo.com/group/ham-macguyver
> Raspi Alternative: groups.yahoo.com/group/beagleboneblack/
>
> Restored to design-spec at Heaven's gate 1Cor15:22
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

42. RE: [FT-1D] OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 09:29:35 UTC
From: Howard Small
Topic: 38 Message: 42

Interesting Andy. I thought they would be compatible with the Yaesu FT-1D - or most of the functions anyway. I gather you have tested this?

73

Howard

VK4BS

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of andy rudd
Sent: Friday, 21 June 2013 6:30 PM
To: FT-1D@yahoogroups.com
Subject: RE: [FT-1D] OT Digital

Not compatible with Yaesu or Dstar.

43. RE: [FT-1D] OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 09:56:03 UTC
From: andy rudd
Topic: 38 Message: 43

Unfortunately Kirisun is dPMR (6.25khz) and the Yaesu is not..It is 12.5khz. Kirisun make good radio's, at a good price. Yaesu seem to have gone off in their own direction. The FT-1D appears to be using Phase 1 P25, the most common digital mode in US. Unfortunately Phase 1 is being "phased out ", and replaced by phase 2, which is not backward compatible.

Difficult to test here in UK. Not much P25 available and definately no FT-1D yet !!!

When Icom launched D-star in UK, they did some cracking deals on D-Star repeaters. Shame it is so expensive...

As the Chinese manufacturers come up with cheaper gear, more digital modes will take off. Unfortunately Yaesu and Icom hate each other...

People need to see if there are any phase 1 repeaters going cheap on e-bay !!

Regards Andy G6MRI

To: FT-1D@yahoogroups.com
From: howard@...
Date: Fri, 21 Jun 2013 19:29:35 +1000
Subject: RE: [FT-1D] OT Digital

Interesting Andy. I thought they would be compatible with the Yaesu FT-1D – or most of the functions anyway. I gather you have tested this?
73 HowardVK4BS From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of andy rudd
Sent: Friday, 21 June 2013 6:30 PM
To: FT-1D@...m
Subject: RE: [FT-1D] OT Digital Not compatible with Yaesu or Dstar.

44. Re: OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 17:14:17 UTC
From: wolobmp
Topic: 38 Message: 44

I have read the manual and the following are the channel steps:
5/6.25/8.33/9/10/12.5/15/20/25/50/100.

I've also been told by sales rep that "rumor" has it that this will be compatible with dmr type equipment.
73

--- In FT-1D@yahoogroups.com, andy rudd <ajr6400@...> wrote:
>
> Unfortunately Kirisun is dPMR (6.25khz) and the Yaesu is not..It is 12.5khz. Kirisun make good radio's, at a good price. Yaesu seem to have gone off in their own direction. The FT-1D appears to be using Phase 1 P25, the most common digital mode in US. Unfortunately Phase 1 is being "phased out ", and replaced by phase 2, which is not backward compatible.
>
> Difficult to test here in UK. Not much P25 available and definately no FT-1D yet !!!
>
> When Icom launched D-star in UK, they did some cracking deals on D-Star repeaters. Shame it is so expensive...
>
> As the Chinese manufacturers come up with cheaper gear, more digital modes will take off. Unfortunately Yaesu and Icom hate each other...
>
> People need to see if there are any phase 1 repeaters going cheap on e-bay !!
>
> Regards Andy G6MRI
>
> To: FT-1D@yahoogroups.com
> From: howard@...
> Date: Fri, 21 Jun 2013 19:29:35 +1000
> Subject: RE: [FT-1D] OT Digital
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>

>
>
>
>
>
>
>
>
>
>
> Interesting Andy. I thought they would be compatible with the Yaesu FT-1D ☐ or most of the functions anyway. I gather you have tested this?
> 73 HowardVK4BS From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of andy rudd
> Sent: Friday, 21 June 2013 6:30 PM
> To: FT-1D@yahoogroups.com
> Subject: RE: [FT-1D] OT Digital Not compatible with Yaesu or Dstar.
>

45. RE: [FT-1D] Re: OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 17:39:00 UTC
From: andy rudd
Topic: 38 Message: 45

You buy one and let us know !

Andy.

Sent from my Windows Phone

From: wolobmp<mailto:wolobmp@...>
Sent: ☐21/☐06/☐2013 18:14
To: FT-1D@yahoogroups.com<mailto:FT-1D@yahoogroups.com>
Subject: [FT-1D] Re: OT Digital

I have read the manual and the following are the channel steps:
5/6.25/8.33/9/10/12.5/15/20/25/50/100.

I've also been told by sales rep that "rumor" has it that this will be compatible with dmr type equipment.
73

--- In FT-1D@yahoogroups.com, andy rudd <ajr6400@...> wrote:
>
> Unfortunately Kirisun is dPMR (6.25khz) and the Yaesu is not..It is 12.5khz. Kirisun make good radio's, at a good price. Yaesu seem to have gone off in their own direction. The FT-1D appears to be using Phase 1 P25, the most common digital mode in US. Unfortunately Phase 1 is being "phased out ", and replaced by phase 2, which is not backward compatible.
>
> Difficult to test here in UK. Not much P25 available and definately no FT-1D yet !!!
>
> When Icom launched D-star in UK, they did some cracking deals on D-Star repeaters. Shame it is so expensive...
>
> As the Chinese manufacturers come up with cheaper gear, more digital modes will take off. Unfortunately Yaesu and Icom hate each other...
>
> People need to see if there are any phase 1 repeaters going cheap on e-bay !!
>
> Regards Andy G6MRI
>
> To: FT-1D@yahoogroups.com
> From: howard@...
> Date: Fri, 21 Jun 2013 19:29:35 +1000
> Subject: RE: [FT-1D] OT Digital
>
>
>
>
>

>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> Interesting Andy. I thought they would be compatible with the Yaesu FT-1D – or most of the functions anyway. I gather you have tested this?
> 73 HowardVK4BS From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of andy rudd
> Sent: Friday, 21 June 2013 6:30 PM
> To: FT-1D@yahoogroups.com
> Subject: RE: [FT-1D] OT Digital Not compatible with Yaesu or Dstar.
>

46. Re: OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 17:43:08 UTC
From: wolobmp
Topic: 38 Message: 46

Like I listed in previous posting mine should arrive this Monday.

--- In FT-1D@yahoogroups.com, andy rudd <ajr6400@...> wrote:
>
> You buy one and let us know !
>
> Andy.
>
> Sent from my Windows Phone
> _____
> From: wolobmp<mailto:wolobmp@...>
> Sent: â□□21/â□□06/â□□2013 18:14
> To: FT-1D@yahoogroups.com<mailto:FT-1D@yahoogroups.com>
> Subject: [FT-1D] Re: OT Digital
>
> I have read the manual and the following are the channel steps: 5/6.25/8.33/9/10/12.5/15/20/25/50/100.
>
> I've also been told by sales rep that "rumor" has it that this will be compatible with dmr type equipment.
> 73
>
> --- In FT-1D@yahoogroups.com, andy rudd <ajr6400@> wrote:
> >
> > Unfortunately Kirisun is dPMR (6.25khz) and the Yaesu is not..It is 12.5khz. Kirisun make good radio's, at a good price. Yaesu seem to have gone off in their own direction. The FT-1D appears to be using Phase 1 P25, the most common digital mode in US. Unfortunately Phase 1 is being "phased out ", and replaced by phase 2, which is not backward compatible.
> >
> > Difficult to test here in UK. Not much P25 available and definately no FT-1D yet !!!
> >
> > When Icom launched D-star in UK, they did some cracking deals on D-Star repeaters. Shame it is so expensive...
> >
> > As the Chinese manufacturers come up with cheaper gear, more digital modes will take off. Unfortunately Yaesu and Icom hate each other...
> >
> > People need to see if there are any phase 1 repeaters going cheap on e-bay !!
> >
> > Regards Andy G6MRI
> >
> > To: FT-1D@yahoogroups.com
> > From: howard@
> > Date: Fri, 21 Jun 2013 19:29:35 +1000
> > Subject: RE: [FT-1D] OT Digital
> >
> >

> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Interesting Andy. I thought they would be compatible with the Yaesu FT-1D â□" or most of the functions anyway. I gather you have tested this?
> > 73 HowardVK4BS From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of andy rudd
> > Sent: Friday, 21 June 2013 6:30 PM
> > To: FT-1D@yahoogroups.com
> > Subject: RE: [FT-1D] OT Digital Not compatible with Yaesu or Dstar.
> >
>

47. RE: [FT-1D] Re: OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 17:50:18 UTC
From: andy rudd
Topic: 38 Message: 47

I am envious. Yaesu UK have no idea when it will arrive in UK. Dmr is TDMA, ft 1d is FDMA..

Enjoy it, and we shall expect a full report.

Regards Andy.

Sent from my Windows Phone

From: wolobmp<mailto:wolobmp@...>
Sent: ☐21/☐06/☐2013 18:43
To: FT-1D@yahoogroups.com<mailto:FT-1D@yahoogroups.com>
Subject: [FT-1D] Re: OT Digital

Like I listed in previous posting mine should arrive this Monday.

--- In FT-1D@yahoogroups.com, andy rudd <ajr6400@...> wrote:
>
> You buy one and let us know !
>
> Andy.
>
> Sent from my Windows Phone
> ---
> From: wolobmp<mailto:wolobmp@...>
> Sent: â€Ž21/â€Ž06/â€Ž2013 18:14
> To: FT-1D@yahoogroups.com<mailto:FT-1D@yahoogroups.com>
> Subject: [FT-1D] Re: OT Digital
>
> I have read the manual and the following are the channel steps:
5/6.25/8.33/9/10/12.5/15/20/25/50/100.
>
> I've also been told by sales rep that "rumor" has it that this will be compatible with
dmr type equipment.
> 73
>
> --- In FT-1D@yahoogroups.com, andy rudd <ajr6400@> wrote:
> >
> > Unfortunately Kirisun is dPMR (6.25khz) and the Yaesu is not..It is 12.5khz. Kirisun
make good radio's, at a good price. Yaesu seem to have gone off in their own direction. The
FT-1D appears to be using Phase 1 P25, the most common digital mode in US. Unfortunately
Phase 1 is being "phased out ", and replaced by phase 2, which is not backward compatible.
> >
> > Difficult to test here in UK. Not much P25 available and definately no FT-1D yet !!!
> >
> > When Icom launched D-star in UK, they did some cracking deals on D-Star repeaters.
Shame it is so expensive...

> >
> > As the Chinese manufacturers come up with cheaper gear, more digital modes will take off. Unfortunately Yaesu and Icom hate each other...
> >
> > People need to see if there are any phase 1 repeaters going cheap on e-bay !!
> >
> > Regards Andy G6MRI
> >
> > To: FT-1D@yahoogroups.com
> > From: howard@
> > Date: Fri, 21 Jun 2013 19:29:35 +1000
> > Subject: RE: [FT-1D] OT Digital
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Interesting Andy. I thought they would be compatible with the Yaesu FT-1D â€" or most of the functions anyway. I gather you have tested this?
> > 73 HowardVK4BS From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of andy rudd
> > Sent: Friday, 21 June 2013 6:30 PM
> > To: FT-1D@yahoogroups.com
> > Subject: RE: [FT-1D] OT Digital Not compatible with Yaesu or Dstar.
> >
>

48. Re: [FT-1D] Re: OT Digital

Yahoo group: FT-1D
Date: 2013-06-21 21:29:44 UTC
From: Howard Small
Topic: 38 Message: 48

It may be that it is compatible with DMR in peer to peer mode where DMR reverts to 12.5 KHz channels but that will not make it compatible with DMR repeaters.

Howard
VK4BS

On 22/06/2013, at 3:14, "wolobmp" <wolobmp@...> wrote:

> I have read the manual and the following are the channel steps:
5/6.25/8.33/9/10/12.5/15/20/25/50/100.
>
> I've also been told by sales rep that "rumor" has it that this will be compatible with dmr type equipment.
> 73
>
>

49. NOT P25

Yahoo group: FT-1D
Date: 2013-06-22 21:33:47 UTC
From: Reese
Topic: 49 Message: 49

If anyone is cares, I just left HRO and tested this radio. It will not TX or RX P25.

73's

Reese
W1RDW

50. RE: [FT-1D] NOT P25

Yahoo group: FT-1D
Date: 2013-06-22 21:50:35 UTC
From: andy rudd
Topic: 49 Message: 50

Hi Reese,
Did they say that it matched any existing system ? As I said in an earlier posting the spec is closely related to Phase 1 P25 (6.25khz audio 6.25 khz data).
Will you buy one ?
Regards Andy G6MRI.
To: FT-1D@yahoogroups.com
From: wd6eob6@...
Date: Sat, 22 Jun 2013 21:33:47 +0000
Subject: [FT-1D] NOT P25

If anyone is cares, I just left HRO and tested this radio. It will not TX or RX P25.

73's

Reese

W1RDW

51. Re: NOT P25

Yahoo group: FT-1D
Date: 2013-06-23 04:57:16 UTC
From: Reese
Topic: 49   Message: 51

The guy at HRO didn't know too much about the radio. But because it does not do P25, I will not be buying one.

--- In FT-1D@yahoogroups.com, andy rudd <ajr6400@...> wrote:
>
> Hi Reese,
> Did they say that it matched any existing system ? As I said in an earlier posting the spec is closely related to Phase 1 P25 (6.25khz audio 6.25 khz data).
> Will you buy one ?
> Regards Andy G6MRI.
> To: FT-1D@yahoogroups.com
> From: wd6eob6@...
> Date: Sat, 22 Jun 2013 21:33:47 +0000
> Subject: [FT-1D] NOT P25
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> If anyone is cares, I just left HRO and tested this radio. It will not TX or RX P25.
>
>
>
> 73's

>
>
>
> Reese
>
> W1RDW
>

52. Already a FT-1D for sale on swap.qth.com!

Yahoo group: FT-1D
Date: 2013-07-01 21:04:47 UTC
From: qrv@kd4e.com
Topic: 52 Message: 52

New yaesu ft1dr with camera speaker mike an sd card box manual all for 675.00 Listing #1074472 - Submitted on 07/01/13 by Callsign WC1P

I don't know the seller or about equipment - just a FYI ...

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

53. Re: OT Digital

Yahoo group: FT-1D
Date: 2013-07-02 23:15:38 UTC
From: wolobmp
Topic: 38 Message: 53

Recv'd my FT1D last week...black version. I have manually programmed 2,440 rptrs and simplex freq with ease. Also included are 6mtr 220 for recv. I have alos listedn to FM broadcast radio, but have not yet tried sw bands. I have worked a few local stations on digital mode..on simplex freq. The xmit and recv audio is quite similar in sound as P25. While not compatible with P25 the recv and xmit audio sounds very smooth and not robotic, as is the case in other digital modes.
APRS function works flawless, pop-up messages on screen is a nice feature. I understand Yaesu will be introducing mobiles shortly with then rprts lastly.
I also understand that RT Systems is in the process of writing code to be able to program this ht with there software. While I did not find any issues manually programming the ht, am sure it would of went faster if I had the program.
I presume more folks with interest in trying something new and different as opposed to the same old same old will find this ht packed with features, functions, performance and quite reasonably priced for what you get in one small well made package.
While there will always be people who do not want to try a different mode, and nothing different; one thing that makes ham radio fun is trying new modes, new radios new antennas new bands new ideas to keep the hobby fresh and interesting.
73
Mike

--- In FT-1D@yahoogroups.com, "wolobmp" <wolobmp@...> wrote:
>
> Like I listed in previous posting mine should arrive this Monday.
>
> --- In FT-1D@yahoogroups.com, andy rudd <ajr6400@> wrote:
> >
> > You buy one and let us know !
> >
> > Andy.
> >
> > Sent from my Windows Phone
> > _____
> > From: wolobmp<mailto:wolobmp@>
> > Sent: â□□21/â□□06/â□□2013 18:14
> > To: FT-1D@...m<mailto:FT-1D@yahoogroups.com>
> > Subject: [FT-1D] Re: OT Digital
> >
> > I have read the manual and the following are the channel steps: 5/6.25/8.33/9/10/12.5/15/20/25/50/100.
> >
> > I've also been told by sales rep that "rumor" has it that this will be compatible with dmr type equipment.
> > 73
> >
> > --- In FT-1D@yahoogroups.com, andy rudd <ajr6400@> wrote:
> > >
> > > Unfortunately Kirisun is dPMR (6.25khz) and the Yaesu is not..It is 12.5khz. Kirisun make good radio's, at a good

price. Yaesu seem to have gone off in their own direction. The FT-1D appears to be using Phase 1 P25, the most common digital mode in US. Unfortunately Phase 1 is being "phased out ", and replaced by phase 2, which is not backward compatible.
> > >
> > > Difficult to test here in UK. Not much P25 available and definately no FT-1D yet !!!
> > >
> > > When Icom launched D-star in UK, they did some cracking deals on D-Star repeaters. Shame it is so expensive...
> > >
> > > As the Chinese manufacturers come up with cheaper gear, more digital modes will take off. Unfortunately Yaesu and Icom hate each other...
> > >
> > > People need to see if there are any phase 1 repeaters going cheap on e-bay !!
> > >
> > > Regards Andy G6MRI
> > >
> > > To: FT-1D@yahoogroups.com
> > > From: howard@
> > > Date: Fri, 21 Jun 2013 19:29:35 +1000
> > > Subject: RE: [FT-1D] OT Digital
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > Interesting Andy. I thought they would be compatible with the Yaesu FT-1D â□" or most of the functions anyway. I gather you have tested this?
> > > 73 HowardVK4BS From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com] On Behalf Of andy rudd
> > > Sent: Friday, 21 June 2013 6:30 PM
> > > To: FT-1D@yahoogroups.com

> > > Subject: RE: [FT-1D] OT Digital Not compatible with Yaesu or Dstar.
> > >
> >
>

54. Re: [FT-1D] Re: OT Digital

Yahoo group: FT-1D
Date: 2013-07-02 23:48:03 UTC
From: qrv@kd4e.com
Topic: 38 Message: 54

Any chance the CHIRP project will add the FT-1D?

> Recv'd my FT1D last week...black version. I have manually programmed
> 2,440 rptrs and simplex freq with ease. Also included are 6mtr 220
> for recv. I have alos listedn to FM broadcast radio, but have not yet
> tried sw bands. I have worked a few local stations on digital
> mode..on simplex freq. The xmit and recv audio is quite similar in
> sound as P25. While not compatible with P25 the recv and xmit audio
> sounds very smooth and not robotic, as is the case in other digital
> modes. APRS function works flawless, pop-up messages on screen is a
> nice feature. I understand Yaesu will be introducing mobiles shortly
> with then rprts lastly. I also understand that RT Systems is in the
> process of writing code to be able to program this ht with there
> software. While I did not find any issues manually programming the
> ht, am sure it would of went faster if I had the program. I presume
> more folks with interest in trying something new and different as
> opposed to the same old same old will find this ht packed with
> features, functions, performance and quite reasonably priced for what
> you get in one small well made package. While there will always be
> people who do not want to try a different mode, and nothing
> different; one thing that makes ham radio fun is trying new modes,
> new radios new antennas new bands new ideas to keep the hobby fresh
> and interesting. 73 Mike

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

55. FT-1DR Status

Yahoo group: FT-1D
Date: 2013-07-09 10:39:56 UTC
From: Dennis Griffin
Topic: 55 Message: 55

Greetings to the group,

I learned 7/6 AM that GigaParts recently received enough FT-1DR's to fill their standing orders and had enough left over that I could order one. Just wondering if I will be the only OM in the Phoenix area with one, once mine shows up. I hope there will be some more early adopters in the area so we can try the digital modes in simplex. I bought this radio not so much for the new digital features, which I realize that I may not be able to use much for a while, but more as a next gen VX-8DR/GR as far as APRS capability & features go. From a cursory review of the owner's manual, it looks good in that regard. Looks like I may become the forty somethingth member of this group, once approved; let's hope it blows up soon.

73 de Dennis KD7CAC
Scottsdale, AZ

56. Re: FT-1DR Status

Yahoo group: FT-1D
Date: 2013-07-10 02:32:46 UTC
From: noboba
Topic: 55 Message: 56

Hi, Dennis,

I am interested in how the audio sounds in the C4FM digital mode.

73
Oba
JA7UDE

--- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@...> wrote:
>
> Greetings to the group,
>
> I learned 7/6 AM that GigaParts recently received enough FT-1DR's to fill their standing orders and had enough left over that I could order one. Just wondering if I will be the only OM in the Phoenix area with one, once mine shows up. I hope there will be some more early adopters in the area so we can try the digital modes in simplex. I bought this radio not so much for the new digital features, which I realize that I may not be able to use much for a while, but more as a next gen VX-8DR/GR as far as APRS capability & features go. From a cursory review of the owner's manual, it looks good in that regard. Looks like I may become the forty somethingth member of this group, once approved; let's hope it blows up soon.
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>

57. Re: FT-1DR C4FMaudio

Yahoo group: FT-1D
Date: 2013-07-10 12:52:44 UTC
From: Dennis
Topic: 55 Message: 57

Hi Oba,

I too am anxious to see (hear) how the digital audio sounds on these units. What little I've found to read on this topic has been positive. My unit arrives today. So far, I don't know of anyone in the Phoenix, AZ, USA area that I'll be able to reach using a digital mode on simplex.

I have noticed that many of the members of this list have incomplete profiles showing in the member section, so it's not possible to see the QTH of these members. I would like to make a plea that members of this list please amend their profiles to show their area of residence.

73 de Dennis KD7CAC
Scottsdale, AZ

--- In FT-1D@yahoogroups.com, "noboba" <ja7ude@...> wrote:
>
> Hi, Dennis,
>
> I am interested in how the audio sounds in the C4FM digital mode.
>
> 73
> Oba
> JA7UDE
>
>
> --- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@> wrote:
> >
> > Greetings to the group,
> >
> > I learned 7/6 AM that GigaParts recently received enough FT-1DR's to fill their standing orders and had enough left over that I could order one. Just wondering if I will be the only OM in the Phoenix area with one, once mine shows up. I hope there will be some more early adopters in the area so we can try the digital modes in simplex. I bought this radio not so much for the new digital features, which I realize that I may not be able to use much for a while, but more as a next gen VX-8DR/GR as far as APRS capability & features go. From a cursory review of the owner's manual, it looks good in that regard. Looks like I may become the forty somethingth member of this group, once approved; let's hope it blows up soon.
> >
> > 73 de Dennis KD7CAC
> > Scottsdale, AZ
> >
>

58. Re: FT-1DR C4FMaudio

Yahoo group: FT-1D
Date: 2013-07-11 09:56:13 UTC
From: noboba
Topic: 55 Message: 58

Dennis,

Thanks for your reply. By the way, FTM-400D will start on sale at mid August in Japan. The MSRP is 84,800 JPY. It is a bit more expensive than I thought.

73
Oba
JA7UDE

--- In FT-1D@yahoogroups.com, "Dennis" <kd7cac@...> wrote:
>
> Hi Oba,
>
> I too am anxious to see (hear) how the digital audio sounds on these units. What little I've found to read on this topic has been positive. My unit arrives today. So far, I don't know of anyone in the Phoenix, AZ, USA area that I'll be able to reach using a digital mode on simplex.
>
> I have noticed that many of the members of this list have incomplete profiles showing in the member section, so it's not possible to see the QTH of these members. I would like to make a plea that members of this list please amend their profiles to show their area of residence.
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
> --- In FT-1D@yahoogroups.com, "noboba" <ja7ude@> wrote:
> >
> > Hi, Dennis,
> >
> > I am interested in how the audio sounds in the C4FM digital mode.
> >
> > 73
> > Oba
> > JA7UDE
> >
> >
> > --- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@> wrote:
> > >
> > > Greetings to the group,
> > >
> > > I learned 7/6 AM that GigaParts recently received enough FT-1DR's to fill their standing orders and had enough left over that I could order one. Just wondering if I will be the only OM in the Phoenix area with one, once mine shows up. I hope there will be some more early adopters in the area so we can try the digital modes in simplex. I bought this radio not so much for the new digital features, which I realize that I may not be able to

use much for a while, but more as a next gen VX-8DR/GR as far as APRS capability & features go. From a cursory review of the owner's manual, it looks good in that regard. Looks like I may become the forty somethingth member of this group, once approved; let's hope it blows up soon.
> > >
> > > 73 de Dennis KD7CAC
> > > Scottsdale, AZ
> > >
> >
>

59. Re: [FT-1D] FT-1DR C4FMaudio

Yahoo group: FT-1D
Date: 2013-07-11 12:30:02 UTC
From: Dennis Griffin
Topic: 55 Message: 59

Hi Oba,

Thanks for sharing, though I really don't need to buy another radio, hi. I'm wondering if it will use the same form factor as the FTM-350. That's a neat radio, but I seldom use mine.

73 de Dennis KD7CAC

On Jul 11, 2013, at 2:56 AM, noboba <ja7ude@...> wrote:

> Dennis,
>
> Thanks for your reply. By the way, FTM-400D will start on sale at mid August in Japan. The MSRP is 84,800 JPY. It is a bit more expensive than I thought.
>
> 73
> Oba
> JA7UDE
>
>

60. Micro SD card FYI

Yahoo group: FT-1D
Date: 2013-07-14 19:15:46 UTC
From: Dennis Griffin
Topic: 60 Message: 60

I just inserted a new 32GB SanDisk Micro SD card into my FT1D. I'll share two observations regarding this. Using a thumbnail that is overdue for a trimming, I wasn't able to seat the card, or, in other words, get it to "click" into place; I resorted to using the edge of a penny to do this. Once properly seated, I powered on the unit. Immediately after doing so, the card icon in the display, which is adjacent to the battery level icon, began flashing, along with the green B band LED. This continued for a minute or so, with my call signs (w & w/o SSID) remaining displayed, which essentially means the radio is locked. This lead me to wonder if this was correct behavior, but I decided to wait it out. Page 24 of the owners manual implies that an SD card that hadn't been formatted in the HT previously would have to be formatted using the Format menu function in Menu 10, once the card was inserted. Powering on the unit apparently self-executes this function, but I found no mention of this in the manual. The process did finally complete, w/o my intervention, after what seemed like a very long minute, since I wasn't expecting this. Out of curiosity, I powered the HT off, then back on, leaving the card in. The HT powered up normally, with the card icon displayed solid. So I initiated the Format function of Menu 10, and the green band B LED and the card icon once again flashed for about a minute before completing the formatting process and allowing the HT to return to normal usable status. Since this was with a 32GB card, I would expect the process to go quicker with smaller capacity cards, but I want to let new owners know to expect this undocumented behavior.

One other observation is that there is an error in the base owners manual on page 72, having to do with changing the GPS display screen to be able to see the current time. The manual states that the A/B button should be pushed to scroll the display up one line so the time is visible. This has to be done by turning the knob, not by pressing the A/B button.

73 de Dennis KD7CAC
Scottsdale, AZ

61. Re: FT-1DR Status

Yahoo group: FT-1D
Date: 2013-07-27 10:22:42 UTC
From: HB9DRX
Topic: 55 Message: 61

Hi all,

the digital audio sounds excellent, comparable to APCO P25 sound.
No big difference between "wide" and "narrow" modes, but just great.
Probably not much of error correction there, mobile tests will show how robust the waveform actually is.

73!
Nick - HB9DRX

--- In FT-1D@yahoogroups.com, "noboba" <ja7ude@...> wrote:
>
> Hi, Dennis,
>
> I am interested in how the audio sounds in the C4FM digital mode.
>
> 73
> Oba
> JA7UDE
>
>
> --- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@> wrote:
> >
> > Greetings to the group,
> >
> > I learned 7/6 AM that GigaParts recently received enough FT-1DR's to fill their standing orders and had enough left over that I could order one. Just wondering if I will be the only OM in the Phoenix area with one, once mine shows up. I hope there will be some more early adopters in the area so we can try the digital modes in simplex. I bought this radio not so much for the new digital features, which I realize that I may not be able to use much for a while, but more as a next gen VX-8DR/GR as far as APRS capability & features go. From a cursory review of the owner's manual, it looks good in that regard. Looks like I may become the forty somethingth member of this group, once approved; let's hope it blows up soon.
> >
> > 73 de Dennis KD7CAC
> > Scottsdale, AZ
> >
>

62. Re: [FT-1D] FT-1DR Status

Yahoo group: FT-1D
Date: 2013-07-27 11:44:49 UTC
From: Dennis Griffin
Topic: 55 Message: 62

Great to hear. Thanks for sharing, Nick. I'm still waiting for someone to pop up with one in my area so I can experience this first hand.

73 de Dennis KD7CAC
Scottsdale, AZ

On Jul 27, 2013, at 3:22 AM, HB9DRX <drx@...> wrote:

> Hi all,
>
> the digital audio sounds excellent, comparable to APCO P25 sound.
> No big difference between "wide" and "narrow" modes, but just great.
> Probably not much of error correction there, mobile tests will show how robust the waveform actually is.
>
> 73!
> Nick - HB9DRX
>
> --- In FT-1D@yahoogroups.com, "noboba" <ja7ude@...> wrote:
> >
> > Hi, Dennis,
> >
> > I am interested in how the audio sounds in the C4FM digital mode.
> >
> > 73
> > Oba
> > JA7UDE
> >
> >
> > --- In FT-1D@...m, Dennis Griffin <kd7cac@> wrote:
> > >
> > > Greetings to the group,
> > >
> > > I learned 7/6 AM that GigaParts recently received enough FT-1DR's to fill their standing orders and had enough left over that I could order one. Just wondering if I will be the only OM in the Phoenix area with one, once mine shows up. I hope there will be some more early adopters in the area so we can try the digital modes in simplex. I bought this radio not so much for the new digital features, which I realize that I may not be able to use much for a while, but more as a next gen VX-8DR/GR as far as APRS capability & features go. From a cursory review of the owner's manual, it looks good in that regard. Looks like I may become the forty somethingth member of this group, once approved; let's hope it blows up soon.
> > >
> > > 73 de Dennis KD7CAC
> > > Scottsdale, AZ

63. Just ordered a FT-1DR (black) from HRO (Oregon)

Yahoo group: FT-1D
Date: 2013-08-14 17:50:21 UTC
From: k7fos
Topic: 63 Message: 63

Just got one for $430 from HRO! Looking forward to taking it camping. Anybody in Oregon have one yet? I'd love to mess around with the digital mode with someone.

Evan K7FOS

64. For Sale: Yaesu FT1D

Yahoo group: FT-1D
Date: 2013-08-16 14:29:28 UTC
From: wolobmp
Topic: 64 Message: 64

For Sale: Yaesu FT1D vhf/uhf/dig/aprs ht. Comes with all items when purchased new. Box manual antenna battery charger in perfect physical and operational excellence.
No mods from non smoking original owner. Accept postal money orders personal check (ship when funds clear) and Paypal with fee. Price shipped is $359. CONUS only no trades please. Thank you. 73--Mike

65. Re: [FT-1D] Just ordered a FT-1DR (black) from HRO (Oregon)

Yahoo group: FT-1D
Date: 2013-08-16 17:45:59 UTC
From: Dennis Griffin
Topic: 63 Message: 65

Hi Evan,

I'd love to try you on digital simplex, but I don't think I'd make it from Phoenix. I've asked that members of the group please complete their group profile with at least the general area they live in, but few have. We are like islands with these radios, where the digital side is concerned, when there isn't anyone else in our area with one that's willing to admit it.

I almost wish I hadn't seen your post because of what you paid for yours. I paid $525.95 for mine from GigaParts just over a month ago. Seems the price dropped a day or two outside of the 30 day price protection BuySafe program they offer, and they didn't even want to talk about any kind of concession. Sure, I can return it, for the current selling price, less a restocking fee, so instead of the $80 I've already overpaid, compared to having waited a few more days to place the order, I'd be throwing away another $150 or so. So they have seen the last of any purchases from me, which have amounted to about $3K in the last year. And I was close to ordering an IC-7100 from them. Oh well, live and learn.

73 de Dennis KD7CAC
Scottsdale, AZ

66. FT1D price drop

Yahoo group: FT-1D
Date: 2013-08-16 17:56:15 UTC
From: Dennis Griffin
Topic: 66 Message: 66

Does anyone happen to know when the price drop was actually announced or first showed up on a web site? TIA.

73 de Dennis KD7CAC
Scottsdale, AZ

67. Re: Just ordered a FT-1DR (black) from HRO (Oregon)

Yahoo group: FT-1D
Date: 2013-08-16 23:23:39 UTC
From: k7fos
Topic: 63 Message: 67

Well if you're ever up in Oregon, please get a hold of me and we'll try it out. :)

I've been messing around with my FT-1D since last night, and honestly at $425 this is a really nice radio even if you omit the digital side of it. I got it mainly for APRS, and figured if Yaesu's digital system became a thing I'd be ready for it. The GPS & APRS configuration is really nice. And I really like that it can accept Micro SD, with the option to back-up GPS and config data. Still not crazy that I can't mute the APRS transmission sound, but I'll live. (Maybe a firmware update will solve this)

And I agree, we truly are like islands right now. But I guess that's what we get for being fairly early adopters. Hopefully Yaesu will release some firmware that will allow it to do digital modes that'll be more appealing to the average amateur enthusiast.

To any Oregonians reading this, I am in the Willamette valley!

--- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@...> wrote:
>
> Hi Evan,
>
> I'd love to try you on digital simplex, but I don't think I'd make it from Phoenix. I've asked that members of the group please complete their group profile with at least the general area they live in, but few have. We are like islands with these radios, where the digital side is concerned, when there isn't anyone else in our area with one that's willing to admit it.
>
> I almost wish I hadn't seen your post because of what you paid for yours. I paid $525.95 for mine from GigaParts just over a month ago. Seems the price dropped a day or two outside of the 30 day price protection BuySafe program they offer, and they didn't even want to talk about any kind of concession. Sure, I can return it, for the current selling price, less a restocking fee, so instead of the $80 I've already overpaid, compared to having waited a few more days to place the order, I'd be throwing away another $150 or so. So they have seen the last of any purchases from me, which have amounted to about $3K in the last year. And I was close to ordering an IC-7100 from them. Oh well, live and learn.
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>

68. Re: FT1D price drop

Yahoo group: FT-1D
Date: 2013-08-17 00:55:17 UTC
From: n9aa
Topic: 66 Message: 68

Showed up on websites August 14th, I believe. I didn't see it announced.

73,
Scott, N9AA

--- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@...> wrote:
>
> Does anyone happen to know when the price drop was actually announced or first showed up on a web site? TIA.
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>

70. Re: [FT-1D] FT1D price drop

Yahoo group: FT-1D
Date: 2013-08-17 02:35:15 UTC
From: Dennis Griffin
Topic: 66 Message: 70

Thanks Scott.

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 16, 2013, at 7:15 PM, n9aa <n9aa@...> wrote:

> Showed up on websites August 14th, I believe. I didn't see it announced.
>
> 73,
> Scott, N9AA
>
> --- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@...> wrote:
> >
> > Does anyone happen to know when the price drop was actually announced or first showed up on a web site? TIA.
> >
> > 73 de Dennis KD7CAC
> > Scottsdale, AZ

71. Re: [FT-1D] FT1D price drop

Yahoo group: FT-1D
Date: 2013-08-17 03:27:42 UTC
From: julien mervyn dedier
Topic: 66 Message: 71

Universal radio $459.95
http://www.universal-radio.com/catalog/ht/0111.html

HRO $429.95
http://www.hamradio.com/detail.cfm?pid=71-001532

AES $429.95
http://www.aesham.com/index.php?p=catalog&mode=search&search_in=all&search_str=FT-1D

Hamcity.com $429.00
https://www.hamcity.com/store/pc/showsearchresults.asp?pageStyle=M&resultCnt=10&keyword=ft-1d&submit.x=27&submit.y=11

GigaParts $445.00
https://www.gigaparts.com/store.php?query=ft-1d&action=search&type=radio&gslog=1&restrict=%21radio&Submit2.x=22&Submit2.y=16&Submit2=Submit

--

73s

de Julien Mervyn Dedier

9Z4FZ /Trinidad & Tobago

72. Re: For Sale: Yaesu FT1D

Yahoo group: FT-1D
Date: 2013-08-17 07:46:25 UTC
From: wolobmp
Topic: 64 Message: 72

Radio has been sold. Thank you
--- In FT-1D@yahoogroups.com, "wolobmp" <wolobmp@...> wrote:
>
> For Sale: Yaesu FT1D vhf/uhf/dig/aprs ht. Comes with all items when purchased new. Box manual antenna battery charger in perfect physical and operational excellence.
> No mods from non smoking original owner. Accept postal money orders personal check (ship when funds clear) and Paypal with fee. Price shipped is $359. CONUS only no trades please. Thank you. 73--Mike
>

73. Memory Bank Setting

Yahoo group: FT-1D
Date: 2013-08-17 12:17:56 UTC
From: William Welch
Topic: 73 Message: 73

Just got mine from HRO for $429.95 and free shipping.

Trying to program some memories but have not figured out how to set a Bank on a memory. It was easy enuf to program a memory but how to add it to a bank. I'm missing the non-existant software already that I've used for my other radios! Anyone done this?

Another note - HRO sent a catalog and it has a picture of the FT1DR but the buttons are different than the real radio....must have been a pre-production radio in the advert.

74. Re: Memory Bank Setting

Yahoo group: FT-1D
Date: 2013-08-17 12:53:35 UTC
From: k3zaa
Topic: 73 Message: 74

Figured out how to set a bank....just like setting a memory except you keep spinning the dial past the memory numbers until you get to the bank numbers. Pressing SET also jumps the memory numbers 100 at a time or jumps to next group of memories, scan limits or banks.

75. Re: FT1D price drop

Yahoo group: FT-1D
Date: 2013-08-19 08:27:49 UTC
From: noboba
Topic: 66 Message: 75

I noticed it today. Yaesu also announced FT-1D with a larger battery pack.

73
Oba
JA7UDE

--- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@...> wrote:
>
> Does anyone happen to know when the price drop was actually announced or first showed up on a web site? TIA.
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>

76. Re: [FT-1D] FT1D price drop

Yahoo group: FT-1D
Date: 2013-08-19 12:50:45 UTC
From: Dennis Griffin
Topic: 66 Message: 76

Thanks Oba, but I'm hoping to find some evidence of the new price appearing prior to 8/7/13, which would mean I could take advantage of the 30 day price protection guarantee. Where did you see that it is coming with a larger capacity battery pack? I find no indication of this. They have always offered the FNB-102Li, at 1800 mAh, for the VX-8 series, which also works on the FT1D, but the standard size for the VX-8 series & initial FT1D has been the FNB-101Li at 1100 mAh. Please post if you've seen otherwise.

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 19, 2013, at 1:27 AM, noboba <ja7ude@gmail.com> wrote:

>
> I noticed it today. Yaesu also announced FT-1D with a larger battery pack.
>
> 73
> Oba
> JA7UDE
>
> --- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@...> wrote:
> >
> > Does anyone happen to know when the price drop was actually announced or first showed up on a web site? TIA.
> >
> > 73 de Dennis KD7CAC
> > Scottsdale, AZ

77. Re: FT1D price drop

Yahoo group: FT-1D
Date: 2013-08-19 23:29:42 UTC
From: noboba
Topic: 66 Message: 77

Hi, Dennis,

You are right. It is equipped with FNB-102Li.

You might want to look at this page
http://www.cqcqde.com/shop/342_19940.html
though it is Japanese.

73
Oba
JA7UDE

--- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@...> wrote:
>
> Thanks Oba, but I'm hoping to find some evidence of the new price appearing prior to 8/7/13, which would mean I could take advantage of the 30 day price protection guarantee. Where did you see that it is coming with a larger capacity battery pack? I find no indication of this. They have always offered the FNB-102Li, at 1800 mAh, for the VX-8 series, which also works on the FT1D, but the standard size for the VX-8 series & initial FT1D has been the FNB-101Li at 1100 mAh. Please post if you've seen otherwise.
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
> On Aug 19, 2013, at 1:27 AM, noboba <ja7ude@...> wrote:
>
> >
> > I noticed it today. Yaesu also announced FT-1D with a larger battery pack.
> >
> > 73
> > Oba
> > JA7UDE
> >
> > --- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@> wrote:
> > >
> > > Does anyone happen to know when the price drop was actually announced or first showed up on a web site? TIA.
> > >
> > > 73 de Dennis KD7CAC
> > > Scottsdale, AZ
>

78. Re: FT1D price drop

Yahoo group: FT-1D
Date: 2013-08-20 01:28:27 UTC
From: n9aa
Topic: 66 Message: 78

It looks like this may be a Japanese only package, at least at this point. Oba, if you've seen this package available outside Japan, please let us know!

As far as KD7CAC price drop guarantee, the price drop didn't occur prior to August 13th or 14th, so there. I know because I almost bought one used on the 13th and price checked the rig. The price dropped the next day.

73,
Scott, N9AA

--- In FT-1D@yahoogroups.com, "noboba" <ja7ude@...> wrote:
>
> Hi, Dennis,
>
> You are right. It is equipped with FNB-102Li.
>
> You might want to look at this page
> http://www.cqcqde.com/shop/342_19940.html
> though it is Japanese.
>
> 73
> Oba
> JA7UDE
>
>

79. U.S. owners: Which supplied charger did you get?

Yahoo group: FT-1D
Date: 2013-08-21 03:11:05 UTC
From: n9aa
Topic: 79 Message: 79

I'm wondering which charger is supplied with U.S. FT1Ds, the PA-48B or the SAD-11B? It was my understanding that they are supposed to ship with the PA-48B, but mine came with the SAD-11B. Are there other on the list who've gotten a different charger?

Thanks and 73,
Scott, N9AA

80. Re: [FT-1D] U.S. owners: Which supplied charger did you get?

Yahoo group: FT-1D
Date: 2013-08-21 03:19:55 UTC
From: Dennis Griffin
Topic: 79 Message: 80

I too received the SAD-11B, but haven't used it, as I have several VX-8 series, so I use the CD-41 & NC-86B.

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 20, 2013, at 8:11 PM, n9aa <n9aa@...> wrote:

> I'm wondering which charger is supplied with U.S. FT1Ds, the PA-48B or the SAD-11B? It was my understanding that they are supposed to ship with the PA-48B, but mine came with the SAD-11B. Are there other on the list who've gotten a different charger?
>
> Thanks and 73,
> Scott, N9AA

81. Re: U.S. owners: Which supplied charger did you get?

Yahoo group: FT-1D
Date: 2013-08-21 03:41:20 UTC
From: n9aa
Topic: 79 Message: 81

Dennis,
Thanks for the reply! Was yours in a box or plastic bag?

73,
Scott, N9AA

--- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@...> wrote:
>
> I too received the SAD-11B, but haven't used it, as I have several VX-8 series, so I use the CD-41 & NC-86B.
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
> On Aug 20, 2013, at 8:11 PM, n9aa <n9aa@...> wrote:
>
> > I'm wondering which charger is supplied with U.S. FT1Ds, the PA-48B or the SAD-11B? It was my understanding that they are supposed to ship with the PA-48B, but mine came with the SAD-11B. Are there other on the list who've gotten a different charger?
> >
> > Thanks and 73,
> > Scott, N9AA
>

82. Re: [FT-1D] U.S. owners: Which supplied charger did you get?

Yahoo group: FT-1D
Date: 2013-08-21 11:26:23 UTC
From: Dennis Griffin
Topic: 79 Message: 82

Plastic bag, with a cardboard strip lining the molded internal packaging cavity that would have accepted the traditional PS box. Curiously, the PS head casing is identical to that of several other HT PS's I have from Icom & Yaesu, all of which are 12VDC output, though the SAD-11B is 10.5VDC at 1.0A. The PS for the CD-41 rapid charger is 12VDC, but only 0.5A. Weird.

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 20, 2013, at 8:41 PM, n9aa <n9aa@yahoo.com> wrote:

> Dennis,
> Thanks for the reply! Was yours in a box or plastic bag?

83. Re: [APRS] Re: New Yaesu mobile does APRS?

Yahoo group: FT-1D
Date: 2013-08-22 14:50:25 UTC
From: qrv@kd4e.com
Topic: 83 Message: 83

There is a neat app called Swype which makes writing on a Android
(don't know about Apple) phone easier - and it includes a voice to
text option.

It sure would be nice if upscale HT's like the FT-1D included this -
or would allow a phone to serve as the an external input source using
something like RemoteDroid.

I'm guessing that the use of Android adds expense so maybe they
could use open-source TIZEN which can port Android apps.

> No, Just messages to my VX8GR, Igate and Truck. That should work fine
> with that radio if he can message in any form I would think. My
> VX8GR, and Argent setup in my truck works fine for the emails via
> wlnk-1.
>
> Scott KB7DZR
>
> --- In APRS@yahoogroups.com, "qrv@..." <qrv@...> wrote:
>>
>> Has he tested sending and receiving simple text messages from the
>> HT via APRS to an Internet email address?
>>
>>> I see its price has gone down to 429.00 at HRO. He is very happy
>>> with the radio.
>>>
>>> Scott KB7DZR

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

84. Re: [FT-1D] [APRS] Re: New Yaesu mobile does APRS?

Yahoo group: FT-1D
Date: 2013-08-22 15:57:55 UTC
From: Dennis Griffin
Topic: 83 Message: 84

If only we could get someone to think a bit outside the box like this who was in a position to act on such thoughts.

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 22, 2013, at 7:50 AM, qrv@... wrote:

> There is a neat app called Swype which makes writing on a Android
> (don't know about Apple) phone easier - and it includes a voice to
> text option.
>
> It sure would be nice if upscale HT's like the FT-1D included this -
> or would allow a phone to serve as the an external input source using
> something like RemoteDroid.

85. Re: U.S. owners: Which supplied charger did you get?

Yahoo group: FT-1D
Date: 2013-08-23 12:29:03 UTC
From: wolobmp
Topic: 79 Message: 85

Scott,
I am the person whom sold you the FT1D that you have. If you read the manual; it clearly states and shows what is being shipped with the radio. I am not sure where you are getting the "supposed" to ship the "PA" version, but Yaesu tech support also concurs with what it stated in the manual. I hope at least you're enjoying this fine Yaesu product.
73

--- In FT-1D@yahoogroups.com, "n9aa" <n9aa@...> wrote:
>
> I'm wondering which charger is supplied with U.S. FT1Ds, the PA-48B or the SAD-11B? It was my understanding that they are supposed to ship with the PA-48B, but mine came with the SAD-11B. Are there other on the list who've gotten a different charger?
>
> Thanks and 73,
> Scott, N9AA
>

86. Re: U.S. owners: Which supplied charger did you get?

Yahoo group: FT-1D
Date: 2013-08-24 01:51:50 UTC
From: n9aa
Topic: 79 Message: 86

Thanks for the info. My understanding was based on my experience with earlier FT1Ds imported into the U.S. that came with the PA-48B. And I too talked to Yaesu tech support (after I posted) and they confirmed the SAD-11B was the correct charger.

73,
Scott, N9AA

--- In FT-1D@yahoogroups.com, "wolobmp" <wolobmp@...> wrote:
>
> Scott,
> I am the person whom sold you the FT1D that you have. If you read the manual; it clearly states and shows what is being shipped with the radio. I am not sure where you are getting the "supposed" to ship the "PA" version, but Yaesu tech support also concurs with what it stated in the manual. I hope at least you're enjoying this fine Yaesu product.
> 73
>

87. Memory Bank Name?

Yahoo group: FT-1D
Date: 2013-08-26 23:27:52 UTC
From: k7fos
Topic: 87 Message: 87

Has anyone figured out the use of setting a memory bank name? It doesn't seem to ever show up for anything. I was hoping to be able to use memory banks to segment my repeater channels based on area, but that makes it tough when I have to remember what "B1", "B2", etc mean. Does anyone know if we can make it show the name when we navigate from bank-to-bank?

88. Re: Memory Bank Name?

Yahoo group: FT-1D
Date: 2013-08-27 12:32:33 UTC
From: g4hfq
Topic: 87 Message: 88

Page 49 of the user manual shows how to recall memory banks. The name of the bank is on the top row of the LCD (BANK24 in the example shown). Does this help? We still have not got the radio in the UK so the manual is all I can go on.

Bob G4HFQ

--- In FT-1D@yahoogroups.com, "k7fos" <evan.fosmark@...> wrote:
>
> Has anyone figured out the use of setting a memory bank name? It doesn't seem to ever show up for anything. I was hoping to be able to use memory banks to segment my repeater channels based on area, but that makes it tough when I have to remember what "B1", "B2", etc mean. Does anyone know if we can make it show the name when we navigate from bank-to-bank?
>

89. List of Feature Questions ...

Yahoo group: FT-1D
Date: 2013-08-28 01:14:58 UTC
From: qrv@kd4e.com
Topic: 89 Message: 89

As the new price comes down this handheld becomes more
interesting to those of us on very limited Ham budgets.

I looked at the Yaesu, Universal Radio, & GigaParts sites
and still have some questions.

1. Can a text message be easily directed via APRS to a
text or email address?

2. Can a photo taken with the optional mic/camera be
sent as an attachment to a text or email address
via APRS? (Perhaps forwarded via a FTM-400DR
mobile set up as a cross-band repeater? BTW: Can
the FTM-400DR do cross-band repeat?)

3. Can an external QWERTY keyboard be attached to the
side data port?

4. Any chance of a dongle for C4FM digital mode similar
to the one for dstar?

5. I thought I heard or read that the FT1DR will scan the
local repeaters and store in/out frequencies, tone,
etc. automatically - is that correct?

Thanks!

David

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

90. Re: [FT-1D] List of Feature Questions ...

Yahoo group: FT-1D
Date: 2013-08-28 01:33:32 UTC
From: Jim K5JG
Topic: 89 Message: 90

There are three manuals that can probably answer some of your questions.
You can download them from the FT-1DR page, Files section at www.yaesu.com.

73, Jim K5JG

qrv@... wrote:
> As the new price comes down this handheld becomes more
> interesting to those of us on very limited Ham budgets.
>
> I looked at the Yaesu, Universal Radio, & GigaParts sites
> and still have some questions.
>
> 1. Can a text message be easily directed via APRS to a
> text or email address?
>
> 2. Can a photo taken with the optional mic/camera be
> sent as an attachment to a text or email address
> via APRS? (Perhaps forwarded via a FTM-400DR
> mobile set up as a cross-band repeater? BTW: Can
> the FTM-400DR do cross-band repeat?)
>
> 3. Can an external QWERTY keyboard be attached to the
> side data port?
>
> 4. Any chance of a dongle for C4FM digital mode similar
> to the one for dstar?
>
> 5. I thought I heard or read that the FT1DR will scan the
> local repeaters and store in/out frequencies, tone,
> etc. automatically - is that correct?
>
> Thanks!
>
> David
>
>

91. Repeater For FT-1DR

Yahoo group: FT-1D
Date: 2013-08-28 05:24:10 UTC
From: rbradioguy
Topic: 91 Message: 91

Anyone know the status of the repeater development and future availability of the digital repeater?

Now that I have my FT-1R, it is time to start thinking about how we get a digital capable repeater up locally (Los Angeles South Bay)...

92. Re: List of Feature Questions ...

Yahoo group: FT-1D
Date: 2013-08-28 06:45:20 UTC
From: maxx2950
Topic: 89 Message: 92

Hi,

I am not owning a FT1DR but I can answer some of your question.

1. Yes, this is part of APRS, not Yaesu specific! You can use APRSLink or the regular EMAIL to send email.
http://www.winlink.org/aprslink

2. APRS relies on AX25 unproto frames. That is, you can not reliably send large amount of data. The APRS network was not designed for such uses. Moreover at 1200bps this would take ages !

73
Geoffrey F4FXL

--- In FT-1D@yahoogroups.com, "qrv@..." <qrv@...> wrote:
>
> As the new price comes down this handheld becomes more
> interesting to those of us on very limited Ham budgets.
>
> I looked at the Yaesu, Universal Radio, & GigaParts sites
> and still have some questions.
>
> 1. Can a text message be easily directed via APRS to a
> text or email address?
>
> 2. Can a photo taken with the optional mic/camera be
> sent as an attachment to a text or email address
> via APRS? (Perhaps forwarded via a FTM-400DR
> mobile set up as a cross-band repeater? BTW: Can
> the FTM-400DR do cross-band repeat?)
>
> 3. Can an external QWERTY keyboard be attached to the
> side data port?
>
> 4. Any chance of a dongle for C4FM digital mode similar
> to the one for dstar?
>
> 5. I thought I heard or read that the FT1DR will scan the
> local repeaters and store in/out frequencies, tone,
> etc. automatically - is that correct?
>
> Thanks!
>
> David
>

>
> --
>
> Thanks! & 73, KD4E.com
>
> David Colburn - Nevils, Georgia USA
>
> Search with: duckduckgo.com
>
> Android for Hams: groups.yahoo.com/group/hamdroid
> Creative Tech: groups.yahoo.com/group/ham-macguyver
> Raspi Alternative: groups.yahoo.com/group/beagleboneblack/
>
> Restored to design-spec at Heaven's gate 1Cor15:22
>

93. Re: [FT-1D] Re: List of Feature Questions ...

Yahoo group: FT-1D
Date: 2013-08-28 14:42:23 UTC
From: qrv@kd4e.com
Topic: 89 Message: 93

Sure appreciate your reply!

OK re. email and not pics via APRS.

It seems odd that answers to questions such as these are not
readily available on the Yaesu site - they'd be valuable
marketing tools to Hams.

There's no chance that I'll waste time plowing through three
manuals to find answers to pre-sales questions - that's the
job of Yaesu & their sales reps - who get paid to do so.

They desperately need a vastly improved FAQ page.

Besides, users almost always know more about rigs than the
sales people - indeed they often discover features and mods
the engineers didn't even notice were available.

I'll keep seeking answers to my other questions.

Thanks!

> I am not owning a FT1DR but I can answer some of your question.
>
> 1. Yes, this is part of APRS, not Yaesu specific! You can use
> APRSLink or the regular EMAIL to send email.
> http://www.winlink.org/aprslink
>
> 2. APRS relies on AX25 unproto frames. That is, you can not reliably
> send large amount of data. The APRS network was not designed for
> such uses. Moreover at 1200bps this would take ages !
>
> 73 Geoffrey F4FXL
>
> --- In FT-1D@yahoogroups.com, "qrv@..." <qrv@...> wrote:
>>
>> As the new price comes down this handheld becomes more interesting
>> to those of us on very limited Ham budgets.
>>
>> I looked at the Yaesu, Universal Radio, & GigaParts sites and still
>> have some questions.
>>
>> 1. Can a text message be easily directed via APRS to a text or
>> email address?
>>
>> 2. Can a photo taken with the optional mic/camera be sent as an
>> attachment to a text or email address via APRS? (Perhaps forwarded

>> via a FTM-400DR mobile set up as a cross-band repeater? BTW: Can
>> the FTM-400DR do cross-band repeat?)
>>
>> 3. Can an external QWERTY keyboard be attached to the side data
>> port?
>>
>> 4. Any chance of a dongle for C4FM digital mode similar to the one
>> for dstar?
>>
>> 5. I thought I heard or read that the FT1DR will scan the local
>> repeaters and store in/out frequencies, tone, etc. automatically -
>> is that correct?
>>
>> Thanks!
>>
>> David

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

94. Re: Memory Bank Name?

Yahoo group: FT-1D
Date: 2013-08-28 18:03:27 UTC
From: k7fos
Topic: 87 Message: 94

Wonderful. Thank you for the help. I didn't realize I had to hit the function key and then band. I only have one bank (right now) so I thought hitting the band button was enough.

--- In FT-1D@yahoogroups.com, "g4hfq" <bob.freeth@...> wrote:
>
> Page 49 of the user manual shows how to recall memory banks. The name of the bank is on the top row of the LCD (BANK24 in the example shown). Does this help? We still have not got the radio in the UK so the manual is all I can go on.
>
> Bob G4HFQ
>
> --- In FT-1D@yahoogroups.com, "k7fos" <evan.fosmark@> wrote:
> >
> > Has anyone figured out the use of setting a memory bank name? It doesn't seem to ever show up for anything. I was hoping to be able to use memory banks to segment my repeater channels based on area, but that makes it tough when I have to remember what "B1", "B2", etc mean. Does anyone know if we can make it show the name when we navigate from bank-to-bank?
> >
>

95. Re: Just ordered a FT-1DR (black) from HRO (Oregon)

Yahoo group: FT-1D
Date: 2013-08-28 19:22:19 UTC
From: rbradioguy
Topic: 63 Message: 95

Dennis,

As an 'Early Adopter' at least you got the pleasure of owning, using, and experimenting with your FT-1DR for a month longer than those who got the lower price. I always find that is worth something.

Regards,

- Greg
WQ9P

--- In FT-1D@yahoogroups.com, Dennis Griffin <kd7cac@...> wrote:
>
> Hi Evan,
>
> I'd love to try you on digital simplex, but I don't think I'd make it from Phoenix. I've asked that members of the group please complete their group profile with at least the general area they live in, but few have. We are like islands with these radios, where the digital side is concerned, when there isn't anyone else in our area with one that's willing to admit it.
>
> I almost wish I hadn't seen your post because of what you paid for yours. I paid $525.95 for mine from GigaParts just over a month ago. Seems the price dropped a day or two outside of the 30 day price protection BuySafe program they offer, and they didn't even want to talk about any kind of concession. Sure, I can return it, for the current selling price, less a restocking fee, so instead of the $80 I've already overpaid, compared to having waited a few more days to place the order, I'd be throwing away another $150 or so. So they have seen the last of any purchases from me, which have amounted to about $3K in the last year. And I was close to ordering an IC-7100 from them. Oh well, live and learn.
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>

96. Re: List of Feature Questions ...

Yahoo group: FT-1D
Date: 2013-08-30 00:07:51 UTC
From: qrv@kd4e.com
Topic: 89 Message: 96

GigaParts replied:

Q. Can an external QWERTY keyboard be attached to the
side data port? (For sending text messages.)

A) As far as I can tell, the FT-1DR does not support the ability to use
a QWERTY keyboard. This radio can send up to 80 character text messages
which the keypad on the transceiver is intended to be used.

Q. Can a cellphone be connected to the side data port
via a USB cable & used as a keyboard, external
storage, and/or to run various apps not native to the
FT1DR?

A) Yes, computers may be connected to this terminal to transfer data or
update the firmware of the radio.
The accessories listed for this device do include a cable that has one
end as a USB cable and the other end connects to a data port on the FT1DR
http://www.gigaparts.com/store.php?action=profile&sku=ZYS-SCU-18
I do not think you can hook a phone up to it.

Q. Is there any news of a dongle for C4FM digital mode
similar to the one for dstar?

A) No it doesn't, but I think it is a great idea!

Q. I thought I heard or read that the FT1DR will scan the
local repeaters and store in/out frequencies, tone,
etc. automatically - is that correct?

A) The FT1DR comes with various frequencies in it's memory making it
easy to call up stations at various communication services such as NOAA
weather channels and International Marine VHF.

Q. Can the mobile FTM-400DR be operated in cross-band
repeat mode?

A) The FTM-400DR does support Cross-band repeat mode.

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver

Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

100. Micro-SD Card

Yahoo group: FT-1D
Date: 2013-08-31 03:00:03 UTC
From: rbradioguy
Topic: 98 Message: 100

For those interested, I picked up a Micro-SD card for the FT-1D to play with to see what it does.
On the FT-1D there are four options:
 1 BACKUP
 2 MEMORY CH
 3 GROUP ID
 4 FORMAT
After formatting the card, I did 1, 2, and 3 sequentially.
Then I moved the Micro-SD card to my computer. This is the directory structure that it created:
 FT1D
  BACKUP
   BACKUP.dat - 128kb file
  GPSLOG
 GM
 MEMORY-CH
  MEMORY.dat - 41kb file
 PHOTO
 QSOLOG
  QSOMNG.dat - 1kb file
  QSOMSG.dat - 0kb file
  QSOMSGDIR.dat - 0 kb file
  QSOPCTDIR.dat - 0 kb file
  QSOPCTFAT.dat - 0 kb file

I looked at the BACKUP.dat file and the MEMORY.dat file with a binary editor tool (Free Hex Editor Neo). The files look pretty repetitive so it should be possible to eventually decode the format with a little experimentation. Or perhaps Yaesu will publish the formats?

101. SCU-18 cable driver

Yahoo group: FT-1D
Date: 2013-09-01 15:09:26 UTC
From: <k3zaa@...>
Topic: 101 Message: 101

Is there a driver for the serial-USB cable (SCU-18)? I can't get my cable to work with my Windoz XP box.

The radio has a connector similar in appearance to a mini-usb but it is not. It would seem that the radio is pure RS232 serial on a usb like connector. The SCU-18 I assume contains the Serial-USB chipset so the radio can be connected to a PC.

102. Re: [FT-1D] SCU-18 cable driver

Yahoo group: FT-1D
Date: 2013-09-01 15:37:17 UTC
From: Jim K5JG
Topic: 101 Message: 102

The SCU-18 driver can be downloaded from the FT-1D page on the Yaesu website.

73, Jim K5JG

k3zaa@... wrote:
>
>
> Is there a driver for the serial-USB cable (SCU-18)? I can't get my
> cable to work with my Windoz XP box.
>
> The radio has a connector similar in appearance to a mini-usb but it is
> not. It would seem that the radio is pure RS232 serial on a usb like
> connector. The SCU-18 I assume contains the Serial-USB chipset so the
> radio can be connected to a PC.
>
>
>
>

103. RE: [FT-1D] SCU-18 cable driver

Yahoo group: FT-1D
Date: 2013-09-01 16:03:47 UTC
From: <k3zaa@...>
Topic: 101 Message: 103

Thanks for the info and it worked great!
73, Bill, K3ZAA

-----Original Message-----
From: Jim K5JG [mailto:k5jg@...]
Sent: Sunday, September 01, 2013 11:37 AM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] SCU-18 cable driver

The SCU-18 driver can be downloaded from the FT-1D page on the Yaesu website.

73, Jim K5JG

k3zaa@... wrote:
>
>
> Is there a driver for the serial-USB cable (SCU-18)? I can't get my
> cable to work with my Windoz XP box.
>
> The radio has a connector similar in appearance to a mini-usb but it
> is not. It would seem that the radio is pure RS232 serial on a usb
> like connector. The SCU-18 I assume contains the Serial-USB chipset so
> the radio can be connected to a PC.
>
>
>
>

Yahoo! Groups Links

104. FS: Like New Yaesu FT1DR (black), reply off list

Yahoo group: FT-1D
Date: 2013-09-03 02:02:52 UTC
From: <n9aa@...>
Topic: 104 Message: 104

Yaesu's new 2 meter/440 HT with analog and digital C4FM FDMA digital and analog operation with 4 power level with up to 5 watts output. Wideband RX from 500 kHz to 999 MHz (less cellular) including the AM and FM broadcast band. Solid AM band reception is enhanced with a built-in bar antenna. Other features include: GPS with logging and exchange function, mini-USB port, Micro-SD card port with a 4GB micro-SD card included.

This rig is in new condition and really hasn't been used. I'm just not much of a VHF/UHF op these days and I've got a couple of other HTs, so I don't need this one. $350 shipped, CONUS. Reply via email: mycall at arrl.net Hint: My call is N9AA

Thanks,
Scott

105. ft1d

Yahoo group: FT-1D
Date: 2013-09-16 09:58:01 UTC
From: <simonesbressa@...>
Topic: 105 Message: 105

Anybody knows what the black microswitch do? , located in the acces doar back the rubber cover...!!!

106. Re: ft1d

Yahoo group: FT-1D
Date: 2013-09-17 07:37:38 UTC
From: g4hfq
Topic: 105 Message: 106

At a guess - probably enables firmware updating. I remember that my FT-450 had such a switch.

Bob G4HFQ

107. Re: [FT-1D] Re: ft1d

Yahoo group: FT-1D
Date: 2013-09-17 09:14:01 UTC
From: Simone Sbressa
Topic: 105 Message: 107

tnx Bob de IS0AGA

Simone Sbressa

Il giorno 17/set/2013, alle ore 09:37, "g4hfq" <bob.freeth@...> ha scritto:

>
> At a guess - probably enables firmware updating. I remember that my FT-450 had such a switch.
>
> Bob G4HFQ
>
>

108. K7BV of Yaesu Introduces System Fusion & DR-1 Digital/FM Repeater at ARRL/TAPR DCC in Seattle

Yahoo group: FT-1D
Date: 2013-09-21 08:18:26 UTC
From: Mark Thompson
Topic: 108 Message: 108

Dennis, K7BV of Yaesu

Introduces

System Fusion & DR-1 Digital/FM FDMA C4FM Repeater

at ARRL/TAPR DCC in Seattle

Presentation Video
http://youtu.be/uXj5fmZKPps

109. Fwd: Introducing the Yaesu " System Fusion" C4FM / FDMA Amateur Radio Digital Communication System

Yahoo group: FT-1D
Date: 2013-09-22 01:24:46 UTC
From: Mark Thompson
Topic: 109 Message: 109
Attachments: 2 described; binary payloads are missing from this source WARC

FOR IMMEDIATE PUBLIC RELEASE

Yaesu's complete System Fusion C4FM / FDMA Amateur Radio Digital Communication System was introducing to North America ham radio operators yesterday late afternoon at the 32nd Annual ARRLand TAPR Digital Communications Conference in Seattle, Washington.
Yaesu's FT 1DR Handheld and FTM 400DR mobile digital and analog dual band transceivers, already available, were discussed as well as a new key system components, the new DR-1 Dual Mode Repeater.

This conference is an international forum for radio amateurs to meet, publish their work, and present new ideas and techniques.
Presenters and attendees have the opportunity to exchange ideas and learn about recent hardware and software advances, theories, experimental results, and practical applications.
Attendees frequently are Amateur Radio individuals experimenting at the very leading edge of the kinds of new technology that keeps Amateur Radio constantly moving forward.
It was our intent to show our respect to these individuals by launching the new Yaesu System Fusion C4FM / FDMA Amateur Radio digital communication system during their proceedings.

Yaesu encourage all interest parties to download the attached Yaesu Product Bulletin as well as our new System Fusion Product Brochure to acquaint themselves with its full capabilities.
We are certain that many will applaud the fact that System Fusion is "FM Friendly" meaning both Analog and C4FM Digital users can share one repeater and communicate with each other. With this one hugely important feature, Yaesu has shown their deep appreciation for their customers who for years and years have purchased their VHF and UHF Conventional FM Analog products. Yaesu's System Fusion provides an opportunity for a smooth transition to Digital for hams choosing to make that change without having to lose contact with their friends who may not be making the change at the same.

Yaesu will release additional purchasing and availability information to their North American Dealers in the next few weeks.
We fully expect there to be a large number of System Fusion repeaters on-the air-widely serving the Amateur Radio community by year's end!

Please join us as we celebrate this very important day in Amateur Radio history!

Thank you.

Best regards,
Dennis Motschenbacher K7BV
Executive Vice President Amateur Radio Sales

110. Annoucing Yaesu System Fusion Group

Yahoo group: FT-1D
Date: 2013-09-22 01:39:57 UTC
From: Mark Thompson
Topic: 110 Message: 110

A group focusing on Yaesu System Fusion technology has been created.

The group will cover & discuss Yaesu System Fusion technology and Dual Band C4FM / FDMA Digital products
including FT1D Handheld Transceiver,
FTM-400D Mobile Transceiver, DR-1 Dual-Mode Repeater & HRI-200 Internet Interface.

You can join the Yaesu System Fusion group at:

http://groups.yahoo.com/group/YaesuSystemFusion/

We look forward to your participation in the group.

111. RT Systems just released the FT1D programming software!

Yahoo group: FT-1D
Date: 2013-09-25 19:16:16 UTC
From: <evan.fosmark@...>
Topic: 111 Message: 111

More info here: https://www.rtsystemsinc.com/Articles.asp?ID=440
They even offer it as an electronic download since we use the data cable that came with the radio.

Looking forward to trying it out tonight!

112. Re: RT Systems just released the FT1D programming software!

Yahoo group: FT-1D
Date: 2013-09-25 19:38:39 UTC
From: rbradioguy
Topic: 111 Message: 112

Just $25 online. Now that's a great buy! Please support RT Systems and buy your own copy.

WQ9P

113. RE: RT Systems just released the FT1D programming software!

Yahoo group: FT-1D
Date: 2013-09-26 02:20:33 UTC
From: <k6di@...>
Topic: 111 Message: 113

The software is good, as always, but the electronic download procedure is bogus. It forces you to burn a real CD. Then instructs you to keep track of it, as it's your only copy. Yeah, right. How 20th century ;-)

You do have to go through the tedious step of actually burning a CD. But then when you've finished, just use a utility and turn the disk into a .iso image. On the Mac this can be done with a command line. On a PC, you'll need to download software, as discussed in http://pcsupport.about.com/od/software-tools/a/create-iso-image-file.htm.

This process doesn't "steal the software," or any such nonsense. You still need a key from RT Systems, which is tied to the CD (and, therefore, .iso image) you created. But it does allow you to have an electronic copy of the disk, which you can back up as needed.

(Geek recommendation to RT Systems: instead of tying the serial number to an ID string burned onto the disk, just have the installer software generate a random GUID. The user could then paste this back to your server, and you could create a hash of it combined with the user's email address. You'd even have a record of it.

Oh, and if you did this, you wouldn't have to use the Rube Goldberg disk-creation process. You could just let the customer download the .iso directly.This creates no more of a security problem than your current method, as all the purchase info could be spoofed anyway, if someone wanted to steal and post your software.)

--Dan, K6DI

---In ft-1d@yahoogroups.com, <wq9p@...> wrote:

Just $25 online. Now that's a great buy! Please support RT Systems and buy your own copy.

WQ9P

114. Re: [FT-1D] Re: RT Systems just released the FT1D programming software!

Yahoo group: FT-1D
Date: 2013-09-26 02:42:17 UTC
From: qrv@kd4e.com
Topic: 111 Message: 114

Linux support?

> Just $25 online. Now that's a great buy! Please support RT Systems
> and buy your own copy.
>
> WQ9P

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

115. RE: Re: [FT-1D] Re: RT Systems just released the FT1D programming software!

Yahoo group: FT-1D
Date: 2013-09-26 05:22:19 UTC
From: <k6di@...>
Topic: 111 Message: 115

Not likely anytime soon. The developers seem firmly rooted in the Windows world. A nice, Java-based implementation would be great.

--Dan, K6DI

---In FT-1D@yahoogroups.com, <ft-1d@yahoogroups.com> wrote:

Linux support?

> Just $25 online. Now that's a great buy! Please support RT Systems
> and buy your own copy.
>
> WQ9P

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

116. Re: [FT-1D] Re: RT Systems just released the FT1D programming software!

Yahoo group: FT-1D
Date: 2013-09-26 14:51:51 UTC
From: qrv@kd4e.com
Topic: 111 Message: 116

The biggest name in PC gaming, Steam, just switched to Linux.

The rest of the tech world needs to wake up!

> Not likely anytime soon. The developers seem firmly rooted in the
> Windows world. A nice, Java-based implementation would be great.
>
> --Dan, K6DI
>
> ---In FT-1D@yahoogroups.com, <ft-1d@yahoogroups.com> wrote:
>
> Linux support?

--

Thanks! & 73, KD4E.com

David Colburn - Nevils, Georgia USA

Search with: duckduckgo.com

Android for Hams: groups.yahoo.com/group/hamdroid
Creative Tech: groups.yahoo.com/group/ham-macguyver
Raspi Alternative: groups.yahoo.com/group/beagleboneblack/

Restored to design-spec at Heaven's gate 1Cor15:22

117. RE: RT Systems just released the FT1D programming software!

Yahoo group: FT-1D
Date: 2013-09-30 22:31:15 UTC
From: <stramontano@...>
Topic: 111 Message: 117

I purchased the software a couple days ago. It works great!. No timing issues or problems communicating with the radio/software. Yes the burn CD thing is weird but I was worried that it only lets you download 1 time but I had to download it about 5 different times because it kept being interrupted. They send you a serial number in your email for record keeping.

I didn't have to burn a cd because I used a program called Virtual CD and when its setup, the programming software will see the virtual drive just like a real one and I burned it to the virtual drive. Once inside the virtual drive I just told the VD to save in the .ISO format for backup.

Now do yourself a favor. I just spent $25 on this software. Now when you go to the Yaesu website under the FT1DR files section..... Guess what? a FREE ADMS-6 programming software that works.
Why didn't I just wait? *Sigh*

I have to say. The fact that Yaesu supplied a $70 pc cable and now giving the program software free is an indication that the chinese radios are putting some kind of pressure on the big boys.
Minus the usual $50 for cable and software makes the FT1DR a little bit better value.

Stephen

---In ft-1d@yahoogroups.com, <k6di@...> wrote:

The software is good, as always, but the electronic download procedure is bogus. It forces you to burn a real CD. Then instructs you to keep track of it, as it's your only copy. Yeah, right. How 20th century ;-)

You do have to go through the tedious step of actually burning a CD. But then when you've finished, just use a utility and turn the disk into a .iso image. On the Mac this can be done with a command line. On a PC, you'll need to download software, as discussed in http://pcsupport.about.com/od/software-tools/a/create-iso-image-file.htm.

This process doesn't "steal the software," or any such nonsense. You still need a key from RT Systems, which is tied to the CD (and, therefore, .iso image) you created. But it does allow you to have an electronic copy of the disk, which you can back up as needed.

(Geek recommendation to RT Systems: instead of tying the serial number to an ID string burned onto the disk, just have the installer software generate a random GUID. The user could then paste this back to your server, and you could create a hash of it combined with the user's email address. You'd even have a record of it.

Oh, and if you did this, you wouldn't have to use the Rube Goldberg disk-creation process. You could just let the customer download the .iso directly.This creates no more of a security problem than your current method, as all the purchase info could be spoofed anyway, if someone wanted to steal and post your software.)

--Dan, K6DI

---In ft-1d@yahoogroups.com, <wq9p@...> wrote:

Just $25 online. Now that's a great buy! Please support RT Systems and buy your own copy.

WQ9P

118. Does anyone know ?

Yahoo group: FT-1D
Date: 2013-10-04 13:15:28 UTC
From: kb2huk
Topic: 118 Message: 118

Does anyone know if the mobile counterpart to this new hand held radio has the capability to receive video from a back up camera on a car or truck ? thanks John kb2huk

120. C4FM audio sample uploaded to the Files section

Yahoo group: FT-1D
Date: 2013-10-25 05:45:36 UTC
From: <chris.kh2pm@...>
Topic: 120 Message: 120

I recently acquired a new FT-1D and have been getting acclimated with it.

Out of curiosity I set up my RTL-SDR dongle and SDR-Sharp to listen to the analog and digital C4FM audio, and made a sample recording. I uploaded the sample to the FILES section here.

Chris KH2PM

121. Re: [FT-1D] C4FM audio sample uploaded to the Files section

Yahoo group: FT-1D
Date: 2013-10-26 17:01:20 UTC
From: Edward Lemus
Topic: 120 Message: 121

are there any repeaters or activity in the west coast area like Los Angeles? the upload didn't appear. can you email it to me? hydrogenpower@...? I'm very curious about the radio. also I can message you on aprs too. The FT-1D i understand does aprs really well.

Sent from my iPad

On Oct 24, 2013, at 10:45 PM, <chris.kh2pm@...> wrote:

> I recently acquired a new FT-1D and have been getting acclimated with it.
>
> Out of curiosity I set up my RTL-SDR dongle and SDR-Sharp to listen to the analog and digital C4FM audio, and made a sample recording. I uploaded the sample to the FILES section here.
>
> Chris KH2PM
>
>

122. FT1DR/E software beta testers

Yahoo group: FT-1D
Date: 2013-10-27 07:38:49 UTC
From: <bob.freeth@...>
Topic: 122 Message: 122

I have a beta version of FTB1D, a program to manage the memories and settings for the FT-1DR/E.

Would anyone interested in beta testing this please contact me direct.

73,
Bob G4HFQ

123. RE: Re: [FT-1D] C4FM audio sample uploaded to the Files section

Yahoo group: FT-1D
Date: 2013-10-28 15:30:15 UTC
From: <chris.kh2pm@...>
Topic: 120 Message: 123

Yaesu has yet to release their repeater for System Fusion, unless there is one out there being tested/developed that we are not aware of. Coming soon in November I hear...pricing yet to be announced.

I had some time while traveling to set up my FT1D and get some APRS beacons out. It receives very well, and the display format of APRS stations is very well laid out. Some users that are less Tech-Savy (don't like complicated radio menu's) won't like the FT1D. It takes some time in the manual reading and experimenting to get it up and running. Once you have a working knowledge of the menus and required setup, and how to get into the menu to turn the GPS and TNC on, it works quite well. The GPS receiver itself could stand to be more sensitive, as there were many times that I could not get the GPS to get a position lock even though it showed 7-8 good strong signals, eventually it would finally get a lock near a large window with a large view of the sky. It's not super sensitive like most modern handheld GPS units, or even my Galaxy S4 which gets a lock even indoors, nowhere near a window.
The receiver is quite broad-banded and has very good sensitivity overall. Audio is very good considering the small speaker. I like the feel of the radio and the rubberized lower half that makes it easy to hold on to. The case is solid, being metal, and does not make the radio feel to heavy for it's size. I have held radios (other manufacturers) in the past that had plastic cases that would flex, squeak and such when you gripped it while pressing the PTT or pressing buttons. Not the FT1D. It's very solid, and of excellent quality.

Battery life isn't all that great with the supplied 1100mAh battery when using the APRS features (GPS and TNC on) as expected so plan on getting the optional 1800mAh battery if you're going to invest in an FT1D.
With the TNC on (APRS receive only) and GPS off it lasts noticeably longer. I have yet to use it locally on the analog repeaters in my area to give the battery a real-world test there. Will do that over the next few days.

Another local Ham friend of mine has the FTM-400DR and I plan on doing some simplex C4FM testing too over the next week or so.

As for the file I uploaded, it's in the FILES seciton here and it's a WAV file. I just tested it and it will download fine.

Chris KH2PM

---In FT-1D@yahoogroups.com, <ft-1d@yahoogroups.com> wrote:

are there any repeaters or activity in the west coast area like Los Angeles? the upload didn't appear. can you email it to me? hydrogenpower@... mailto:hydrogenpower@...? I'm very curious about the radio. also I can message you on aprs too. The FT-1D i understand does aprs really well.

Sent from my iPad

On Oct 24, 2013, at 10:45 PM, <chris.kh2pm@... mailto:chris.kh2pm@...> wrote:

I recently acquired a new FT-1D and have been getting acclimated with it.

Out of curiosity I set up my RTL-SDR dongle and SDR-Sharp to listen to the analog and digital C4FM audio, and made a sample recording. I uploaded the sample to the FILES section here.

Chris KH2PM

124. FTB1D and FTB1DJ are now available

Yahoo group: FT-1D
Date: 2013-11-26 13:27:37 UTC
From: <bob.freeth@...>
Topic: 124 Message: 124

FTB1D and FTB1DJ are now available for the FT1DR/E.

FTB1D is for non-Japanese models; FTB1DJ is for Japanese models only.

Information about the programs is here:

http://www.g4hfq.co.uk/ftb1d.html http://www.g4hfq.co.uk/ftb1d.html

Download is from this page:

http://www.g4hfq.co.uk/download.html http://www.g4hfq.co.uk/download.html

Bob G4HFQ

125. RE: FTB1D and FTB1DJ are now available

Yahoo group: FT-1D
Date: 2013-12-02 14:21:10 UTC
From: <vr2zvr.hk@...>
Topic: 124 Message: 125

Fantastic software. Just installed it. Have been waiting for a very long time. Good job.

---In FT-1D@yahoogroups.com, <bob.freeth@...> wrote:

FTB1D and FTB1DJ are now available for the FT1DR/E.

FTB1D is for non-Japanese models; FTB1DJ is for Japanese models only.

Information about the programs is here:

http://www.g4hfq.co.uk/ftb1d.html http://www.g4hfq.co.uk/ftb1d.html

Download is from this page:

http://www.g4hfq.co.uk/download.html http://www.g4hfq.co.uk/download.html

Bob G4HFQ

126. Re: [FT-1D] FTB1D and FTB1DJ are now available

Yahoo group: FT-1D
Date: 2013-12-02 14:39:00 UTC
From: Dennis Griffin
Topic: 124 Message: 126

I too have had occasion to use the FT1DR version and am quite pleased with it.

73 de Dennis KD7CAC
Scottsdale, AZ

On Dec 2, 2013, at 7:21 AM, vr2zvr.hk@... wrote:

>
> Fantastic software. Just installed it. Have been waiting for a very long time. Good job.
>
>
>
>
>
> ---In FT-1D@yahoogroups.com, <bob.freeth@...> wrote:
>
> FTB1D and FTB1DJ are now available for the FT1DR/E.
>
> FTB1D is for non-Japanese models; FTB1DJ is for Japanese models only.
>
> Information about the programs is here:
>
> http://www.g4hfq.co.uk/ftb1d.html
>
> Download is from this page:
>
> http://www.g4hfq.co.uk/download.html
>
> Bob G4HFQ
>

127. Is it here anyone from Hungary?

Yahoo group: FT-1D
Date: 2014-02-03 21:14:07 UTC
From: <horvathb76@...>
Topic: 127 Message: 127

I'm looking for FT-1D ownership from Hungary.
Thanks,
HA4HB, Béla

128. Software Upgrade.

Yahoo group: FT-1D
Date: 2014-04-28 18:29:34 UTC
From: <sgraham@...>
Topic: 128 Message: 128

Did anyone have problems upgrading their software to 1.08? I cannot get it to take it and I cannot get past the "enter your Callsign" screen as the instructions say.

129. Re: [FT-1D] Software Upgrade.

Yahoo group: FT-1D
Date: 2014-04-28 20:44:54 UTC
From: Dennis Griffin
Topic: 128 Message: 129

Did mine a few days ago on a Mac under Parallels 8 & Win 7. Battery off, using AC adapter for power & SCU-18 for communication. It did take a while. Powered off after, put battery pack back on and did the three key down power, then chose full reset. Next power on brought up enter callsign screen, and I was off and running after completing that. Loaded in 600 some odd memories after that & all is good.

Holding down Band key while powering on should bring up blank, dark screen. Pressing Band key again will turn on LED & show current firmware rev.

73 de Dennis KD7CAC
Scottsdale, AZ

On Apr 28, 2014, at 11:29 AM, sgraham@... wrote:

> Did anyone have problems upgrading their software to 1.08? I cannot get it to take it and I cannot get past the "enter your Callsign" screen as the instructions say.

130. Pictures

Yahoo group: FT-1D
Date: 2014-04-30 13:13:36 UTC
From: <sgraham@...>
Topic: 130 Message: 130

I don't have the microphone for my FT1D to take pictures yet. I was wondering what format does the radio save them as, jpg. etc. Also can you put a pic on the card from your computer and then send it by the radio?
Thanks for any and all help.

131. Re: [FT-1D] Pictures

Yahoo group: FT-1D
Date: 2014-04-30 13:45:56 UTC
From: Dennis Griffin
Topic: 130 Message: 131
Attachments: 1 described; binary payloads are missing from this source WARC

See relevant info on page 2 of the attachment, under Snapshot Function. From what I see there, it looks like the answer to your second question is yes. Also, Universal Radio shows JPEG as one of the three available formats.

73 de Dennis KD7CAC
Scottsdale, AZ

On Apr 30, 2014, at 6:13 AM, sgraham@floydcova.org wrote:

> I don't have the microphone for my FT1D to take pictures yet. I was wondering what format does the radio save them as, jpg. etc. Also can you put a pic on the card from your computer and then send it by the radio?
> Thanks for any and all help.
>
>

132. Re: Software Upgrade.

Yahoo group: FT-1D
Date: 2014-05-01 02:10:51 UTC
From: <ve2hmm@...>
Topic: 128 Message: 132

Hi,

I just did and I also had the problems you describe. I sent an email to yaesu.

I think the problem is how you enter your callsign; Not sure on the good way, but it worked after the 3th time I did a full-reset & entered my callsign. You might want to press "band" to "fill" all the 10 spaces. I think that doing something else before the 10 chars (like saving your callsign) did cause my problems.

After that, I was able to check the version number with the band key.

133. Re: Pictures

Yahoo group: FT-1D
Date: 2014-05-01 12:24:54 UTC
From: <sgraham@...>
Topic: 130 Message: 133

Thanks Dennis, I put 3 small jpg images on the card from my computer and the radio doesn't recognize them. I will keep digging and trying.
Thanks for replying.

134. Re: Software Upgrade.

Yahoo group: FT-1D
Date: 2014-05-01 12:28:54 UTC
From: <sgraham@...>
Topic: 128 Message: 134

Thanks for your replies. 73

135. Re: [FT-1D] Pictures

Yahoo group: FT-1D
Date: 2014-05-01 15:04:12 UTC
From: Dennis Griffin
Topic: 130 Message: 135

Formatting the card in the radio does place a Photo folder on the card. I saved one JPEG & one TIFF pic in this folder, but they were 640 x 640 images. I found how to access them, while on Band A, in DM and in GM modes, but those two images didn't appear. I can only guess that they weren't found because they exceed the size that the radio can process.

I haven't played with the digital side of things on this radio since there doesn't seem to be a DR-1, or another FT1DR owning OM, anywhere near me, that anyone cares to reveal, anyway. For now, I'm enjoying the analog side of this HT & its APRS capabilities.

73 de Dennis KD7CAC
Scottsdale, AZ

On May 1, 2014, at 5:24 AM, sgraham@... wrote:

> Thanks Dennis, I put 3 small jpg images on the card from my computer and the radio doesn't recognize them. I will keep digging and trying.
> Thanks for replying.

136. Re: [FT-1D] Pictures

Yahoo group: FT-1D
Date: 2014-05-02 12:35:18 UTC
From: Dennis Griffin
Topic: 130 Message: 136

Formatting the card in the radio does place a Photo folder on the card. I saved one JPEG & one TIFF pic in this folder, but they were 640 x 640 images. I found how to access them, while on Band A, in DM and in GM modes, but those two images didn't appear. I can only guess that they weren't found because they exceed the size that the radio can process.

I haven't played with the digital side of things on this radio since there doesn't seem to be a DR-1, or another FT1DR owning OM, anywhere near me, that anyone cares to reveal, anyway. For now, I'm enjoying the analog side of this HT & its APRS capabilities.

73 de Dennis KD7CAC
Scottsdale, AZ

On May 1, 2014, at 5:24 AM, sgraham@... wrote:

> Thanks Dennis, I put 3 small jpg images on the card from my computer and the radio doesn't recognize them. I will keep digging and trying.
> Thanks for replying.

137. Pictures from MH-85

Yahoo group: FT-1D
Date: 2014-05-02 13:07:36 UTC
From: Dennis Griffin
Topic: 137 Message: 137

Has anyone who owns the camera mic tried to load pictures to the SD card Photo folder, using a computer, after having taken a few pictures with the MH-85? If so, were you able to select them?

Also wondering in anyone in the Phoenix, AZ metro area has an FT1D that we might try some DM simplex? Anyone aware of any plans to put up a DR-1 in this area? TIA.

73 de Dennis KD7CAC
Scottsdale, AZ

138. SAD-11B instead of a PA-48B Charger question

Yahoo group: FT-1D
Date: 2014-05-09 03:29:42 UTC
From: <dougcutlip@...>
Topic: 138 Message: 138

I received an SAD-11B charger with my FT-1D. After repeated calls to yaesu and gigaparts I finally got it thru their heads that 10.5 volts is not the same as 12.0 volts. Anyone else have this problem?

139. RE: RT Systems just released the FT1D programming software!

Yahoo group: FT-1D
Date: 2014-05-09 05:59:24 UTC
From: <don308@...>
Topic: 111 Message: 139

Hi Stephen,

I downloaded the adms-6 SW from the yaesu website in hopes of programming my ft1dr. The file won't open.
I attempted to find what kind of file it is to associate it and run it. No luck. Explorer just calls it a file. No extension.
Have you seen this? I'm running win 8.1

Thanks.

Don.

140. RE: RT Systems just released the FT1D programming software!

Yahoo group: FT-1D
Date: 2014-05-09 07:50:13 UTC
From: <bob.freeth@...>
Topic: 111 Message: 140

Don,

It is a compressed .zip file. Click on it using Windows Explorer and look for the Extract Files at the top of the window.

You can use the Folder Options applet in Control Panel to get Windows to display the file type of all files instead of hiding it. While you are at it also choose the option to always display menus. Makes things easier to get about.

73, Bob G4HFQ

141. Re: [FT-1D] SAD-11B instead of a PA-48B Charger question

Yahoo group: FT-1D
Date: 2014-05-09 11:21:29 UTC
From: Dennis Griffin
Topic: 138 Message: 141

I received the same charger with mine. It charges the battery just fine, and powers the unit w/o a battery attached during a firmware update. Don't know why you would think 10.5VDC output isn't sufficient to charge a 7.4VDC battery. The FT1D obviously has circuitry that allows it to properly utilize 10.5VDC or 12.0VDC sources.

73 de Dennis KD7CAC
Scottsdale, AZ

On May 8, 2014, at 8:29 PM, dougcutlip@... wrote:

>
>
> I received an SAD-11B charger with my FT-1D. After repeated calls to yaesu and gigaparts I finally got it thru their heads that 10.5 volts is not the same as 12.0 volts. Anyone else have this problem?

142. Re: [FT-1D] SAD-11B instead of a PA-48B Charger question

Yahoo group: FT-1D
Date: 2014-05-09 14:40:45 UTC
From: dougcutlip@...
Topic: 138 Message: 142

Its not the radio that was the problem, it was the cd-41. The cd-41 requires 12-16 volts to work correctly. I have had lots of experience with commercial chargers and voltages. If it says it needs 12-16 than it may not work correctly on a lower voltage. If you don't give it the correct voltage it may not charge all the way or it may take longer to charge fully.

143. Re: [FT-1D] SAD-11B instead of a PA-48B Charger question

Yahoo group: FT-1D
Date: 2014-05-10 12:22:21 UTC
From: Dennis Griffin
Topic: 138 Message: 143

There was no mention of a CD-41 in the original post. The CD-41 is meant to be used with an NC-86B power supply, which was supplied with the VX-8R, DR & G models. No idea why they changed to the SAD-11B.

73 de Dennis KD7CAC
Scottsdale, AZ

On May 9, 2014, at 7:40 AM, dougcutlip@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

> Its not the radio that was the problem, it was the cd-41. The cd-41 requires 12-16 volts to work correctly. I have had lots of experience with commercial chargers and voltages. If it says it needs 12-16 than it may not work correctly on a lower voltage. If you don't give it the correct voltage it may not charge all the way or it may take longer to charge fully.

144. regional and international

Yahoo group: FT-1D
Date: 2014-06-02 21:03:56 UTC
From: brazos@...
Topic: 144 Message: 144

Is wires the only way to achive regional and international qsos ? Will this system be similar to Dstar ? thanks John kb2huk

145. APRS Mode

Yahoo group: FT-1D
Date: 2014-06-07 18:38:02 UTC
From: karln2rld@...
Topic: 145 Message: 145

Hi all just got my FT1DR and I see APRS only works on the B-Band (and thats ok) What i want to know is if i set everything up for APRS and turn on the GPS and the Modem speed and leave the B-Band on 144.390 but operate the radio in single band mode and am using a 440 Freq with the aprs still beacon all my settings

Tanks
Karl N2RLD

146. Re: APRS Mode

Yahoo group: FT-1D
Date: 2014-06-10 12:33:19 UTC
From: Steve Graham
Topic: 145 Message: 146

I think I understand your question. While in APRS mode on B band you can communicate on A band and APRS will work fine, you just may have to turn the mute feature on or turn the volume down on B band.

I hope this answers your question.

147. MIC-E transmission possible?

Yahoo group: FT-1D
Date: 2014-07-19 06:00:53 UTC
From: mike_sherwood@...
Topic: 147 Message: 147

Can the FT1D do a Mic-e (mic encoder) APRS transmission when I key the mic? I see no mention of it in the manuals. I do see the VX-8R doing some MICE-MSG stuff on the internet, giving me hope.

I would *love* it if this radio could do this.

Best regards,

Mike Sherwood, N5YXK

148. Bank Selection on Band B

Yahoo group: FT-1D
Date: 2014-07-28 22:59:30 UTC
From: w5mlm@...
Topic: 148 Message: 148

Greetings...

I have created multiple memory banks using the RT Systems software. I can select one of those banks using instructions from the FT1DR Operators Manual (page 49) when on Band A. What I can't do is select one of those banks when on Band B--turning the dial only shows the first Bank.

Anyone else have this problem?

My FT1DR has firmware version 1.08 installed.

73,
Mark W5MLM

149. Yaesu ADMS-6 programming SW question

Yahoo group: FT-1D
Date: 2014-07-30 05:35:16 UTC
From: don308@...
Topic: 149 Message: 149

Hello group,

Has anyone used the ADMS-6 software successfully? Please dont come back with an answer about RT systems SW. I'm not looking for that. That's all I find when I search the web.

I'm curious about how to display the memory channels and frequencies when I connect to the radio.
I can connect just fine. The first page is blank. I think memory location 1 has a home channel of 145.000 listed. Everything else is blank.
My radio has about 120 channels in it. I want to modify it and get rid of a lot of channels.
How do I display them?
I cant load from the data card using the pc either. It's grayed out.

Is there a manual for this SW? the help files show an index but nothing comes up when I click on them.

Anyone have any info about this?

Thanks..

Don.

150. Re: [FT-1D] Yaesu ADMS-6 programming SW question

Yahoo group: FT-1D
Date: 2014-07-30 11:31:45 UTC
From: Dennis Griffin
Topic: 149 Message: 150

I'm a bit confused here as to why you are asking about ADMS-6 on the FT1D group. Since you mention a data card, I'll assume you are working with an FT1D. However, ADMS-VX6 is intended to be used with the Yaesu VX-6R. ADMS-FT1D is needed for the FT1D. I have both and they each work fine with their intended HT's when used with the correct USB cable. Please clarify. Also, RTS does have good phone support.

73 de Dennis KD7CAC
Scottsdale, AZ

On Jul 29, 2014, at 10:35 PM, don308@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

> Hello group,
>
> Has anyone used the ADMS-6 software successfully? Please dont come back with an answer about RT systems SW. I'm not looking for that. That's all I find when I search the web.
>
> I'm curious about how to display the memory channels and frequencies when I connect to the radio.
> I can connect just fine. The first page is blank. I think memory location 1 has a home channel of 145.000 listed. Everything else is blank.
> My radio has about 120 channels in it. I want to modify it and get rid of a lot of channels.
> How do I display them?
> I cant load from the data card using the pc either. It's grayed out.
>
> Is there a manual for this SW? the help files show an index but nothing comes up when I click on them.
>
> Anyone have any info about this?
>
> Thanks..
>
> Don.
>

151. Re: [FT-1D] Yaesu ADMS-6 programming SW question

Yahoo group: FT-1D
Date: 2014-07-30 13:06:24 UTC
From: Jim K5JG
Topic: 149 Message: 151

ADMS-6 is what Yaesu calls the software for the FT-1D. The link to it on
their website starts off with "FT-1DR/DE ADMS-6 Software...."

ADMS-VX6 is RT Systems' software for the VX-6R.

73, Jim K5JG

Dennis Griffin eagleeyedennis@... [FT-1D] wrote:
>
>
> I'm a bit confused here as to why you are asking about ADMS-6 on the
> FT1D group. Since you mention a data card, I'll assume you are working
> with an FT1D. However, ADMS-VX6 is intended to be used with the Yaesu
> VX-6R. ADMS-FT1D is needed for the FT1D. I have both and they each work
> fine with their intended HT's when used with the correct USB cable.
> Please clarify. Also, RTS does have good phone support.
>
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
> On Jul 29, 2014, at 10:35 PM, don308@...
> <mailto:don308@...> [FT-1D] <FT-1D@yahoogroups.com
> <mailto:FT-1D@yahoogroups.com>> wrote:
>
>>
>>
>> Hello group,
>>
>> Has anyone used the ADMS-6 software successfully? Please dont come
>> back with an answer about RT systems SW. I'm not looking for that.
>> That's all I find when I search the web.
>>
>> I'm curious about how to display the memory channels and frequencies
>> when I connect to the radio.
>> I can connect just fine. The first page is blank. I think memory
>> location 1 has a home channel of 145.000 listed. Everything else is blank.
>> My radio has about 120 channels in it. I want to modify it and get rid
>> of a lot of channels.
>> How do I display them?
>> I cant load from the data card using the pc either. It's grayed out.
>>
>> Is there a manual for this SW? the help files show an index but
>> nothing comes up when I click on them.
>>
>> Anyone have any info about this?

>>
>> Thanks..
>>
>> Don.
>>
>
>

152. Re: [FT-1D] Yaesu ADMS-6 programming SW question

Yahoo group: FT-1D
Date: 2014-07-30 13:26:55 UTC
From: Dennis Griffin
Topic: 149 Message: 152
Attachments: 1 described; binary payloads are missing from this source WARC

Ah ha, that would clarify things. Leave it to Yaesu to defy convention and muddy the waters, not to mention that they apparently have two different communication cables for the FT1D. The screen clip below is from the RTS site. Sorry, but I have no idea where Don will find help with this programmer. From my experience, I wouldn't count on much help from Yaesu tech support in Cyprus, CA.

73 de Dennis KD7CAC
Scottsdale, AZ

On Jul 30, 2014, at 6:06 AM, Jim K5JG k5jg@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

> ADMS-6 is what Yaesu calls the software for the FT-1D. The link to it on
> their website starts off with "FT-1DR/DE ADMS-6 Software...."
>
> ADMS-VX6 is RT Systems' software for the VX-6R.
>
> 73, Jim K5JG
>
> Dennis Griffin eagleeyedennis@... [FT-1D] wrote:
>>
>>
>> I'm a bit confused here as to why you are asking about ADMS-6 on the
>> FT1D group. Since you mention a data card, I'll assume you are working
>> with an FT1D. However, ADMS-VX6 is intended to be used with the Yaesu
>> VX-6R. ADMS-FT1D is needed for the FT1D. I have both and they each work
>> fine with their intended HT's when used with the correct USB cable.
>> Please clarify. Also, RTS does have good phone support.
>>
>>
>> 73 de Dennis KD7CAC
>> Scottsdale, AZ
>>
>> On Jul 29, 2014, at 10:35 PM, don308@...
>> <mailto:don308@...> [FT-1D] <FT-1D@yahoogroups.com
>> <mailto:FT-1D@yahoogroups.com>> wrote:
>>
>>>
>>>
>>> Hello group,
>>>
>>> Has anyone used the ADMS-6 software successfully? Please dont come

73 de Dennis KD7CAC
Scottsdale, AZ

153. Re: Bank Selection on Band B UPDATE

Yahoo group: FT-1D
Date: 2014-07-30 13:30:17 UTC
From: w5mlm@...
Topic: 148 Message: 153

Hey...

From what I found out from both Yaesu and RT Systems is that the latest firmware changed the relationship between memory banks and operating bands. It seems at first there was no relationship (as per the manual), but now the bank is dependent on which operating band is in use when adding memory channels into a bank. RT Systems is aware of the issue and is currently working on a solution. But for now it seems like all of the banks you define using the software are linked to band A, and only the first bank is linked to band B.

73,
Mark W5MLM

154. Re: [FT-1D] Bank Selection on Band B UPDATE

Yahoo group: FT-1D
Date: 2014-07-30 13:36:48 UTC
From: Dennis Griffin
Topic: 148 Message: 154

And this "new feature" wasn't mentioned in the Read Me for the firmware updater??? I haven't jumped on the latest firmware update, since I have no Fusion system repeaters, or any other FT1D users, that I'm aware of in my area. Looks like I should be glad for that!

73 de Dennis KD7CAC
Scottsdale, AZ

On Jul 30, 2014, at 6:30 AM, w5mlm@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

> Hey...
>
>
> From what I found out from both Yaesu and RT Systems is that the latest firmware changed the relationship between memory banks and operating bands. It seems at first there was no relationship (as per the manual), but now the bank is dependent on which operating band is in use when adding memory channels into a bank. RT Systems is aware of the issue and is currently working on a solution. But for now it seems like all of the banks you define using the software are linked to band A, and only the first bank is linked to band B.
>
> 73,
> Mark W5MLM
>
>
> Posted by: w5mlm@...

155. Re: [FT-1D] Yaesu ADMS-6 programming SW question

Yahoo group: FT-1D
Date: 2014-07-30 23:15:31 UTC
From: don308@...
Topic: 149 Message: 155

I called Yaesu today to inquire about my problems with the ADMS-6 SW. They told me that it is buggy and don't even know why it's still on the site. He recommended RT systems SW.

So much for the free SW.

Don.

156. Re: [FT-1D] Yaesu ADMS-6 programming SW question

Yahoo group: FT-1D
Date: 2014-07-30 23:27:49 UTC
From: w5mlm@...
Topic: 149 Message: 156

I had issues too with the free software. It was corrupting stored GPS locations for APRS. Yaesu Tech Support suggested I get the RT Systems FT1D Programmer software and I'm very glad I did. The software works very well with the radio. The only issue is with banks..but that's because Yaesu made some change in how banks work with the operating bands in the previous firmware release. RT Systems is currently working on an update. One feature I did not like with the programming software is that the global radio menu settings were stored as a separate file. You can however change that in the preferences so that they are store together with the memory settings (my preferred setting).

73,
Mark W5MLM

157. RE: [FT-1D] Yaesu ADMS-6 programming SW question

Yahoo group: FT-1D
Date: 2014-07-31 05:34:15 UTC
From: Mark Wallace
Topic: 149 Message: 157
Attachments: 2 described; binary payloads are missing from this source WARC

Thanks to the group for getting out all this info today. I was minutes from suicide and it seems there is hope for 25 dollars. I will not make my first post a whine and jeeze session but I’ve got a few frustrations with the future of radio.

Thanks again,

kj6nmj Mark in Chula Vista.

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Wednesday, July 30, 2014 4:28 PM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] Yaesu ADMS-6 programming SW question

I had issues too with the free software. It was corrupting stored GPS locations for APRS. Yaesu Tech Support suggested I get the RT Systems FT1D Programmer software and I'm very glad I did. The software works very well with the radio. The only issue is with banks..but that's because Yaesu made some change in how banks work with the operating bands in the previous firmware release. RT Systems is currently working on an update. One feature I did not like with the programming software is that the global radio menu settings were stored as a separate file. You can however change that in the preferences so that they are store together with the memory settings (my preferred setting).

73,

Mark W5MLM

158. $25 of my $40 rebate well spent

Yahoo group: FT-1D
Date: 2014-08-01 06:33:09 UTC
From: Mark Wallace
Topic: 158 Message: 158

I made my RT Systems programmer software DVD and it installed fine. I have only made one profile with a couple of entries but I'm happy to say the radio received it with no issues and all seems well at first look. Any advice for APRS? Thanks again for the info regarding the programming software; you advanced me at least a couple of weeks.

kj6nmj, Mark in Chula Vista.

159. Re: $25 of my $40 rebate well spent

Yahoo group: FT-1D
Date: 2014-08-01 13:47:10 UTC
From: w5mlm@...
Topic: 158 Message: 159

Mark...

Depends on what you want to do with APRS.

I use my FT1DR as a base, mobile, and HT, and as such I'm always looking for ways to conserve the battery. When I use it as a base I utilize the stored positions (see GPS tab in Radio Options Settings of the software) so that I can turn off the GPS and save some battery. I also set the beacon transmit to auto but have the interval set for 30 mins (see APRS Beacon tab). If you utilize Status Text then preprogramming those messages is very nice (also on APRS Beacon tab). Since I like to play with messages I preprogrammed some Message Text (see Messages tab) to use make sending an email to my wife much easier. Since you can only store 16 characters into 10 different slots I stored her email address and some small messages like "call me", "on my way", etc., so that it's quick to build a message. I didn't like all the pop-ups with APRS so it was easy to turn all those off (see APRS tab). I also turned off all the ringers but just a few.

The software is very nice. I just hope they update it soon to handle the current issue it's having with Banks and Operating Bands.

73,
Mark W5MLM

160. Re: $25 of my $40 rebate well spent

Yahoo group: FT-1D
Date: 2014-08-01 17:02:19 UTC
From: n9jtw@...
Topic: 158 Message: 160

New FT-1DR owner here, and I also pulled the trigger on the RT systems software. The Yaesu-provided software is just too buggy. It wouldn't even let me program in odd-split V/U SO-50 satellite frequencies. It would only allow odd-split within the same band. RT systems had no problem with that. Now if only a club in the Denver area would get a Fusion system repeater up and going...

161. New Firmware and DSP Software...

Yahoo group: FT-1D
Date: 2014-08-03 00:51:39 UTC
From: w5mlm@...
Topic: 161 Message: 161

Howdy...

Yaesu has posted new firmware (version 2.00) and DSP software (version 1.07) and I just wanted to post that I haven't had any issues so far. The most difficult part of the update was trying to get around the Windows 7 security with the help file. If you open the help file and the contents are empty, exit the help application, bring up the properties on the help file and click the "Unblock" button. After that you can see the contents of the help file (and believe me...you want to follow those step-by-step instructions).

73,
Mark W5MLM

162. Re: [FT-1D] New Firmware and DSP Software...

Yahoo group: FT-1D
Date: 2014-08-03 01:12:33 UTC
From: Dennis Griffin
Topic: 161 Message: 162

Hi Mark,

So, assuming that you have installed the latest available firmware updates from Yaesu, and knowing that you have previously had some minor issues with the RTS programmer, have you found that everything is playing together nicely now?

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 2, 2014, at 5:51 PM, w5mlm@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
> Howdy...
>
>
>
> Yaesu has posted new firmware (version 2.00) and DSP software (version 1.07) and I just wanted to post that I haven't had any issues so far. The most difficult part of the update was trying to get around the Windows 7 security with the help file. If you open the help file and the contents are empty, exit the help application, bring up the properties on the help file and click the "Unblock" button. After that you can see the contents of the help file (and believe me...you want to follow those step-by-step instructions).
>
>
>
> 73,
>
> Mark W5MLM
>
>
>
> Posted by: w5mlm@yahoo.com

163. Flashlight

Yahoo group: FT-1D
Date: 2014-08-03 02:33:20 UTC
From: cliff.tanner@...
Topic: 163 Message: 163

I frankly don't plan to use it, but how does one turn the flashlight on and off? I can't seem to find that in the manual.

Thanks!

Cliff
AC0FO

164. Re: [FT-1D] Flashlight

Yahoo group: FT-1D
Date: 2014-08-03 02:46:59 UTC
From: Dennis Griffin
Topic: 163 Message: 164

One way is the same way that you can check the firmware version, which is not easy to find out how to do. Power on with the Band key down. That puts it in an LCD screen test mode, which turns on (darkens) all the LCD pixels, the row of indicators across the bottom of the display and the white LED. Another press of the Band key gives the firmware version and activates the vibrator. The other way is described on p 129 of the regular owners manual.

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 2, 2014, at 7:33 PM, "cliff.tanner@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

> I frankly don't plan to use it, but how does one turn the flashlight on and off? I can't seem to find that in the manual.
>
> Thanks!
>
> Cliff
> AC0FO
>
>
> Posted by: cliff.tanner@...

165. Re: [FT-1D] New Firmware and DSP Software - cautionary FYI

Yahoo group: FT-1D
Date: 2014-08-03 03:08:10 UTC
From: Dennis Griffin
Topic: 161 Message: 165

Well, I decided to be brave and do the firmware & DSP upgrades on mine, which is one of the first batch sold in the USA. I first read the radio data to ADMS-FT1DR, V4.50.24, knowing a full reset is required after the firmware update. I went from firmware V1.08 to 2.00 and DSP V1.01 to 1.07. When done & verified, I reloaded the extensive memory file I had saved and found that Tx tone status' saved in the memories were active on the A side, but not active on the B side - unless the APRS modem is turned off. So it looks like someone has some work to do yet. Not a big deal for APRS users to beacon on the B side and voice Tx on the A side. I rather wish now that I hadn't upgraded, because I believe the firmware upgrade only affects DR1 & WIRES-X usage, and I don't have access to either.

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 2, 2014, at 6:12 PM, Dennis Griffin eagleeyedennis@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

> Hi Mark,
>
>
> So, assuming that you have installed the latest available firmware updates from Yaesu, and knowing that you have previously had some minor issues with the RTS programmer, have you found that everything is playing together nicely now?
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
> On Aug 2, 2014, at 5:51 PM, w5mlm@yahoo.com [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>>
>>
>> Howdy...
>>
>>
>>
>> Yaesu has posted new firmware (version 2.00) and DSP software (version 1.07) and I just wanted to post that I haven't had any issues so far. The most difficult part of the update was trying to get around the Windows 7 security with the help file. If you open the help file and the contents are empty, exit the help application, bring up the properties on the help file and click the "Unblock" button. After that you can see the contents of the help file (and believe me...you want to follow those step-by-step instructions).
>>
>>
>>
>> 73,
>>
>> Mark W5MLM

>>
>>
>> Posted by: w5mlm@yahoo.com
>
>
>
> Posted by: Dennis Griffin <EagleEyeDennis@...>

166. Re: [FT-1D] New Firmware and DSP Software - cautionary FYI

Yahoo group: FT-1D
Date: 2014-08-03 13:10:48 UTC
From: w5mlm@...
Topic: 161 Message: 166

Dennis...

I never did try using the B band to access repeaters while the APRS modem was on. I do know Yaesu locks-out tone/CTCSS when APRS is active on their other radios (VX-8GR and VX-8DR). This is the reason why Yaesu APRS users cannot use the APRS "voice alert" capability. Did tone/CTCSS work on the B band while the APRS modem was on before upgrading to 2.00?

73,
Mark W5MLM

167. Re: [FT-1D] New Firmware and DSP Software - cautionary FYI

Yahoo group: FT-1D
Date: 2014-08-03 13:48:49 UTC
From: Dennis Griffin
Topic: 161 Message: 167

I don't recall, but wish I had thought to check. I only knew mention of a B side issue, but didn't know the nature of the issue. The FT1DR is one of about two dozen HT's I own, and since no one else in my area will admit to having one, there are no SF repeaters here and I'm rather displeased with Yaesu, I haven't been using it much. One would think it would be easy enough for Yaesu to modify the firmware to allow selection of a handful of memories that were usable with the modem and allow all the rest to act on the B side just as they do on the A side. One could assume that their plans for System Fusion aren't going as well as they had hoped, since they dropped the price of this HT by about $100 shortly after introduction (right after I bought mine), and they now have a rebate on them.

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 3, 2014, at 6:10 AM, w5mlm@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

> Dennis...
>
>
> I never did try using the B band to access repeaters while the APRS modem was on. I do know Yaesu locks-out tone/CTCSS when APRS is active on their other radios (VX-8GR and VX-8DR). This is the reason why Yaesu APRS users cannot use the APRS "voice alert" capability. Did tone/CTCSS work on the B band while the APRS modem was on before upgrading to 2.00?
>
> 73,
> Mark W5MLM
>
>
>
>
> Posted by: w5mlm@yahoo.com

168. Re: [FT-1D] New Firmware and DSP Software - cautionary FYI

Yahoo group: FT-1D
Date: 2014-08-03 15:23:02 UTC
From: w5mlm@...
Topic: 161 Message: 168

Yaesu is working with clubs right now that want to move to digital--and I think they are giving them repeaters. Here is San Antonio I know of three Fusion repeaters with one more on the way. It's going to be a long hill to climb, and I'm glad they are doing it. My plan is to have a digital base and a number of digital HT's. I really don't plan on having too many QSO's with other folks on digital--I just want my family to be covered.

73,
Mark W5MLM

169. Re: [FT-1D] New Firmware and DSP Software - cautionary FYI

Yahoo group: FT-1D
Date: 2014-08-03 15:59:04 UTC
From: Dennis Griffin
Topic: 161 Message: 169

Lucky you, Mark. I haven't visited San Antonio since the late '60's, when I lived in Dallas & Plano; a visit there is on my bucket list. I've heard nothing of any current or planned SF activity in the Phoenix metro area. We do have reasonable D-STAR coverage here, and there are several MotoTRBO repeaters here also, which may partially explain the lack of interest in SF here.

I did check my VX-8R & VX-8GR and they both disallow Tx tones on the B side when the modem is on. They are both running on original firmware, and I've had them a while. I suppose I'll just have to stick with my TH-D72A's if I want APRS voice alert or want to Tx voice with Tx tone on either side. The FT1DR was likely the last Yaesu product I'll purchase. I had thought about selling my FTM-350AR and getting an FTM-400 - I'm sure glad I didn't, with the problems that one has apparently had.

73 de Dennis KD7CAC
Scottsdale, AZ

On Aug 3, 2014, at 8:23 AM, w5mlm@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

> Yaesu is working with clubs right now that want to move to digital--and I think they are giving them repeaters. Here is San Antonio I know of three Fusion repeaters with one more on the way. It's going to be a long hill to climb, and I'm glad they are doing it. My plan is to have a digital base and a number of digital HT's. I really don't plan on having too many QSO's with other folks on digital--I just want my family to be covered.
>
>
> 73,
> Mark W5MLM
>
>
> Posted by: w5mlm@...

170. Re: [FT-1D] New Firmware and DSP Software - cautionary FYI

Yahoo group: FT-1D
Date: 2014-08-03 19:22:58 UTC
From: w5mlm@...
Topic: 161 Message: 170

The Yaesu FT1DR is my first real ham radio. I have a couple of BeoFeng HT's, but those were just starter radios. I looked at the Kenwood TH-D72A for a long time, but went with the FT1DR because it had more of the features I wanted (ruggedness, useful power settings, memory banks, spectrum analyzer, etc.). My next purchase will probably be that FTM-400DR to use as a base. Hopefully they will have all the bugs out of it by then.

73,
Mark W5MLM

171. Re: New Firmware and DSP Software...

Yahoo group: FT-1D
Date: 2014-08-03 23:20:21 UTC
From: ve2hmm@...
Topic: 161 Message: 171

I just updated mine without any issues so far; But even if the firmware is 2.00 on my radio, the DSP Version shown in the menu TX/RX - Digital - DSP Ver is 1.01... I guess this is "normal" ?

73,
Martin VE2HMM

172. Re: [FT-1D] Re: New Firmware and DSP Software...

Yahoo group: FT-1D
Date: 2014-08-04 00:32:49 UTC
From: Shiny Side
Topic: 161 Message: 172

Hi Martin,

DSP update is a separate process. There should be an additional piece of software called PCTool that was included with the download of the main software. That is the DSP update. No need to open the radio for that update! Just hook the radio up with the cable and follow the included instructions. Unless you have done that then I would not know why the DSP version would not change.

Good luck.
73’
Bob KC9YRR

___

From: mailto:FT-1D@yahoogroups.com
Sent: Sunday, August 03, 2014 6:20 PM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Re: New Firmware and DSP Software...

I just updated mine without any issues so far; But even if the firmware is 2.00 on my radio, the DSP Version shown in the menu TX/RX - Digital - DSP Ver is 1.01... I guess this is "normal" ?

73,
Martin VE2HMM

173. Re: [FT-1D] Re: New Firmware and DSP Software...

Yahoo group: FT-1D
Date: 2014-08-04 00:53:44 UTC
From: ve2hmm@...
Topic: 161 Message: 173

Oh thanks, I totally forgot about the second setup... !

73!

174. DSP software

Yahoo group: FT-1D
Date: 2014-08-06 21:48:06 UTC
From: shepsvettes@...
Topic: 174 Message: 174

I just got a new FT-1dr I updated the firmware and DSP software. Everything went ok but it doesn't show the dsp version on the menu setting. I called Yaesu they said if the radio works the dsp is fine. Has anyone heard of this?

Thanks

175. Re: [FT-1D] DSP software

Yahoo group: FT-1D
Date: 2014-08-07 11:51:37 UTC
From: Shiny Side
Topic: 174 Message: 175

Hi,

Put the radio in Digital mode when you check the version!

Bob

___

From: mailto:FT-1D@yahoogroups.com
Sent: Wednesday, August 06, 2014 4:48 PM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] DSP software

I just got a new FT-1dr I updated the firmware and DSP software. Everything went ok but it doesn't show the dsp version on the menu setting. I called Yaesu they said if the radio works the dsp is fine. Has anyone heard of this?

Thanks

176. Re: [FT-1D] DSP software

Yahoo group: FT-1D
Date: 2014-08-07 20:55:12 UTC
From: shepsvettes@...
Topic: 174 Message: 176

I did that, No difference still shows nothing.

177. digital mode frequencies

Yahoo group: FT-1D
Date: 2014-08-07 23:10:19 UTC
From: kilo9deltabravoalpha@...
Topic: 177 Message: 177

hello,

will the ft1dr scan or monitor frequencies in the uhf band between 480-510 in digital mode?

dave

178. Re: [FT-1D] DSP software

Yahoo group: FT-1D
Date: 2014-08-07 23:30:29 UTC
From: Shiny Side
Topic: 174 Message: 178

Well it should show, I assume digital is still working?
Menu 2 - TX/RX , 2 Digital , 5 DSP Ver, - DSP Ver 1.??. If nothing here check the following:
Check Menu 2 TX/RX, 2 Digital , 1 Digital Mode , make sure mode is not analog, either other setting is ok, ie... Digital or AMS if in analog, change and review DSP ver again.

Good Luck,

Bob KC9YRR

From: mailto:FT-1D@yahoogroups.com
Sent: Thursday, August 07, 2014 3:55 PM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] DSP software

I did that, No difference still shows nothing.

179. Re: [FT-1D] DSP software

Yahoo group: FT-1D
Date: 2014-08-08 01:03:26 UTC
From: shepsvettes@...
Topic: 174 Message: 179

I reloaded the software update. It shows the correct version now.

180. Re: [FT-1D] DSP software

Yahoo group: FT-1D
Date: 2014-08-08 01:31:20 UTC
From: Shiny Side
Topic: 174 Message: 180

Hey glad to hear it! Sometimes you just have to re-boot Windows to get it work, lol.

73’
Bob

___

From: mailto:FT-1D@yahoogroups.com
Sent: Thursday, August 07, 2014 8:03 PM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] DSP software

I reloaded the software update. It shows the correct version now.

181. FT1D programming software

Yahoo group: FT-1D
Date: 2014-08-08 11:20:16 UTC
From: ajr6400
Topic: 181 Message: 181

Hi...Just bought this radio in UK, it is Eur version. The software on the US Yaesu site says it is for only US model. Any suggestions ? Short of buying RT Systems s/ware, which I have done for my FT400D. Regards Andy G6MRI Sent from my 4G Ready Samsung Galaxy S4 on Three
-------- Original message --------
From: "Shiny Side shinysideup@... [FT-1D]"
Date:08/08/2014 02:31 (GMT+00:00)
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] DSP software

Hey glad to hear it! Sometimes you just have to re-boot Windows to get it work, lol. 73’ Bob ***___*** From: mailto:FT-1D@yahoogroups.com Sent: Thursday, August 07, 2014 8:03 PM To: FT-1D@yahoogroups.com Subject: Re: [FT-1D] DSP software I reloaded the software update. It shows the correct version now.

182. Amplifier

Yahoo group: FT-1D
Date: 2014-08-10 18:50:34 UTC
From: shepsvettes@...
Topic: 182 Message: 182

Can you use a amplifier on a digital signal?

Thanks

183. RE: [FT-1D] Amplifier

Yahoo group: FT-1D
Date: 2014-08-10 20:59:22 UTC
From: Howard Small
Topic: 182 Message: 183

How do you think they get 25W or whatever out of a mobile?

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Monday, 11 August 2014 04:51
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Amplifier

Can you use a amplifier on a digital signal?

Thanks

184. RE: [FT-1D] Amplifier

Yahoo group: FT-1D
Date: 2014-08-10 21:06:06 UTC
From: Howard Small
Topic: 182 Message: 184

Just keep in mind the switching speed requirements if it is TDMA.

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Monday, 11 August 2014 06:59
To: FT-1D@yahoogroups.com
Subject: RE: [FT-1D] Amplifier

How do you think they get 25W or whatever out of a mobile?

From: FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com> [mailto:FT-1D@yahoogroups.com]
Sent: Monday, 11 August 2014 04:51
To: FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>
Subject: [FT-1D] Amplifier

Can you use a amplifier on a digital signal?

Thanks

185. for sale?

Yahoo group: FT-1D
Date: 2014-09-07 16:00:51 UTC
From: escapethematrixx@...
Topic: 185 Message: 185

If anyone has one of these, like new, non-smoking, and wants to sell, let me know.

186. Battery/charging level display

Yahoo group: FT-1D
Date: 2014-09-08 02:36:38 UTC
From: w5dom@...
Topic: 186 Message: 186

I just received a new FT1DR from HRO. After a few days of general use, I noticed that the battery indicator on the display always shows full during use until it if fully drained at which point it just shuts off and the charging meter on the display always shows one bar until "complete".

Is this a known firmware, battery or transceiver issue? Is there a fix?

Everything else seems to be working as far as I can tell except maybe weak reception when compared to my FT60.

Thoughts? Any corrective measures or other creative problem solving would be appreciated.

188. Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2014-09-09 01:47:11 UTC
From: w5dom@...
Topic: 186 Message: 188

UPDATE

I spoke with a Yaesu Tech Support rep this morning about the battery issue; second time in the last week regarding the poor antenna/reception. His short response was "I don't know", "that is just how they are", "Yaesu put inferior antennas on the FT1D", and his recommendations were to buy an aftermarket antenna and/or "send back to HRO, good luck with that". There was no offer to inspect my warrantied radio.

I was rather disappointed with the lack of technical support and sad to leave the radio with UPS for shipment to HRO. While I am not one to complain, I sent a feedback email to Yaesu at the behest of my wife. I'll let you know what I hear back if anything.

189. Stuck Transmitting...

Yahoo group: FT-1D
Date: 2014-09-11 01:31:58 UTC
From: w5mlm@...
Topic: 189 Message: 189

Greetings...

Has anyone every had their FT1DR stuck transmitting in digital mode?

Just curious. It happened to me a few weeks ago and it just happened to a fellow ham. We both needed to power off the HT to get it unstuck.

It's possible that it wasn't transmitting and just was hung with the red led glowing. I didn't hear his transmission so I'm not sure if he was transmitting or not.

73,
Mark W5MLM

190. V2.01 FW on Yaesu website 9/26

Yahoo group: FT-1D
Date: 2014-09-27 15:44:06 UTC
From: mail4tucker@...
Topic: 190 Message: 190

My FT-1DR came yesterday and I have been playing with it this morning. I noticed a new firmware version was posted yesterday (marked 9/26/2014). I checked my radio to see what it shipped with. FW 1.08 and DSP ver. 1.04. I'll be doing some updating this morning after I backup.

Matt
N6EAJ

191. Re: DSP software

Yahoo group: FT-1D
Date: 2014-09-30 20:10:26 UTC
From: piccettino2003@...
Topic: 174 Message: 191

Me too, switching from one of the digital modes and the fw version is visible again

192. White led blinking when power on

Yahoo group: FT-1D
Date: 2014-09-30 20:15:31 UTC
From: piccettino2003@...
Topic: 192 Message: 192

I noticed a little blinking of the White led when I turn on the radio, is this normal and other of you noriuced this?

193. Re: [FT-1D] White led blinking when power on

Yahoo group: FT-1D
Date: 2014-10-01 06:02:51 UTC
From: HB9DWS
Topic: 192 Message: 193

This is normal!

2014-09-30 22:15 GMT+02:00 piccettino2003@... [FT-1D] <
FT-1D@yahoogroups.com>:

>
>
> I noticed a little blinking of the White led when I turn on the radio, is
> this normal and other of you noriuced this?
>
>
>

194. Re: [FT-1D] Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2014-10-01 06:06:35 UTC
From: HB9DWS
Topic: 186 Message: 194

I miss the update....

2014-09-09 3:47 GMT+02:00 w5dom@... [FT-1D] <FT-1D@yahoogroups.com>:

>
>
> UPDATE
>
> I spoke with a Yaesu Tech Support rep this morning about the battery
> issue; second time in the last week regarding the poor antenna/reception.
> His short response was "I don't know", "that is just how they are", "Yaesu
> put inferior antennas on the FT1D", and his recommendations were to buy an
> aftermarket antenna and/or "send back to HRO, good luck with that". There
> was no offer to inspect my warrantied radio.
>
> I was rather disappointed with the lack of technical support and sad to
> leave the radio with UPS for shipment to HRO. While I am not one to
> complain, I sent a feedback email to Yaesu at the behest of my wife. I'll
> let you know what I hear back if anything.
>
>

195. Re: V2.01 FW on Yaesu website 9/26

Yahoo group: FT-1D
Date: 2014-10-01 19:24:21 UTC
From: piccettino2003@...
Topic: 190 Message: 195

I heard that the new release is only devoted to give compatibility with the new Wirex-X HRI-200

196. Re: V2.01 FW on Yaesu website 9/26

Yahoo group: FT-1D
Date: 2014-10-02 01:58:34 UTC
From: mail4tucker@...
Topic: 190 Message: 196

The change that was obvious to me was the way AMS is handled. There is now a manual mode. If you download the update zip, there is a PDF in there dedicated to describing the change to the AMS mode.
N6EAJ

197. [FT-1D] New poll for FT-1D

Yahoo group: FT-1D
Date: 2014-10-04 02:31:49 UTC
From: FT-1D@yahoogroups.com
Topic: 197 Message: 197

Enter your vote today! A new poll has been created for the FT-1D group:

When your FT1D Automatic Mode Select (AMS) is set to "bar" +FM, does your signal reception audio intermittently cut out? Cycle the "Dx" button; refer to pages 31 and 32 of your manual.
Created by: w5dom

1. Yes https://groups.yahoo.com/neo/groups/FT-1D/polls/poll/3200059#22197714
2. No https://groups.yahoo.com/neo/groups/FT-1D/polls/poll/3200059#22197693
3. I didn't realize this had to be set to use AMS.
https://groups.yahoo.com/neo/groups/FT-1D/polls/poll/3200059#22197734

Thanks!

198. price drop?

Yahoo group: FT-1D
Date: 2014-10-04 12:51:56 UTC
From: stramontano@...
Topic: 198 Message: 198

Looks like Yaesu dropped the price on the ft1dr by $100. Should help sales.

199. Re: [FT-1D] price drop?

Yahoo group: FT-1D
Date: 2014-10-04 14:41:29 UTC
From: Dennis Griffin
Topic: 198 Message: 199

Considering that I paid nearly twice the current selling price barely a year ago, it has likely killed any future Yaesu product purchases for me. I might have considered the difference as being my contribution to establishing a local Fusion system repeater, except there isn't one, nor or there any signs that there will be one anytime soon, though D-STAR is alive and well in AZ.

I don't suppose they are planning to sell many VX-8DR's for $30 above the new FT1DR-HP price, based on current HRO prices.

73 de Dennis KD7CAC
Scottsdale, AZ

On Oct 4, 2014, at 5:51 AM, stramontano@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
> Looks like Yaesu dropped the price on the ft1dr by $100. Should help sales.
>
>
>
> Posted by: stramontano@gmail.com

200. Re: Stuck Transmitting...

Yahoo group: FT-1D
Date: 2014-10-14 12:21:15 UTC
From: stramontano@...
Topic: 189 Message: 200

Happened once to me. Not an ongoing problem. Good thing these radios do firmware updates.

201. FT-1DR display

Yahoo group: FT-1D
Date: 2014-10-15 19:30:47 UTC
From: kc8rzm@...
Topic: 201 Message: 201

Hi, Just received my FT-1DR radio.

Does anyone have this on their unit with the orange backlight on, a slight darker area bleeding down from the top right-hand portion of the display?

John

202. Menu font size

Yahoo group: FT-1D
Date: 2014-10-15 19:36:51 UTC
From: Brian Smithson
Topic: 202 Message: 202

Just got my new FT-1D and having a blast playing with it.

Does anyone know if the font can be enlarged for the menus? Old eyes.

I do have ADMS-FT1D which is a huge help in manipulating the menus but when I'm on the road...

Thank you!

73

-Brian n8wrl

203. Re: [FT-1D] FT-1DR display

Yahoo group: FT-1D
Date: 2014-10-15 19:37:57 UTC
From: Dennis Griffin
Topic: 201 Message: 203

I have my LCD Contrast level set at 7 & my LCD Dimmer set at level 4 and don't see what you are describing, even if I run both adjustments from one end to the other. There are two slightly brighter areas coming in from the right where the display illumination lamps are, but they don't produce the pattern you seem to be describing. Maybe give it a day or two for the display to even out?

73 de Dennis KD7CAC
Scottsdale, AZ

On Oct 15, 2014, at 12:30 PM, kc8rzm@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
> Hi, Just received my FT-1DR radio.
>
>
>
> Does anyone have this on their unit with the orange backlight on, a slight darker area bleeding down from the top right-hand portion of the display?
>
>
>
> John
>
>
>
>
>
> Posted by: kc8rzm@...

204. Re: [FT-1D] FT-1DR display

Yahoo group: FT-1D
Date: 2014-10-15 19:40:58 UTC
From: Brian Smithson
Topic: 201 Message: 204

It could also be the angle you're looking at it, and _possibly_ your
glasses if you wear them? I looked at it with my polarized sunglasses and
it is black!

73

-Brian n8wrl

On Wed, Oct 15, 2014 at 3:37 PM, Dennis Griffin eagleeyedennis@...
[FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> I have my LCD Contrast level set at 7 & my LCD Dimmer set at level 4 and
> don't see what you are describing, even if I run both adjustments from one
> end to the other. There are two slightly brighter areas coming in from the
> right where the display illumination lamps are, but they don't produce the
> pattern you seem to be describing. Maybe give it a day or two for the
> display to even out?
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
> On Oct 15, 2014, at 12:30 PM, kc8rzm@... [FT-1D] <
> FT-1D@yahoogroups.com> wrote:
>
>
>
>
> Hi, Just received my FT-1DR radio.
>
>
> Does anyone have this on their unit with the orange backlight on, a slight
> darker area bleeding down from the top right-hand portion of the display?
>
>
> John
>
>
>
> ------------------------------
> Posted by: kc8rzm@...
>
>
>

205. Re: [FT-1D] Menu font size

Yahoo group: FT-1D
Date: 2014-10-15 19:41:31 UTC
From: Dennis Griffin
Topic: 202 Message: 205

Display font yes; menu font, not that I'm aware of. Reading glasses? Hand magnifier?

73 de Dennis KD7CAC
Scottsdale, AZ

On Oct 15, 2014, at 12:36 PM, "Brian Smithson n8wrl@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

>
> Just got my new FT-1D and having a blast playing with it.
>
> Does anyone know if the font can be enlarged for the menus? Old eyes.
>
> I do have ADMS-FT1D which is a huge help in manipulating the menus but when I'm on the road...
>
> Thank you!
>
> 73
>
> -Brian n8wrl
>
>
> Posted by: Brian Smithson <brianesmithson@...>

206. Re: [FT-1D] Menu font size

Yahoo group: FT-1D
Date: 2014-10-15 19:45:22 UTC
From: Brian Smithson
Topic: 202 Message: 206

Hi Dennis!

By "display font" you mean showing just one VFO at a time, right? That's
the only way I've been able to make the digits larger.

As for Reading glasses? Hand magnifier?
Yes and Yes :)

73!

-Brian n8wrl

On Wed, Oct 15, 2014 at 3:41 PM, Dennis Griffin eagleeyedennis@...
[FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> Display font yes; menu font, not that I'm aware of. Reading glasses? Hand
> magnifier?
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
> On Oct 15, 2014, at 12:36 PM, "Brian Smithson n8wrl@... [FT-1D]" <
> FT-1D@yahoogroups.com> wrote:
>
>
>
> Just got my new FT-1D and having a blast playing with it.
>
> Does anyone know if the font can be enlarged for the menus? Old eyes.
>
> I do have ADMS-FT1D which is a huge help in manipulating the menus but
> when I'm on the road...
>
> Thank you!
>
> 73
>
> -Brian n8wrl
>
> ------------------------------
> Posted by: Brian Smithson <brianesmithson@...>
>
>
>

207. Re: [FT-1D] Menu font size

Yahoo group: FT-1D
Date: 2014-10-15 19:51:00 UTC
From: Dennis Griffin
Topic: 202 Message: 207

Yes Brian, that's what I was referring to.

73 de Dennis KD7CAC
Scottsdale, AZ

On Oct 15, 2014, at 12:45 PM, Brian Smithson n8wrl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
> Hi Dennis!
>
> By "display font" you mean showing just one VFO at a time, right? That's the only way I've been able to make the digits larger.
>
> As for Reading glasses? Hand magnifier?
> Yes and Yes :)
>
> 73!
>
> -Brian n8wrl
>
> On Wed, Oct 15, 2014 at 3:41 PM, Dennis Griffin eagleeyedennis@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> Display font yes; menu font, not that I'm aware of. Reading glasses? Hand magnifier?

208. Re: [FT-1D] FT-1DR display

Yahoo group: FT-1D
Date: 2014-10-15 20:01:28 UTC
From: John Palmer
Topic: 201 Message: 208

Hi Brian,

No, not wearing my glasses and looking directly at the display with the backlight turned up to the highest setting. It's a slightly dark smudge at the top of the display toward the right-hand side.

John
KC8RZM

On Wednesday, October 15, 2014 3:40 PM, "Brian Smithson n8wrl@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

It could also be the angle you're looking at it, and _possibly_ your glasses if you wear them? I looked at it with my polarized sunglasses and it is black!

73

-Brian n8wrl

On Wed, Oct 15, 2014 at 3:37 PM, Dennis Griffin eagleeyedennis@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>I have my LCD Contrast level set at 7 & my LCD Dimmer set at level 4 and don't see what you are describing, even if I run both adjustments from one end to the other. There are two slightly brighter areas coming in from the right where the display illumination lamps are, but they don't produce the pattern you seem to be describing. Maybe give it a day or two for the display to even out?
>
>
>73 de Dennis KD7CAC
>
>Scottsdale, AZ
>
>On Oct 15, 2014, at 12:30 PM, kc8rzm@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>
>>
>>
>>Hi, Just received my FT-1DR radio.
>>
>>
>>Does anyone have this on their unit with the orange backlight on, a slight darker area bleeding down from the top right-hand portion of the display?
>>
>>
>>John

>>
>>
>>
>>
>>
>>_________________________________
>> Posted by: kc8rzm@...

209. Re: [FT-1D] FT-1DR display

Yahoo group: FT-1D
Date: 2014-10-15 20:09:14 UTC
From: John Palmer
Topic: 201 Message: 209

Hi Dennis,

No, it's not the slightly uneven illumination at the right-hand hand from the orange leds, just a darker, smudge-like area towards the top right-hand area of the display, not that pronounced, could be a shadow-effect from some component behind the display.

John
KC8RZM

On Wednesday, October 15, 2014 3:38 PM, "Dennis Griffin eagleeyedennis@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

I have my LCD Contrast level set at 7 & my LCD Dimmer set at level 4 and don't see what you are describing, even if I run both adjustments from one end to the other. There are two slightly brighter areas coming in from the right where the display illumination lamps are, but they don't produce the pattern you seem to be describing. Maybe give it a day or two for the display to even out?

73 de Dennis KD7CAC

Scottsdale, AZ

On Oct 15, 2014, at 12:30 PM, kc8rzm@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
>Hi, Just received my FT-1DR radio.
>
>
>Does anyone have this on their unit with the orange backlight on, a slight darker area bleeding down from the top right-hand portion of the display?
>
>
>John
>
>
>
>
>
>_________________________________
> Posted by: kc8rzm@yahoo.com

210. Re: FT-1DR display

Yahoo group: FT-1D
Date: 2014-10-15 20:16:32 UTC
From: w5dom@...
Topic: 201 Message: 210

Would you say the "smudge" is physically on the glass or does it seem like a faulty LED? My FT1DR appears to have three LEDs on the right with associated dark areas between them. With that said, it appears normal to me with no "smudge" like effects on the display illumination.

211. Re: [FT-1D] Re: FT-1DR display

Yahoo group: FT-1D
Date: 2014-10-15 20:43:02 UTC
From: John Palmer
Topic: 201 Message: 211

Hi w5dom, No, its not on the glass and its not the leds. The slightly darker smudge-like area is right at the top of the display towards the right-hand side. Its not that pronounced but I'm picky. Looks like it could be a shadow-effect from something behind the display, just mars the appearance of the display somewhat.

John
KC8RZM

On Wednesday, October 15, 2014 4:16 PM, "w5dom@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

Would you say the "smudge" is physically on the glass or does it seem like a faulty LED? My FT1DR appears to have three LEDs on the right with associated dark areas between them. With that said, it appears normal to me with no "smudge" like effects on the display illumination.

212. RE: [FT-1D] Re: FT-1DR display

Yahoo group: FT-1D
Date: 2014-10-15 21:20:15 UTC
From: Howard Small
Topic: 201 Message: 212

Sounds like the lcd is leaking. If so, it will only get worse. I would be taking it to the supplier to at least record the problem in case you later need a warranty replacement.

Howard, VK4BS

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Thursday, 16 October 2014 6:43 AM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] Re: FT-1DR display

Hi w5dom, No, its not on the glass and its not the leds. The slightly darker smudge-like area is right at the top of the display towards the right-hand side. Its not that pronounced but I'm picky. Looks like it could be a shadow-effect from something behind the display, just mars the appearance of the display somewhat.

John

KC8RZM

On Wednesday, October 15, 2014 4:16 PM, "w5dom@... [FT-1D] <mailto:w5dom@...%20[FT-1D]> " <FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com> > wrote:

Would you say the "smudge" is physically on the glass or does it seem like a faulty LED? My FT1DR appears to have three LEDs on the right with associated dark areas between them. With that said, it appears normal to me with no "smudge" like effects on the display illumination.

213. Re: [FT-1D] Re: FT-1DR display

Yahoo group: FT-1D
Date: 2014-10-15 23:16:21 UTC
From: John Palmer
Topic: 201 Message: 213

Hi Howard,

I've already contacted the supplier, sent pics and have requested a replacement.

John
KC8RZM

On Wednesday, October 15, 2014 5:20 PM, "'Howard Small' howard@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

Sounds like the lcd is leaking. If so, it will only get worse. I would be taking it to the supplier to at least record the problem in case you later need a warranty replacement.

Howard, VK4BS

From:FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Thursday, 16 October 2014 6:43 AM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] Re: FT-1DR display

Hi w5dom, No, its not on the glass and its not the leds. The slightly darker smudge-like area is right at the top of the display towards the right-hand side. Its not that pronounced but I'm picky. Looks like it could be a shadow-effect from something behind the display, just mars the appearance of the display somewhat.

John
KC8RZM

On Wednesday, October 15, 2014 4:16 PM, "w5dom@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

Would you say the "smudge" is physically on the glass or does it seem like a faulty LED? My FT1DR appears to have three LEDs on the right with associated dark areas between them. With that said, it appears normal to me with no "smudge" like effects on the display illumination.

214. New to Group

Yahoo group: FT-1D
Date: 2014-10-17 22:51:24 UTC
From: malin@...
Topic: 214 Message: 214

Hi Everyone,

David here, aa6rv.....I've been going through some of the older threads and see that some of you are upset over the major price drop. I can only imagine how upset you guys and gals are. I'm an avid DSTAR user and have been for a number a years. But also an overall geek....RULE #1....never buy the equipment when it first comes out.....I have one friend who has to own it right away whenever the latest DSTAR radio comes out....and he is on fixed income.....

Patience, Patience, Patience.....saved a fortune on this radio...it's now under 300.

So the first question: Is there a little box someone has developed that acts as a small repeater like the DSTAR DVAP? I see there is a box being sold for x-wire, but I don't believe it is a repeater by itself, but rather a way to hook up a radio to the internet and then you would use an HT to talk to the repeater....

73,

David, aa6rv

215. Re: Stuck Transmitting...

Yahoo group: FT-1D
Date: 2014-10-20 01:37:38 UTC
From: billdavidjr@...
Topic: 189 Message: 215

Same here happened 4 days ago after the new firmware update.

216. Re: Stuck Transmitting...

Yahoo group: FT-1D
Date: 2014-10-20 11:16:16 UTC
From: malin@...
Topic: 189 Message: 216

So is this a major concern, I should we hold off on updating the firmware. This only happens in the digital mode correct?

David, aa6rv

217. FT1D new firmware V2.04

Yahoo group: FT-1D
Date: 2014-10-23 15:37:11 UTC
From: bob.freeth@...
Topic: 217 Message: 217

If you have been considering installing or have installed FT1D firmware V201 then read on:

FT1D firmware V2.04 is now available on the Yaesu.com Files tab for the FT1D.

This version appears to fix a crash in the Yaesu ADMS-6 software V1.0.2.11 when reading a radio with firmware V2.01. The crash showed on the Settings window when decoding the LCD Contrast.

This is from the FT1DR V204 information PDF:

FT1DR/DE Main Version 2.04 (10/22/14)
• New Additional AMS Features. Refer to the Important change in AMS Feature.
• A standby beep function has been added to make a pip sound when the received digital signal has ended in a digital mode. The default setting is ON, but it can be turned off in the “STANDBY BEEP” set mode.
• Additional functions are improved and optimized.
NOTE: NOTE: When MAIN Software V2.04 is installed you must check the DSP Software version. If you do not have V1.07 DSP Software, then it must also be installed at the same time (otherwise it may not function correctly). Refer to the Help File to find how to check the Main and DSP software version.

Bob G4HFQ

218. iAM mode

Yahoo group: FT-1D
Date: 2014-10-23 20:33:39 UTC
From: piccettino2003@...
Topic: 218 Message: 218

Sometimes, selecting the tx Mode with Dx key appears iAM instead of iFM.
I think this is a bug but I can't understand in what circumstances this happens

219. Re: iAM mode

Yahoo group: FT-1D
Date: 2014-10-28 01:24:16 UTC
From: chris.kh2pm@...
Topic: 218 Message: 219

I've noticed it as well. I figured it was because I was monitoring some aircraft AM frequencies prior to
tuning to an FM repeater. The 'last mode received' was AM. It should switch back to iFM next time it
receives such a signal.

220. FT-1DR APRS Modem Speed Indication Flashing

Yahoo group: FT-1D
Date: 2014-11-02 21:44:56 UTC
From: ajb2010@...
Topic: 220 Message: 220

Hi All - When using APRS mode on the hand held, the modem mode, in this case for 1200 baud, "A12" is always flashing on the display. Is this normal or should it be steady?
TIA and 73s
Tony-AE7WZ

221. Re: FT-1DR APRS Modem Speed Indication Flashing

Yahoo group: FT-1D
Date: 2014-11-02 22:47:48 UTC
From: w5dom@...
Topic: 220 Message: 221

Mine blinks as well. Seems to work just fine.

222. Re: [FT-1D] Re: FT-1DR APRS Modem Speed Indication Flashing

Yahoo group: FT-1D
Date: 2014-11-03 02:13:14 UTC
From: AE7WZ
Topic: 220 Message: 222

Thanks for the confirmation Mike.Tony-AE7WZ From: "w5dom@... [FT-1D]"
<FT-1D@yahoogroups.com>
To: FT-1D@yahoogroups.com
Sent: Sunday, November 2, 2014 2:47 PM
Subject: [FT-1D] Re: FT-1DR APRS Modem Speed Indication Flashing

Mine blinks as well. Seems to work just fine.

223. Entering non alpha-numeric characters from keyboard

Yahoo group: FT-1D
Date: 2014-11-05 14:35:09 UTC
From: dnedger@...
Topic: 223 Message: 223

I am trying to program my call sign N3CI with the -7 suffix but can't figure out how to make the "-" from the keyboard. The instructions in the book don't help. Anyone able to help me overcome this mental block? Thanks.

224. Re: [FT-1D] Entering non alpha-numeric characters from keyboard

Yahoo group: FT-1D
Date: 2014-11-06 06:28:59 UTC
From: hb9dws@...
Topic: 223 Message: 224

You are meaning the Callsign for APRS [Set 9 -> 12 APRS -> 23 Callsign (APRS)] and not the one used for the C4FM-issues [Set 12], right? Are you in the correct (APRS-)Menue for the input?

The dash will appear automatically after you put in the 6 figures of the Callsign (in your case the 4 with additional 2 blanks). Put in your Callsign and push "Enter" until you reach the dash - afterward you chose the desired SSID by turning the DIAL-knob.

Hansjörg HB9DWS

> Am 05.11.2014 um 19:35 schrieb "dnedger@... [FT-1D]" <FT-1D@yahoogroups.com>:
>
> I am trying to program my call sign N3CI with the -7 suffix but can't figure out how to make the "-" from the keyboard. The instructions in the book don't help. Anyone able to help me overcome this mental block? Thanks.
>
>
>
>

225. Re: [FT-1D] Entering non alpha-numeric characters from keyboard

Yahoo group: FT-1D
Date: 2014-11-06 22:28:26 UTC
From: dnedger@...
Topic: 223 Message: 225

Thanks! I was not entering the two blanks. Many thanks for the reply. 73.

226. ADMS-6 problems

Yahoo group: FT-1D
Date: 2014-11-13 03:53:54 UTC
From: wb1hbu@...
Topic: 226 Message: 226

Hello,

I downloaded ADMS-6 from the Yaesu website and found there is not installer. I "installed" it by copying the directories to my Windows 7 64 bit laptop and setting up shortcuts on the start menu. I installed the USB driver without any problem.

I tired running the program in the C:/Program Files (x86)/Yaesu directory, but the program had problems due to the UAC, i.e. I got errors when the program tried to write files in it's directory. I moved it to C:/Yaesu and things got a bit better. I was able to read the radio, add channels and write channels to the radio. I was able to save the file as current.ft1d without any problem.

The first problem is all the 927 MHz Ham Repeaters I programmed show up as 914.000 MHz on the FT-1D. All the other frequency bands programmed correctly. I tried to manually enter 927 MHz frequencies and even 935 MHz frequencies and the FT-1D rejects them. I looked at the specifications and it says it can receive that frequency range.

The second problem is when I ran ADMS-6 again to modify the file. The Open selection under the file menu is greyed out.

The third problem is I can reread the radio successfully, but the data does not display in the program window. The Untitled1 tab stays at the default values.

73 Eric http://forums.radioreference.com/newreply.php?do=newreply&p=2285030

227. ADMS-6 problems with blocked frequencies was Re: [FT-1D] ADMS-6 problems

Yahoo group: FT-1D
Date: 2014-11-14 19:10:26 UTC
From: Eric Cottrell
Topic: 226 Message: 227

Hello,

I found the reason why ADMS-6 greyed out the open file menu selection and could not read the FT-1D. The radio and saved settings file contained blocked frequencies. It appears Yaesu had to block image frequencies as well, so the upper portion of the 900 MHz Ham band is blocked.

I reset the radio back to factory defaults, read the radio, and saved the settings files. This restored things back to normal. So do not program the following frequency ranges into the cellular blocked version of the FT-1D.

FT-1D Blocked Frequency Ranges
824.0000 to 849.9875
869.0000 to 894.9875
915.0000 to 943.9875
960.0000 to 988.9875

73 Eric

----- Start Original Message -----
Sent: 12 Nov 2014 19:53:54 -0800
From: "wb1hbu@... [FT-1D]" <FT-1D@yahoogroups.com>
To: <FT-1D@yahoogroups.com>
Subject: [FT-1D] ADMS-6 problems

> Hello,
>
> I downloaded ADMS-6 from the Yaesu website and found there is not installer. I "installed" it by copying the directories to my Windows 7 64 bit laptop and setting up shortcuts on the start menu. I installed the USB driver without any problem.
>
> I tired running the program in the C:/Program Files (x86)/Yaesu directory, but the program had problems due to the UAC, i.e. I got errors when the program tried to write files in it's directory. I moved it to C:/Yaesu and things got a bit better. I was able to read the radio, add channels and write channels to the radio. I was able to save the file as current.ft1d without any problem.
>
> The first problem is all the 927 MHz Ham Repeaters I programmed show up as 914.000 MHz on the FT-1D. All the other frequency bands programmed correctly. I tried to manually enter 927 MHz frequencies and even 935 MHz frequencies and the FT-1D rejects them. I looked at the specifications and it says it can receive that frequency range.
>
> The second problem is when I ran ADMS-6 again to modify the file. The Open selection under the file menu is greyed out.
>

> The third problem is I can reread the radio successfully, but the data does not display in the program window. The Untitled1 tab stays at the default values.
>
> 73 Eric http://forums.radioreference.com/newreply.php?do=newreply&p=2285030
>

----- End Original Message -----

229. FT-1DR RX of digital signals

Yahoo group: FT-1D
Date: 2014-11-26 00:35:46 UTC
From: David null
Topic: 229 Message: 229

Police and other services in many cities are moving from analog to digital. Does the FT-1DR radio allow you to listen to the transmissions?

230. Re: [FT-1D] FT-1DR RX of digital signals

Yahoo group: FT-1D
Date: 2014-11-26 00:46:07 UTC
From: Jim K5JG
Topic: 229 Message: 230

The only digital mode the FT-1DR can receive is Yaesu's C4FM.

73, Jim K5JG

David null iiidavidiii@... [FT-1D] wrote:
>
>
> Police and other services in many cities are moving from analog to
> digital. Does the FT-1DR radio allow you to listen to the transmissions?
>

231. Re: [FT-1D] FT-1DR RX of digital signals

Yahoo group: FT-1D
Date: 2014-11-26 03:23:25 UTC
From: David
Topic: 229 Message: 231

Does this mean that in general the frequencies hams could monitor will slowly disappear due to digital communications?

Sent from my iPhone

> On Nov 25, 2014, at 7:46 PM, Jim K5JG k5jg@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> The only digital mode the FT-1DR can receive is Yaesu's C4FM.
>
> 73, Jim K5JG
>
> David null iiidavidiii@... [FT-1D] wrote:
>>
>>
>> Police and other services in many cities are moving from analog to
>> digital. Does the FT-1DR radio allow you to listen to the transmissions?
>
>
> ------------------------------------
>
> ------------------------------------
>
>
> ------------------------------------
>
> Yahoo Groups Links
>
>
>

232. Re: [FT-1D] FT-1DR RX of digital signals

Yahoo group: FT-1D
Date: 2014-11-26 04:32:29 UTC
From: Jim K5JG
Topic: 229 Message: 232

Yes and no.

If all you have is a ham radio that operates on FM and one digital mode (you choose - D-STAR, DMR, or SystemFusion) you will be limited to monitoring FM and that digital mode.

However, Connect Systems, Inc. (CSI) is bringing to market a new HT (model CS-7000) that will be able to operate on FM plus several different digital modes. That will help.

I'm seeing the situation you describe in the city I live in. Over the last 20+ years, the PD has gone from a conventional FM repeater on 154 MHz to an 850 MHz trunking system which is still on FM and which can be monitored with a ham radio having wideband receive. However, they will be converting to a P25 Phase II digital system next year which will make them unable to be monitored without a very expensive ($500+) scanner or an even more expensive commercial (Motorola) radio.

73, Jim K5JG

David iiidavidiii@... [FT-1D] wrote:
>
>
> Does this mean that in general the frequencies hams could monitor will
> slowly disappear due to digital communications?
>
> Sent from my iPhone

233. Re: [FT-1D] FT-1DR RX of digital signals

Yahoo group: FT-1D
Date: 2014-11-26 16:05:43 UTC
From: iiidavidiii@...
Topic: 229 Message: 233

Thanks for the info, to tie it into the FT-1DR.. the reason I am looking at this radio is that it's analog and digital. Right now it looks like a battle to see which digital protocol will win the majority D-STAR, C4FM, DMR, etc... I was hoping that since this transceiver is digital it would be able to monitor everything digital in hopes I could buy one receiver for a wide range. That looks like it's not going to happen.

On a side note, I think the technology is out there that could, looking at all the tech they pack into an iPhone, but it seems it's not being done yet. The CS-7000 is a step, but it's not dual band.

234. Re: [FT-1D] FT-1DR RX of digital signals

Yahoo group: FT-1D
Date: 2014-11-26 16:59:46 UTC
From: hb9dws@...
Topic: 229 Message: 234

The CS-7000 is far away to be a real step forward.

You have to understand that Yaesu's C4FM Is an open standard (unlike D-STAR and DMR and..) and therefore there is a "hope" that there will be some nice features and/or gadgets available in the future. I trust into Yaesu's System Fusion!

Best 73

Hansjörg HB9DWS

> Am 26.11.2014 um 17:05 schrieb "iiidavidiii@...m [FT-1D]" <FT-1D@yahoogroups.com>:
>
> Thanks for the info, to tie it into the FT-1DR.. the reason I am looking at this radio is that it's analog and digital. Right now it looks like a battle to see which digital protocol will win the majority D-STAR, C4FM, DMR, etc... I was hoping that since this transceiver is digital it would be able to monitor everything digital in hopes I could buy one receiver for a wide range. That looks like it's not going to happen.
>
> On a side note, I think the technology is out there that could, looking at all the tech they pack into an iPhone, but it seems it's not being done yet. The CS-7000 is a step, but it's not dual band.
>
>

235. RE: [FT-1D] FT-1DR RX of digital signals

Yahoo group: FT-1D
Date: 2014-11-26 20:39:13 UTC
From: Howard Small
Topic: 229 Message: 235

Open standard? D-STAR is an open standard but the thing that confuses many is the fact it uses an AMBE chip, which is proprietary. So does the FT-1D and many other digital radios.

Howard, VK4BS

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Thursday, 27 November 2014 3:00 AM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] FT-1DR RX of digital signals

The CS-7000 is far away to be a real step forward.

You have to understand that Yaesu's C4FM Is an open standard (unlike D-STAR and DMR and..) and therefore there is a "hope" that there will be some nice features and/or gadgets available in the future. I trust into Yaesu's System Fusion!

Best 73

Hansjörg HB9DWS

Am 26.11.2014 um 17:05 schrieb "iiidavidiii@... <mailto:iiidavidiii@...> [FT-1D]" <FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com> >:

Thanks for the info, to tie it into the FT-1DR.. the reason I am looking at this radio is that it's analog and digital. Right now it looks like a battle to see which digital protocol will win the majority D-STAR, C4FM, DMR, etc... I was hoping that since this transceiver is digital it would be able to monitor everything digital in hopes I could buy one receiver for a wide range. That looks like it's not going to happen.

On a side note, I think the technology is out there that could, looking at all the tech they pack into an iPhone, but it seems it's not being done yet. The CS-7000 is a step, but it's not dual band.

236. Assign memory to a bank

Yahoo group: FT-1D
Date: 2014-11-27 02:35:23 UTC
From: Brian Smithson
Topic: 236 Message: 236

I am trying to follow instructions on page 48 to assign a memory to a memory bank. When I hold F down it wants to write the memory again and offers the next channel # - not the bank number as step 4 would indicate. Has anyone done this? What am I doing wrong?

73

Brian n8wrl

237. FT-1DR

Yahoo group: FT-1D
Date: 2014-11-27 03:31:39 UTC
From: David
Topic: 229 Message: 237

In general are people here happy with the FT-1DR?

238. RE: [FT-1D] FT-1DR RX of digital signals

Yahoo group: FT-1D
Date: 2014-11-27 16:56:06 UTC
From: k6di@...
Topic: 229 Message: 238

I'm not sure what the concern is over the DVSI AMBE-3000 vocoder being "proprietary." Lots of components in radios (and other electronics) are proprietary. Unlike chips sourced by Yaesu, though, the AMBE-3000 is readily available in boards from third parties (like NW Radio), in a USB form factor from DVSI, and likely at the chip level from distributors.

--Dan (K6DI)

239. RE: [FT-1D] FT-1DR RX of digital signals

Yahoo group: FT-1D
Date: 2014-11-27 20:51:47 UTC
From: Howard Small
Topic: 229 Message: 239

Agree. This has been a thorn in the side of many D-STAR opponents who seem to be blind to the realities of chips used in radios. There is an open codec available for ham use nowadays but Yaesu still chose to use an AMBE chip. Presumably this is a reflection of the fact that there is an abundance of experience using these chips with contominant benefits in reliability and performance.

Howard, VK4BS

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Friday, 28 November 2014 2:56 AM
To: FT-1D@yahoogroups.com
Subject: RE: [FT-1D] FT-1DR RX of digital signals

I'm not sure what the concern is over the DVSI AMBE-3000 vocoder being "proprietary." Lots of components in radios (and other electronics) are proprietary. Unlike chips sourced by Yaesu, though, the AMBE-3000 is readily available in boards from third parties (like NW Radio), in a USB form factor from DVSI, and likely at the chip level from distributors.

--Dan (K6DI)

240. FT-2D

Yahoo group: FT-1D
Date: 2014-12-12 00:30:45 UTC
From: ka1mzy@...
Topic: 240 Message: 240

Yaesu released some basic information about it's new FT-2D recently.

Pre-orders being taken at gigaparts.

241. FT-1DR for APRS

Yahoo group: FT-1D
Date: 2014-12-16 05:25:52 UTC
From: vk2kgv@...
Topic: 241 Message: 241

Hi All.

Like to know if these's units are APRS ready to go, or do I have to add a Tnc.

Hope someone out there is using it for APRS.

Cheers

Robert

VK2KGV

242. Re: [FT-1D] FT-1DR for APRS

Yahoo group: FT-1D
Date: 2014-12-16 05:30:05 UTC
From: Stephen black
Topic: 241 Message: 242

They are APRS ready as delivered. Just add your call and its an easy setup. I use it often on APRS. Steve KB1CHU

On 12/16/2014 12:25 AM, vk2kgv@... [FT-1D] wrote:
>
> Hi All.
>
>
> Like to know if these's units are APRS ready to go, or do I have to
> add a Tnc.
>
>
> Hope someone out there is using it for APRS.
>
>
> Cheers
>
>
> Robert
>
>
> VK2KGV
>
>

243. Re: FT-1DR for APRS

Yahoo group: FT-1D
Date: 2014-12-16 05:31:53 UTC
From: texasmike_2000@...
Topic: 241 Message: 243

They are APRS ready. I've had mine Thanksgiving and have it up and running. Works good if there is a Igate available. Check my track at aprs.fi search for KF5ZQB-7. It should show up in Abilene, Texas unless it has found a igate in west Texas. Download the manual for APRS from the Yeasu website.
I was having problem until I set the modem speed to 1200 baud and it went right to work.

244. RE: [FT-1D] FT-1DR for APRS

Yahoo group: FT-1D
Date: 2014-12-16 05:36:40 UTC
From: Robert
Topic: 241 Message: 244

Thanks Steve.

Just thought from what I read, a tnc was required.

Cheers

Robert

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Tuesday, 16 December 2014 4:30 PM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] FT-1DR for APRS

They are APRS ready as delivered. Just add your call and its an easy setup. I use it often on APRS. Steve KB1CHU

On 12/16/2014 12:25 AM, vk2kgv@... [FT-1D] wrote:

Hi All.

Like to know if these's units are APRS ready to go, or do I have to add a Tnc.

Hope someone out there is using it for APRS.

Cheers

Robert

VK2KGV

245. Padded cases?

Yahoo group: FT-1D
Date: 2014-12-29 16:31:52 UTC
From: Brian Smithson
Topic: 245 Message: 245

What are folks using to tote their FD1DR's around? I have a PowerPort RadioWallet for one of my HT's, they're nice, but pricey. Before I shell out for another one I thought I'd poll the group!

I'd like to carry the radio, a couple of antennas, the charger, and possibly the USB cable.

Thanks for your ideas!

73

-Brian n8wrl

246. New file uploaded to FT-1D

Yahoo group: FT-1D
Date: 2015-01-02 17:15:09 UTC
From: FT-1D@yahoogroups.com
Topic: 246 Message: 246

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the FT-1D
group.

File : /Programming Software/PL2303_Prolific_DriverInstaller_v1.8.0.exe
Uploaded by : osoltwedel <osoltwedel@...>
Description : USB Treiber für FT1D

You can access this file at the URL:
https://groups.yahoo.com/neo/groups/FT-1D/files/Programming%20Software/PL2303_Prolific_DriverInstaller_v1.8.0.exe

To learn more about file sharing for your group, please visit:
https://help.yahoo.com/kb/index?page=content&y=PROD_GRPS&locale=en_US&id=SLN15398

Regards,

osoltwedel <osoltwedel@...>

247. TX, A Radio, DC Power

Yahoo group: FT-1D
Date: 2015-01-04 17:40:11 UTC
From: yahoo@...
Topic: 247 Message: 247

My radio seems to reset it self when being powered by DC power and TX set to High when transmitting on the A radio. B radio on High works just fine.

It seems to happen on all frequencies (but I haven't tested every one)

I unplug from DC power and use the battery, and TX is just fine.

248. RE: [FT-1D] TX, A Radio, DC Power

Yahoo group: FT-1D
Date: 2015-01-04 19:11:51 UTC
From: Jim Clemmons
Topic: 247 Message: 248

Hi Nick,

First off, please remember to sign your messages with your Call Sign.

Question - Are you using the wallwart that was shipped with the radio? If so, I do not believe that the wallwart has enough wattage to power the radio during transmit (should have been mentioned in the user manual).

Otherwise, you will need to check the power output of your external power supply and all wire connections to the radio.

Jim

N7LRH

249. RE: [FT-1D] TX, A Radio, DC Power

Yahoo group: FT-1D
Date: 2015-01-04 20:51:32 UTC
From: yahoo@...
Topic: 247 Message: 249

Jim,

Yes using wall-wart. I'll try to find out what is required for DC input and TX using the manual. Just wanted to make sure there wasn't a problem with my radio.

Thanks
-Nick
KK6GSO

250. Software 2.04 & Firmware 1.07 update

Yahoo group: FT-1D
Date: 2015-01-11 14:20:42 UTC
From: Denis Cote
Topic: 250 Message: 250

I just updated to the 2.04/1.07 software & firmware update through Yaesu. Used FT1D_Ver2.04(USA) and PCTOOLe_v0107. I followed installation instructions as stated in the software. It appeared to load successfully into the HT with the exception that the DSP ver lookup on the HT shows blank. Anybody else experiencing this? I would assume the HT would indicate 1.07 for DSP Ver now I am unsure if functionality has been compromised.

Denis Cote
W1WV

251. Fw: Software 2.04 & Firmware 1.07 update

Yahoo group: FT-1D
Date: 2015-01-11 14:23:38 UTC
From: Denis Cote
Topic: 251 Message: 251

One more to add. I do not see the SCU-18 driver on Yaesu's website, only SCU-19. Is this backward compatible because I loaded SCU-19 driver and was able to communicate with the FT1DR.

--- On Sun, 1/11/15, Denis Cote <w1wv_denis@...> wrote:

> From: Denis Cote <w1wv_denis@...>
> Subject: Software 2.04 & Firmware 1.07 update
> To: FT-1D@yahoogroups.com
> Date: Sunday, January 11, 2015, 9:20 AM
> I just updated to the 2.04/1.07
> software & firmware update through Yaesu. Used
> FT1D_Ver2.04(USA) and PCTOOLe_v0107. I followed installation
> instructions as stated in the software. It appeared to load
> successfully into the HT with the exception that the DSP ver
> lookup on the HT shows blank. Anybody else experiencing
> this? I would assume the HT would indicate 1.07 for DSP Ver
> now I am unsure if functionality has been compromised.
>
> Denis Cote
> W1WV
>

252. Re: [FT-1D] Software 2.04 & Firmware 1.07 update

Yahoo group: FT-1D
Date: 2015-01-11 15:05:11 UTC
From: Dennis Griffin
Topic: 250 Message: 252

Hi Denis,

Use the Dx key to put the HT in a mode other than straight FM before checking the DSP version. Selecting modes Auto FM (w flashing bar in front of FM), DN & VW will allow version to show.

73 de Dennis KD7CAC
Scottsdale, AZ

> On Jan 11, 2015, at 7:20 AM, Denis Cote w1wv_denis@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> I just updated to the 2.04/1.07 software & firmware update through Yaesu. Used FT1D_Ver2.04(USA) and PCTOOLe_v0107. I followed installation instructions as stated in the software. It appeared to load successfully into the HT with the exception that the DSP ver lookup on the HT shows blank. Anybody else experiencing this? I would assume the HT would indicate 1.07 for DSP Ver now I am unsure if functionality has been compromised.
>
> Denis Cote
> W1WV
>
> Posted by: Denis Cote <w1wv_denis@...>

253. Re: [FT-1D] Software 2.04 & Firmware 1.07 update

Yahoo group: FT-1D
Date: 2015-01-11 15:32:31 UTC
From: w1wv_denis@...
Topic: 250 Message: 253

Thanks Dennis. It was successful! Got the latest version 1.07 in the HT.

Denis

254. Re: [FT-1D] Software 2.04 & Firmware 1.07 update

Yahoo group: FT-1D
Date: 2015-01-12 14:44:46 UTC
From: HB9DWS
Topic: 250 Message: 254

Same issue here!

Hansjörg
HB9DWS

2015-01-11 15:20 GMT+01:00 Denis Cote w1wv_denis@... [FT-1D] <
FT-1D@yahoogroups.com>:

>
>
> I just updated to the 2.04/1.07 software & firmware update through Yaesu.
> Used FT1D_Ver2.04(USA) and PCTOOLe_v0107. I followed installation
> instructions as stated in the software. It appeared to load successfully
> into the HT with the exception that the DSP ver lookup on the HT shows
> blank. Anybody else experiencing this? I would assume the HT would indicate
> 1.07 for DSP Ver now I am unsure if functionality has been compromised.
>
> Denis Cote
> W1WV
>
>

255. Re: [FT-1D] Software 2.04 & Firmware 1.07 update (method to verify DSP Version)

Yahoo group: FT-1D
Date: 2015-01-12 17:45:43 UTC
From: Dennis Griffin
Topic: 250 Message: 255

Perhaps you missed my reply to Denis a day or two ago, wherein I offered this instruction: Use the Dx key to put the HT in a mode other than straight FM before checking the DSP version. Selecting modes Auto FM (w flashing bar in front of FM), DN & VW will allow version to show.

73 de Dennis KD7CAC
Scottsdale, AZ

> On Jan 12, 2015, at 7:44 AM, HB9DWS hb9dws@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>
> Same issue here!
>
> Hansjörg
> HB9DWS
>
> 2015-01-11 15:20 GMT+01:00 Denis Cote w1wv_denis@yahoo.com <mailto:w1wv_denis@...> [FT-1D] <FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>>:
>
> I just updated to the 2.04/1.07 software & firmware update through Yaesu. Used FT1D_Ver2.04(USA) and PCTOOLe_v0107. I followed installation instructions as stated in the software. It appeared to load successfully into the HT with the exception that the DSP ver lookup on the HT shows blank. Anybody else experiencing this? I would assume the HT would indicate 1.07 for DSP Ver now I am unsure if functionality has been compromised.
>
> Denis Cote
> W1WV
>
>
>
> Posted by: HB9DWS <hb9dws@gmail.com>

256. Re: [FT-1D] Software 2.04 & Firmware 1.07 update

Yahoo group: FT-1D
Date: 2015-01-13 11:42:26 UTC
From: drx@...
Topic: 250 Message: 256

1. Set radio to A Band in digital mode 2. Go to SET RX/TX
3. Go to DIGITAL
4. Go to DSP Ver

That's it!

73!
Nick - HB9DRX

257. New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-13 20:42:14 UTC
From: jadaugh@...
Topic: 257 Message: 257

Hello everyone.

I just bought a new FT-1DR yesterday. I also bought the RT systems software all from HRO.

The cable provided with the radio now is the SCU-19. The software does not get along with this new cord.
I found this out after calling the RT software guys. The only other options are 1. pay 80 bucks and get the SCU-18 cable (which was provided before) or program into a Micro SD card. I have tried the SD card route but the radio will not read the SD card.. The only way the radio will read the SD card is if the radio it's self writes to the radio then it will read from the radio.. I have ordered the SCU-18 and it is on it's way. I would think RT systems would keep up to date with cords. Now I have two programing cords. 1 which is usless.

Any advise on programing the Micro SD card so the radio will read it?

Jeff
W0NWA
Phoenix,AZ

258. Re: [FT-1D] New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-13 20:48:23 UTC
From: Dennis Griffin
Topic: 257 Message: 258

Hi Jeff,

Did you write the existing (new state) radio file to the card before introducing the card to the RTS software? Many programming softwares want to read the radio for config before being able to write a file to it. In this case, a radio data file on the card should be the same as cabling the radio to the computer, as far as the software to be able to determine the radio configuration.

73 de Dennis KD7CAC
Scottsdale, AZ

> On Jan 13, 2015, at 1:42 PM, jadaugh@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>
>
> Hello everyone.
>
>
> I just bought a new FT-1DR yesterday. I also bought the RT systems software all from HRO.
>
>
> The cable provided with the radio now is the SCU-19. The software does not get along with this new cord.
>
> I found this out after calling the RT software guys. The only other options are 1. pay 80 bucks and get the SCU-18 cable (which was provided before) or program into a Micro SD card. I have tried the SD card route but the radio will not read the SD card.. The only way the radio will read the SD card is if the radio it's self writes to the radio then it will read from the radio.. I have ordered the SCU-18 and it is on it's way. I would think RT systems would keep up to date with cords. Now I have two programing cords. 1 which is usless.
>
>
> Any advise on programing the Micro SD card so the radio will read it?
>
>
> Jeff
>
> W0NWA
>
> Phoenix,AZ

259. Re: [FT-1D] New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-13 20:54:04 UTC
From: Jeff Daugherty
Topic: 257 Message: 259

Yes I tried all different ways. Formatted the card to the radio. wrote to/from card while in radio. also tried reading card (that works) in the software. When I write to the card from the computer it appears to go into the card. but when in the radio, the radio will not read it. I guess I will have to wait until the new programing cord ships from HRO. I see it is arriving out of Burbank store.

Jeff
----- Original Message -----
From: Dennis Griffin eagleeyedennis@... [FT-1D]
To: FT-1D@yahoogroups.com
Sent: Tuesday, January 13, 2015 1:48 PM
Subject: Re: [FT-1D] New FT-1DR Programming issues.

Hi Jeff,

Did you write the existing (new state) radio file to the card before introducing the card to the RTS software? Many programming softwares want to read the radio for config before being able to write a file to it. In this case, a radio data file on the card should be the same as cabling the radio to the computer, as far as the software to be able to determine the radio configuration.

73 de Dennis KD7CAC
Scottsdale, AZ

On Jan 13, 2015, at 1:42 PM, jadaugh@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

Hello everyone.

I just bought a new FT-1DR yesterday. I also bought the RT systems software all from HRO.

The cable provided with the radio now is the SCU-19. The software does not get along with this new cord.

I found this out after calling the RT software guys. The only other options are 1. pay 80 bucks and get the SCU-18 cable (which was provided before) or program into a Micro SD card. I have tried the SD card route but the radio will not read the SD card.. The only way the radio will read the SD card is if the radio it's self writes to the radio then it will read from the radio.. I have ordered the SCU-18 and it is on it's way. I would think RT systems would keep up to date with cords. Now I have two programing cords. 1 which is usless.

Any advise on programing the Micro SD card so the radio will read it?

Jeff

W0NWA

Phoenix,AZ

260. Re: [FT-1D] New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-13 21:01:59 UTC
From: Brian Smithson
Topic: 257 Message: 260

Don't be too hard on RT Systems. There is some "electrical difference" between the two cables, and Yaesu's choice to change cables isn't RT's fault. Apparently the newer cable has a different chipset that isn't as reliable. I don't represent them, but I'll bet they'll sort out the differences. I've used RT Systems' software for many radios and their support and quality are both top-notch.

73

-Brian n8wrl

On Tue, Jan 13, 2015 at 3:42 PM, jadaugh@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
>
> Hello everyone.
>
>
>
> I just bought a new FT-1DR yesterday. I also bought the RT systems
> software all from HRO.
>
>
>
> The cable provided with the radio now is the SCU-19. The software does not
> get along with this new cord.
>
> I found this out after calling the RT software guys. The only other
> options are 1. pay 80 bucks and get the SCU-18 cable (which was provided
> before) or program into a Micro SD card. I have tried the SD card route but
> the radio will not read the SD card.. The only way the radio will read the
> SD card is if the radio it's self writes to the radio then it will read
> from the radio.. I have ordered the SCU-18 and it is on it's way. I would
> think RT systems would keep up to date with cords. Now I have two
> programing cords. 1 which is usless.
>
>
>
> Any advise on programing the Micro SD card so the radio will read it?
>
>
>
> Jeff
>

> W0NWA
>
> Phoenix,AZ
>
>
>

261. Re: [FT-1D] New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-13 21:22:53 UTC
From: Jeff Daugherty
Topic: 257 Message: 261

I hear ya... Just frustrated.. Anyone use the free software on the Yaesu website? with the SCU-19 cord?

Jeff
----- Original Message -----
From: Brian Smithson n8wrl@... [FT-1D]
To: FT-1D@yahoogroups.com
Sent: Tuesday, January 13, 2015 2:01 PM
Subject: Re: [FT-1D] New FT-1DR Programming issues.

Don't be too hard on RT Systems. There is some "electrical difference" between the two cables, and Yaesu's choice to change cables isn't RT's fault. Apparently the newer cable has a different chipset that isn't as reliable. I don't represent them, but I'll bet they'll sort out the differences. I've used RT Systems' software for many radios and their support and quality are both top-notch.

73

-Brian n8wrl

On Tue, Jan 13, 2015 at 3:42 PM, jadaugh@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

Hello everyone.

I just bought a new FT-1DR yesterday. I also bought the RT systems software all from HRO.

The cable provided with the radio now is the SCU-19. The software does not get along with this new cord.

I found this out after calling the RT software guys. The only other options are 1. pay 80 bucks and get the SCU-18 cable (which was provided before) or program into a Micro SD card. I have tried the SD card route but the radio will not read the SD card.. The only way the radio will read the SD card is if the radio it's self writes to the radio then it will read from the radio.. I have ordered the SCU-18 and it is on it's way. I would think RT systems would keep up to date with cords. Now I have two programing cords. 1 which is usless.

Any advise on programing the Micro SD card so the radio will read it?

Jeff

W0NWA

Phoenix,AZ

262. Re: [FT-1D] New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-13 21:31:08 UTC
From: Kenneth Grimard
Topic: 257 Message: 262

I have used the free adms-6 software with the supplied cable and it
works quite well.

no as nice as the rt systems software but a lot less fussy about the
type of cable.

the rt system software has a lot more anti piracy stuff built in to it
that is why it
can only be used with a certain type pf cable's.

ken n1dot

On 1/13/2015 9:22 PM, 'Jeff Daugherty' jadaugh@... [FT-1D] wrote:
>
> □
>
> I hear ya... Just frustrated.. Anyone use the free software on the
> Yaesu website? with the SCU-19 cord?
> Jeff
>
> ----- Original Message -----
> *From:* Brian Smithson n8wrl@... [FT-1D]
> <mailto:n8wrl@...%20[FT-1D]>
> *To:* FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>
> *Sent:* Tuesday, January 13, 2015 2:01 PM
> *Subject:* Re: [FT-1D] New FT-1DR Programming issues.
>
> Don't be too hard on RT Systems. There is some "electrical
> difference" between the two cables, and Yaesu's choice to change
> cables isn't RT's fault. Apparently the newer cable has a
> different chipset that isn't as reliable. I don't represent them,
> but I'll bet they'll sort out the differences. I've used RT
> Systems' software for many radios and their support and quality
> are both top-notch.
>
> 73
>
> -Brian n8wrl
>
> On Tue, Jan 13, 2015 at 3:42 PM, jadaugh@...
> <mailto:jadaugh@...> [FT-1D] <FT-1D@yahoogroups.com
> <mailto:FT-1D@yahoogroups.com>> wrote:
>
>
>
> Hello everyone.

>
> I just bought a new FT-1DR yesterday. I also bought the RT
> systems software all from HRO.
>
> The cable provided with the radio now is the SCU-19. The
> software does not get along with this new cord.
>
> I found this out after calling the RT software guys. The only
> other options are 1. pay 80 bucks and get the SCU-18 cable (
> which was provided before) or program into a Micro SD card. I
> have tried the SD card route but the radio will not read the
> SD card.. The only way the radio will read the SD card is if
> the radio it's self writes to the radio then it will read from
> the radio.. I have ordered the SCU-18 and it is on it's way.
> I would think RT systems would keep up to date with cords. Now
> I have two programing cords. 1 which is usless.
>
> Any advise on programing the Micro SD card so the radio will
> read it?
>
> Jeff
>
> W0NWA
>
> Phoenix,AZ
>
>
>

263. Re: [FT-1D] New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-13 21:54:44 UTC
From: Dennis Griffin
Topic: 257 Message: 263

Hi Jeff,

If you want to meet up, I believe you should be able to read my card into your radio. That would get you going for now, and you could modify the file to suit yourself once you are set with the cable situation.

73 de Dennis KD7CAC
Scottsdale, AZ

> On Jan 13, 2015, at 2:22 PM, 'Jeff Daugherty' jadaugh@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> □
> I hear ya... Just frustrated.. Anyone use the free software on the Yaesu website? with the SCU-19 cord?
>
> Jeff
>> ----- Original Message -----
>> From: Brian Smithson n8wrl@... [FT-1D] <mailto:n8wrl@... [FT-1D]>
>> To: FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>
>> Sent: Tuesday, January 13, 2015 2:01 PM
>> Subject: Re: [FT-1D] New FT-1DR Programming issues.
>>
>>
>>
>> Don't be too hard on RT Systems. There is some "electrical difference" between the two cables, and Yaesu's choice to change cables isn't RT's fault. Apparently the newer cable has a different chipset that isn't as reliable. I don't represent them, but I'll bet they'll sort out the differences. I've used RT Systems' software for many radios and their support and quality are both top-notch.
>>
>> 73
>>
>> -Brian n8wrl
>>
>> On Tue, Jan 13, 2015 at 3:42 PM, jadaugh@... <mailto:jadaugh@cox.net> [FT-1D] <FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>> wrote:
>>>
>>>
>>>
>>> Hello everyone.
>>>
>>> I just bought a new FT-1DR yesterday. I also bought the RT systems software all from HRO.
>>>
>>> The cable provided with the radio now is the SCU-19. The software does not get along with this new cord.
>>> I found this out after calling the RT software guys. The only other options are 1. pay 80 bucks and get the SCU-18 cable (which was provided before) or program into a Micro SD card. I have tried the SD card route but the radio will not read the SD card.. The only way the radio will read the SD card is if the radio it's self writes to the radio then it will read

from the radio.. I have ordered the SCU-18 and it is on it's way. I would think RT systems would keep up to date with cords. Now I have two programing cords. 1 which is usless.
>>>
>>> Any advise on programing the Micro SD card so the radio will read it?
>>>
>>> Jeff
>>> W0NWA
>>> Phoenix,AZ
>>>
>>
>>
>
>

264. Re: [FT-1D] New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-14 07:00:11 UTC
From: yahoo@...
Topic: 257 Message: 264

With a little work, I was able to use the 19 cable and CHIRP software on my mac to do a quick programming on the radio.

The key thing that took some time figure out was that I had to put the radio into clone mode, and then had to hit a button to tx (send the current programming to CHIRP) or rx (receive the programming from CHIRP)

I also had to get a daily build of CHIRP, the stable versions don't support FT1D

-Nick
KK6GSO

265. Re: [FT-1D] New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-14 08:47:20 UTC
From: IZ3GME Marco
Topic: 257 Message: 265

Hi All

> The key thing that took some time figure out was that I had to put the
> radio into clone mode, and then had to hit a button to tx (send the
> current programming to CHIRP) or rx (receive the programming from CHIRP)

You're right, and a user pointed me to an error in clone instructions
message, I'll correct it in a while.

> I also had to get a daily build of CHIRP, the stable versions don't
> support FT1D

We are working for the next "stable" release but chirp is a very active
project and often offers new radio support and bug fix in daily build.
Consider that FT1D support is not complete with all radio settings yet,
keep looking to new daily release notes.

73 de IZ3GME Marco

266. Re: [FT-1D] New FT-1DR Programming issues.

Yahoo group: FT-1D
Date: 2015-01-19 16:27:00 UTC
From: wa6mhz@...
Topic: 257 Message: 266

I tried the ADMS6, but when U upload into memory the settings of the radio, it forgets all the CTCSS TONES! now I can't get it to read the SD Card.

267. Callsign display while receiving on Digital

Yahoo group: FT-1D
Date: 2015-01-21 02:12:40 UTC
From: jadaugh@...
Topic: 267 Message: 267

Hello everyone on my FT-1D I lost the ability to receive callsigns etc on the digital side. I can not find the setting to bring this back. Any advise?

Jeff
W0NWA

268. New to group

Yahoo group: FT-1D
Date: 2015-01-29 05:36:28 UTC
From: WD0FIA@...
Topic: 268 Message: 268

Our new WD0FIA 443.800 DR1X is on the air, and I am starting the learning curve with it and the two FT1DR radios.

Thanks for allowing me to join!

73! Keith WD0FIA

270. Power Supply

Yahoo group: FT-1D
Date: 2015-01-31 00:51:53 UTC
From: Ron Wenig
Topic: 267 Message: 270

Hi Everyone,

When I'm in the shack I like to run my FTD1 connected to a 12 volt power supply. I remove the battery so I am not always charging the battery. When I'm just using it to receive I notice that the radio gets very hot. The operating manual says that I can operate the radio this way. Is it ok to operate this way even though the radio seems to be getting hot.

73, Ron NY3J

271. COM PORT SETTINGS and APRS Data

Yahoo group: FT-1D
Date: 2015-02-02 21:48:38 UTC
From: rmurray479@...
Topic: 271 Message: 271
Attachments: 1 described; binary payloads are missing from this source WARC

Anyone ever try outputting APRS data packets from the FT-1DR to a PC using the COM PORT SETTINGS in the FT-1DR APRS menu? I can get location data to output but none of the other types such as WEATHER. I've attached a WORD document showing pictures with more detailed info.

-Bob

272. How can two separate PL tone freqs for Tx and Rx (sql) be set in this radio?

Yahoo group: FT-1D
Date: 2015-02-08 02:04:44 UTC
From: kv7i@...
Topic: 272 Message: 272

Hello all, I'm new to the FT-1D radio and new to the group! Some repeaters use two separate CTCSS tones, more so now that digital modes are being shared with analog on the same repeater. For instance, the San Diego SixShooters http://sdsixshooters.org/ KI6BJN repeater on Mt Otay, 146.910 MHz (-), PL 100.0 Tx - Rx 118.8

I have combed through the manual and found quite an array of combined send and receive signaling modes that can be used between tone, DCS, reverse, inverted, and PR, but best as I can tell, there is no way, no provision made, to set two different analog tone freqs! The closest mode is TSQL, which both sends and listens for the same tone freq. If anyone has discovered how to set two different ones, or can at least say definitively that it can or cannot be done, could you post a reply?

If it cannot be done, it would seem a huge deficiency and oversight in this radio's programming, since for all the other possible mode combos, this would seem to be the most widely used/desired! Would there be a way to communicate to Yaesu and request this as an added feature add in the next firmware upgrade??

73, Dave / KV7I

273. Re: How can two separate PL tone freqs for Tx and Rx (sql) be set in this radio?

Yahoo group: FT-1D
Date: 2015-02-08 04:03:44 UTC
From: spiaggia2k@...
Topic: 272 Message: 273

I believe you are correct in that 1 memory cannot support separate T & R tones. But you can use 2 memories 1 for T and a second for R and use the “Dual Reception (DW)” (pg 75) function as long as you don’t need a Digital mode as Band B does not support digital modes.
KD7WRM

274. Re: [FT-1D] Re: How can two separate PL tone freqs for Tx and Rx (sql) be set in this radio?

Yahoo group: FT-1D
Date: 2015-02-08 06:41:33 UTC
From: David Piontek
Topic: 272 Message: 274

Thanks for confirming what I thought, and
suggesting using DW for an effective work-around
- great idea! Though I must say, I think a
solution like that is inelegant for Yaesu standards.

For all group members, if anyone has opportunity
to talk to a Yaesu rep, at the Yuma Hamfest or
elsewhere, feel free to bring this up!
KV7I

At 20:03 2/7/2015, spiaggia2k@... [FT-1D] wrote:
>
>I believe you are correct in that 1 memory
>cannot support separate T & R tones. But you can
>use 2 memories 1 for T and a second for R and
>use the â☐☐Dual Reception (DW)â☐☐ (pg 75)
>function as long as you donâ☐☐t need a Digital
>mode as Band B does not support digital modes.
>KD7WRM
>

275. Any users in Southern New England?

Yahoo group: FT-1D
Date: 2015-02-19 00:42:58 UTC
From: zm1267@...
Topic: 275 Message: 275

Hello & thanks for letting me join. I have a brand-new FT1D that I'd like to make a few contacts with on the digital side of things so I can see how well it works. I'm in central Rhode Island and have been using the APRS with built-in GPS and I must say - it's a great combination! I'm really impressed with the GPS satellite sensitivity (5-6 sats indoors to 9+ sats outside).

If you'd like to make a contact, I'll monitor 146.52 (what's the actual calling frequency, if any?), you can send me a message on APRS (portable is N1MIW-7 or home is N1MIW), or just reply here. All I ask is please be patient with me - the FT1D knows more about digital audio than I do.

Larry
N1MIW

276. Re: Any users in Southern New England?

Yahoo group: FT-1D
Date: 2015-02-19 03:35:59 UTC
From: spiaggia2k@...
Topic: 275 Message: 276

Don’t know if you ran across these two sites.

http://www.repeaterbook.com/repeaters/niche/index.php?mode=YSF

http://www.systemfusioninfo.com/RepeaterList http://www.systemfusioninfo.com/RepeaterList

But you might try to find a local enough repeater to contact a fellow SystemFusion owner to experiment with. Curiously I found the Repeater Book site more helpful in Southern California.
Enjoy
KD7WRM

277. Re: Any users in Southern New England?

Yahoo group: FT-1D
Date: 2015-02-19 04:09:35 UTC
From: spiaggia2k@...
Topic: 275 Message: 277

Don’t know if you ran across these two sites.

http://www.repeaterbook.com/repeaters/niche/index.php?mode=YSF

http://www.systemfusioninfo.com/RepeaterList http://www.systemfusioninfo.com/RepeaterList

But you might try to find a local enough repeater to contact a fellow SystemFusion owner to experiment with. Curiously I found the Repeater Book site more helpful in Southern California.

Enjoy
KD7WRM

278. Issues using GM function

Yahoo group: FT-1D
Date: 2015-02-21 12:58:20 UTC
From: rangerpsych@...
Topic: 278 Message: 278

According to the manual, you're supposed to be able to read/send text (data) messages when you're grouped up...

Well, I can get so far as to the point it says to hit Function 7 to open the log... except function 7 doesn't work. No result whatsoever. Is this a feature that requires having a SD card in the handheld, or am I not the only one with this issue? I called HRO where I got the radio since Yaesu doesn't apparently have more than one person to answer the phone or something... and one of the guys there has a FT-1DR and had the same dead end issue as I did when he tried.

Any tips, pointers, adjustment for operator headspace and timing, would be greatly appreciated.

Thanks!

279. Re: [FT-1D] Issues using GM function

Yahoo group: FT-1D
Date: 2015-02-21 14:58:03 UTC
From: David Piontek
Topic: 278 Message: 279

Yes, I had the same issue and was perplexed, but
tried it again after I put in a microSD card and
it worked, correct menu items appear, etc. It
apparently needs the card for working memory, so
the same applies to pics or any messaging.

At 04:58 2/21/2015, rangerpsych@... [FT-1D] wrote:
>
>
>According to the manual, you're supposed to be
>able to read/send text (data) messages when you're grouped up...
>
>Well, I can get so far as to the point it says
>to hit Function 7 to open the log... except
>function 7 doesn't work. No result whatsoever.
>Is this a feature that requires having a SD card
>in the handheld, or am I not the only one with
>this issue? I called HRO where I got the radio
>since Yaesu doesn't apparently have more than
>one person to answer the phone or something...
>and one of the guys there has a FT-1DR and had
>the same dead end issue as I did when he tried.
>
>Any tips, pointers, adjustment for operator
>headspace and timing, would be greatly appreciated.
>
>Thanks!
>
>
>

280. Re: [FT-1D] Issues using GM function

Yahoo group: FT-1D
Date: 2015-02-21 15:15:12 UTC
From: Jeff Pixelated
Topic: 278 Message: 280

Getting a SD card is a good idea.

I haven't messed around with the messaging feature yet, but while trying to program my radio with Chirp (I'm on a Mac), I've accidentally did a factory reset on the radio. How, I'm not sure but I've been able to duplicate it several times. What's saved my butt from starting over again was that I backed up all the settings & programmed frequencies onto the SD card! Just restored the info back!

281. Dayton Hamvention System Fusion Forum, Sunday, 5/17 @ 10:30 am, Forum Room #1

Yahoo group: FT-1D
Date: 2015-02-21 20:16:49 UTC
From: Mark Thompson
Topic: 281 Message: 281

The first System Fusion forum at the Dayton Hamvention has been scheduled.

The System Fusion Forum will be Sunday morning, 5/17 at 10:30 am in Forum Room #1
We understand that Sunday morning is not exactly an optimal time, but it will be a good start for the first forum.
We'd like thank the Hamvention & the Forums Chairman for making the time available for the forum since the forum was requested at a late date. We have been assured that future System Fusion forums will be scheduled on Friday or Saturday in a large room.
We will be working with Yaesu and hams active in the System Fusion community to schedule the agenda by mid-March.
We look forward to your attendance at the forum and if you would like to present at the forum please reach out to me directly as soon as possible.
In the meantime, you can learn more about System Fusion by joining the System Fusion group at: https://groups.yahoo.com/neo/groups/YaesuSystemFusion/info
See you at the Hamvention!!

73, Mark, WB9QZBSystem Fusion Group Moderator Email: wb9qzb_groups@...: 847.867.2774

282. Setting clock

Yahoo group: FT-1D
Date: 2015-02-21 23:16:07 UTC
From: ab7ni@...
Topic: 282 Message: 282

I am a new owner and member. I think I understand everything except setting clock. I know it has probably been discussed before but I could not find anything. A little help please.

283. Re: Setting clock

Yahoo group: FT-1D
Date: 2015-02-21 23:20:24 UTC
From: Jeff Pixelated
Topic: 282 Message: 283
Attachments: 1 described; binary payloads are missing from this source WARC

From the manual... (See attached image.)

284. can't importing csv file into ADMS-6 software.

Yahoo group: FT-1D
Date: 2015-02-28 04:18:17 UTC
From: kk6sei@...
Topic: 284 Message: 284

Hello, I can't import a csv file into ADMS-6 Yasue's software I always get "error" message. anyone having the same issue?

how can i import a csv file?

thanks

285. Re: [FT-1D] can't importing csv file into ADMS-6 software.

Yahoo group: FT-1D
Date: 2015-02-28 11:23:13 UTC
From: IZ3GME Marco
Topic: 284 Message: 285

You can try to import it with Chirp instead.

73 de IZ3GME Marco

On 28/02/2015 05:18, kk6sei@... [FT-1D] wrote:
> Hello,
>
> I can't import a csv file into ADMS-6 Yasue's software I always get
> "error" message.
> anyone having the same issue?
>
> how can i import a csv file?
>
>
> thanks
>
>

286. RE: [FT-1D] can't importing csv file into ADMS-6 software.

Yahoo group: FT-1D
Date: 2015-02-28 20:03:39 UTC
From: Jim Carr
Topic: 284 Message: 286

I just did a “cut and paste”. You will have to identify and confirm the data into each field, but it worked fine. I used this method to put the same frequencies in my FTM-400, FT-1DR, and Icom 5100. All were programmed with ADMS software.

Jim Carr, KC4MHH

jim@...

http://www.fireline.org

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Saturday, February 28, 2015 6:23 AM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] can't importing csv file into ADMS-6 software.

You can try to import it with Chirp instead.

73 de IZ3GME Marco

On 28/02/2015 05:18, kk6sei@... [FT-1D] wrote:
> Hello,
>
> I can't import a csv file into ADMS-6 Yasue's software I always get
> "error" message.
> anyone having the same issue?
>
> how can i import a csv file?
>
>
> thanks
>
>

287. Re: [FT-1D] can't importing csv file into ADMS-6 software.

Yahoo group: FT-1D
Date: 2015-03-01 00:43:31 UTC
From: Kero Manoukian
Topic: 284 Message: 287

Thanks for your reply,
chirp does not recognize or communicate with my radio ft1.
I think Yaesu changed the cable or something,
any ideas?

Regards
KK6SEI

288. RE: [FT-1D] can't importing csv file into ADMS-6 software.

Yahoo group: FT-1D
Date: 2015-03-01 02:22:09 UTC
From: Jim Carr
Topic: 284 Message: 288

I used the ADMS programming using the memory card for both the FTM-400 and the FT-1DR.
Trying getting a card for the HT and program it that way.

Jim Carr, KC4MHH

jim@...

http://www.fireline.org

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Saturday, February 28, 2015 7:44 PM
To: FT-1D@yahoogroups.com; FT-1D@yahoogroups.com
Subject: Re: [FT-1D] can't importing csv file into ADMS-6 software.

Thanks for your reply,
chirp does not recognize or communicate with my radio ft1.
I think Yaesu changed the cable or something,
any ideas?

Regards
KK6SEI

_____

From: 'Jim Carr' jim@... [FT-1D] <FT-1D@yahoogroups.com>;
To: <FT-1D@yahoogroups.com>;
Subject: RE: [FT-1D] can't importing csv file into ADMS-6 software.
Sent: Sat, Feb 28, 2015 8:03:39 PM

I just did a “cut and paste”. You will have to identify and confirm the data into each field, but it worked fine. I used this method to put the same frequencies in my FTM-400, FT-1DR, and Icom 5100. All were programmed with ADMS software.

Jim Carr, KC4MHH

jim@...g

http://www.fireline.org

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Saturday, February 28, 2015 6:23 AM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] can't importing csv file into ADMS-6 software.

You can try to import it with Chirp instead.

73 de IZ3GME Marco

On 28/02/2015 05:18, kk6sei@... [FT-1D] wrote:
> Hello,
>
> I can't import a csv file into ADMS-6 Yasue's software I always get
> "error" message.
> anyone having the same issue?
>
> how can i import a csv file?
>
>
> thanks
>
>

289. Re: [FT-1D] can't importing csv file into ADMS-6 software.

Yahoo group: FT-1D
Date: 2015-03-01 03:20:26 UTC
From: Roland Simmons
Topic: 284 Message: 289

Which cable are u using? Chirp works with my ft-1d. I don't have the newer cable. I have the one before it. Can't remember model number at the moment.
On Feb 28, 2015 4:46 PM, "Kero Manoukian kk6sei@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

>
>
> Thanks for your reply,
> chirp does not recognize or communicate with my radio ft1.
> I think Yaesu changed the cable or something,
> any ideas?
>
> Regards
> KK6SEI
>
> ------------------------------
> * From: * 'Jim Carr' jim@... [FT-1D] <FT-1D@yahoogroups.com>;
> * To: * <FT-1D@yahoogroups.com>;
> * Subject: * RE: [FT-1D] can't importing csv file into ADMS-6 software.
> * Sent: * Sat, Feb 28, 2015 8:03:39 PM
>
>
>
> I just did a “cut and paste”. You will have to identify and confirm the
> data into each field, but it worked fine. I used this method to put the
> same frequencies in my FTM-400, FT-1DR, and Icom 5100. All were
> programmed with ADMS software.
>
>
>
> *Jim Carr, **KC4MHH*
>
> jim@...
>
> http://www.fireline.org
>
>
>
> *From:* FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
> *Sent:* Saturday, February 28, 2015 6:23 AM
> *To:* FT-1D@yahoogroups.com
> *Subject:* Re: [FT-1D] can't importing csv file into ADMS-6 software.
>
>
>

>
>
> You can try to import it with Chirp instead.
>
> 73 de IZ3GME Marco
>
> On 28/02/2015 05:18, kk6sei@... [FT-1D] wrote:
> > Hello,
> >
> > I can't import a csv file into ADMS-6 Yasue's software I always get
> > "error" message.
> > anyone having the same issue?
> >
> > how can i import a csv file?
> >
> >
> > thanks
> >
> >
>
>
>

290. Undocumented features?

Yahoo group: FT-1D
Date: 2015-03-01 04:21:56 UTC
From: zm1267@...
Topic: 290 Message: 290

I was curious if anyone has found any features that are not listed in the manual. I'd be particularly interested in knowing if this radio has a crossband repeat function (I read somewhere that the mobile version of this radio has it).

TIA...
Larry

291. lamp

Yahoo group: FT-1D
Date: 2015-03-01 21:26:40 UTC
From: jtovet@...
Topic: 291 Message: 291

Hello all....

I'm really liking my new FT1D. I have a question however and I can't figure out the answer. I would think this should be so easy.....

Anyway, is there a way to turn the backlight on (not the bright LED) but the light that allows me to read the frequency?

It stays on for like 5 seconds and then go's off. I know it pulls on the battery and that's why it's on for such a short period of time but there are times I'd like it on all the time.

Any help is appreciated!

73 Jim W1JT

292. Re: lamp

Yahoo group: FT-1D
Date: 2015-03-01 21:31:26 UTC
From: Neil Rotstan
Topic: 291 Message: 292

Hi Jim,

You can change the backlight duration in the Display -> Lamp setting.
"Continuous" is one of the options. Details are on page 105 of the manual
(that I have, at least).

Good luck!

Neil KF7CLE

293. Re: [FT-1D] FT-1DR for APRS

Yahoo group: FT-1D
Date: 2015-03-01 21:32:50 UTC
From: jtovet@...
Topic: 241 Message: 293

HI Steve,

It's Jim over in Holbrook. I'm setting up the APRS side of things now. Since my Fusion activity is on A I'm assuming that my B should be on 144.390?

Is that how you have it setup?

Thanks
Jim W1JT

294. Re: [FT-1D] FT-1DR for APRS

Yahoo group: FT-1D
Date: 2015-03-01 21:46:18 UTC
From: Roland Simmons
Topic: 241 Message: 294

Hey Jim.
I'm not Steve. My name is Roland. Yes it should be on B. I've just started using APRS function on my Ft-1 also. If you go to the Yeasu website you can download the APRS manual. I've been working my way through it and it's not too bad.

Roland
KG7FOP
On Mar 1, 2015 1:32 PM, "jtovet@gmail.com [FT-1D]" <FT-1D@yahoogroups.com> wrote:

>
>
> HI Steve,
>
> It's Jim over in Holbrook. I'm setting up the APRS side of things now.
> Since my Fusion activity is on A I'm assuming that my B should be on
> 144.390?
>
> Is that how you have it setup?
>
> Thanks
> Jim W1JT
>
>

295. Re: lamp

Yahoo group: FT-1D
Date: 2015-03-01 22:07:49 UTC
From: jtovet@...
Topic: 291 Message: 295

PERFECT!!

Thank you Neil! I should have spotted that.

73 Jim W1JT

296. Re: [FT-1D] FT-1DR for APRS

Yahoo group: FT-1D
Date: 2015-03-01 22:08:31 UTC
From: jtovet@...
Topic: 241 Message: 296

Sorry Roland!

I'm headed for the manual now. I appreciate your help!
73 Jim W1JT

297. Re: [FT-1D] FT-1DR for APRS

Yahoo group: FT-1D
Date: 2015-03-01 22:12:58 UTC
From: Stephen black
Topic: 241 Message: 297

Yes I run aprs on the "b" side. Steve kb1chu

On 3/1/2015 4:32 PM, jtovet@... [FT-1D] wrote:
>
> HI Steve,
>
>
> It's Jim over in Holbrook. I'm setting up the APRS side of things
> now. Since my Fusion activity is on A I'm assuming that my B should
> be on 144.390?
>
> Is that how you have it setup?
>
> Thanks
> Jim W1JT
>

298. Re: [FT-1D] FT-1DR for APRS

Yahoo group: FT-1D
Date: 2015-03-01 22:20:29 UTC
From: Roland Simmons
Topic: 241 Message: 298

You should be up and running in no time. Its easier than I thought it would be. Let me know when you get it working. I will look for you online.

You can track me KG7FOP-7. Send me a message if you can. Not sure how it works if we are far from each other though.

My next plan is to send packets using the ISS digipeater.
On Mar 1, 2015 2:08 PM, "jtovet@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

>
>
> Sorry Roland!
>
> I'm headed for the manual now. I appreciate your help!
> 73 Jim W1JT
>
>

299. FT1D Power Supply

Yahoo group: FT-1D
Date: 2015-03-02 00:52:10 UTC
From: Ron Wenig
Topic: 241 Message: 299

Hi Everyone,

I have an FT1D Silver. When I'm in the shack I connect it to an external antenna and connected to a 12 volt power supply without the battery.

I'm monitoring the sensor info and the readings are - Voltage 13.2 volts and Temp 113 degrees Fahrenheit. This is just monitoring on receive.

The back of the radio is quite warm to the touch and I'm wondering if this is not good for the radio. I'm saving for a FTM-400 so I don't have to leave the FT1D running. So is this normal temperature for this HT or should I do this.

73, Ron NY3J

300. Re: [FT-1D] FT1D Power Supply

Yahoo group: FT-1D
Date: 2015-03-02 01:34:13 UTC
From: Dennis Griffin
Topic: 241 Message: 300

The FT1DR only needs 7.4 VDC nominal to operate. By feeding it 13.2 VDC during operation, it is acting as a heat sink to dissipate the difference. Mine will run most all day with light TX on the standard battery. I would suggest operating off the battery and recharging overnight. Otherwise, turning down the power supply would help some, and adding a buck converter with its output set for about 8VDC would be better yet.

73 de Dennis KD7CAC
Scottsdale, AZ

> On Mar 1, 2015, at 5:52 PM, Ron Wenig rwenig@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> Hi Everyone,
>
> I have an FT1D Silver. When I'm in the shack I connect it to an
> external antenna and connected to a 12 volt power supply without the
> battery.
>
> I'm monitoring the sensor info and the readings are - Voltage 13.2 volts
> and Temp 113 degrees Fahrenheit. This is just monitoring on receive.
>
> The back of the radio is quite warm to the touch and I'm wondering if
> this is not good for the radio. I'm saving for a FTM-400 so I don't
> have to leave the FT1D running. So is this normal temperature for this
> HT or should I do this.
>
> 73, Ron NY3J
>
> Posted by: Ron Wenig <rwenig@...>

301. Re: [FT-1D] FT1D Power Supply

Yahoo group: FT-1D
Date: 2015-03-02 02:11:16 UTC
From: Ron Wenig
Topic: 241 Message: 301

Thanks Dennis, good idea on the the buck converter. I usually use the HT on a daily walk I do so the battery is down a bit when I use it in the shack. So I wanted to use it with a power supply so that batteries don't run all the way down.

Ron NY3J

On 3/1/2015 8:34 PM, Dennis Griffin eagleeyedennis@... [FT-1D] wrote:
>
> The FT1DR only needs 7.4 VDC nominal to operate. By feeding it 13.2
> VDC during operation, it is acting as a heat sink to dissipate the
> difference. Mine will run most all day with light TX on the standard
> battery. I would suggest operating off the battery and recharging
> overnight. Otherwise, turning down the power supply would help some,
> and adding a buck converter with its output set for about 8VDC would
> be better yet.
>
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>

302. Scanning FM vs. C4FM

Yahoo group: FT-1D
Date: 2015-03-04 15:19:58 UTC
From: Brian Smithson
Topic: 302 Message: 302

I am *really* puzzled by something.

I have a number of repeaters programmed into my FT-1DR. All but 1 are analog, the last is a new SystemFusion repeater.

I can't figure out how to tell the radio that the mode of the SF repeater is digital - it seems I have to press the Dx button to hear/xmit digital. If I then move to one of the analog repeaters, the radio still shows "DN" as the mode and if I key up, I can only imagine I am sending digital noise to an analog repeater!

How to I set a memory I know is digital to digital, while the rest are analog, and scan them?

73

-Brian n8wrl

303. Re: [FT-1D] Scanning FM vs. C4FM

Yahoo group: FT-1D
Date: 2015-03-04 15:44:55 UTC
From: Dennis Griffin
Topic: 302 Message: 303

AFAIK, I don’t believe this is possible. Some would call this an Easter egg, others a fault.

RTS software only allows operating choices of AM or FM to be saved with a memory channel, depending on band segment.

It seems that DV mode has to be applied to a YSF repeater memory on a per use basis, when analog FM mode xmit isn’t desired.

73 de Dennis KD7CAC
Scottsdale, AZ

> On Mar 4, 2015, at 8:19 AM, Brian Smithson n8wrl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>
> I am *really* puzzled by something.
>
> I have a number of repeaters programmed into my FT-1DR. All but 1 are analog, the last is a new SystemFusion repeater.
>
> I can't figure out how to tell the radio that the mode of the SF repeater is digital - it seems I have to press the Dx button to hear/xmit digital. If I then move to one of the analog repeaters, the radio still shows "DN" as the mode and if I key up, I can only imagine I am sending digital noise to an analog repeater!
>
> How to I set a memory I know is digital to digital, while the rest are analog, and scan them?
>
> 73
>
> -Brian n8wrl
>
>
> Posted by: Brian Smithson <brianesmithson@...>

304. Re: [FT-1D] Scanning FM vs. C4FM

Yahoo group: FT-1D
Date: 2015-03-04 15:54:17 UTC
From: Jim Tovet
Topic: 302 Message: 304

It was a great question and the answer was exactly what I thought it would be. It should would be nice if the software would allow us to program the mode into each individual memory slot.

I've got two Fusion repeaters in my neighborhood so I programmed in 3 digital frequencies. Two are for the repeaters and one is for simplex. I then put them on a bank of their own and I scan that on Band A.

The rest of my memories are a combination of local FM repeaters with some Public Safety and airport frequencies added in. I set them up in their appropriate banks and then I choose a bank I want to listen to and scan it on Band B.

Sometimes I want to listen to local FM repeaters on Band B but also want to include scanning our local FD. In that case I can link the two appropriate banks together and scan them on B. It really works well.

Just my 2 cents.

73
Jim W1JT

On Wed, Mar 4, 2015 at 10:44 AM, Dennis Griffin eagleeyedennis@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> AFAIK, I don’t believe this is possible. Some would call this an Easter
> egg, others a fault.
>
> RTS software only allows operating choices of AM or FM to be saved with a
> memory channel, depending on band segment.
>
> It seems that DV mode has to be applied to a YSF repeater memory on a per
> use basis, when analog FM mode xmit isn’t desired.
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
>
> On Mar 4, 2015, at 8:19 AM, Brian Smithson n8wrl@... [FT-1D] <
> FT-1D@yahoogroups.com> wrote:
>
>
>
>
> I am *really* puzzled by something.
>

> I have a number of repeaters programmed into my FT-1DR. All but 1 are
> analog, the last is a new SystemFusion repeater.
>
> I can't figure out how to tell the radio that the mode of the SF repeater
> is digital - it seems I have to press the Dx button to hear/xmit digital.
> If I then move to one of the analog repeaters, the radio still shows "DN"
> as the mode and if I key up, I can only imagine I am sending digital noise
> to an analog repeater!
>
> How to I set a memory I know is digital to digital, while the rest are
> analog, and scan them?
>
> 73
>
> -Brian n8wrl
>
> ------------------------------
> Posted by: Brian Smithson <brianesmithson@...>
>
>
>

305. Re: [FT-1D] Scanning FM vs. C4FM

Yahoo group: FT-1D
Date: 2015-03-04 16:06:37 UTC
From: Eric Christensen
Topic: 302 Message: 305

On , Brian Smithson n8wrl@... [FT-1D] wrote:
> I can't figure out how to tell the radio that the mode of the SF
> repeater is digital - it seems I have to press the Dx button to
> hear/xmit digital. If I then move to one of the analog repeaters, the
> radio still shows "DN" as the mode and if I key up, I can only imagine

Why can't you just set the mode as "auto", DN or FM with the little bar
next to it?

73,
Eric W4OTN

306. Re: [FT-1D] Scanning FM vs. C4FM

Yahoo group: FT-1D
Date: 2015-03-04 16:58:38 UTC
From: Brian Smithson
Topic: 302 Message: 306

Jim - that's great advice. Do you have your 'A' band set to DN and your 'B' band set to FM then?

73

-Brian n8wrl

On Wed, Mar 4, 2015 at 10:54 AM, Jim Tovet jtovet@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> It was a great question and the answer was exactly what I thought it would
> be. It should would be nice if the software would allow us to program the
> mode into each individual memory slot.
>
> I've got two Fusion repeaters in my neighborhood so I programmed in 3
> digital frequencies. Two are for the repeaters and one is for simplex.
> I then put them on a bank of their own and I scan that on Band A.
>
> The rest of my memories are a combination of local FM repeaters with some
> Public Safety and airport frequencies added in. I set them up in their
> appropriate banks and then I choose a bank I want to listen to and scan it
> on Band B.
>
> Sometimes I want to listen to local FM repeaters on Band B but also want
> to include scanning our local FD. In that case I can link the two
> appropriate banks together and scan them on B. It really works well.
>
> Just my 2 cents.
>
> 73
> Jim W1JT
>
> On Wed, Mar 4, 2015 at 10:44 AM, Dennis Griffin eagleeyedennis@...
> [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>>
>>
>> AFAIK, I don’t believe this is possible. Some would call this an Easter
>> egg, others a fault.
>>
>> RTS software only allows operating choices of AM or FM to be saved with a
>> memory channel, depending on band segment.
>>
>> It seems that DV mode has to be applied to a YSF repeater memory on a per

>> use basis, when analog FM mode xmit isn’t desired.
>>
>> 73 de Dennis KD7CAC
>> Scottsdale, AZ
>>
>>
>> On Mar 4, 2015, at 8:19 AM, Brian Smithson n8wrl@... [FT-1D] <
>> FT-1D@yahoogroups.com> wrote:
>>
>>
>>
>> I am *really* puzzled by something.
>>
>> I have a number of repeaters programmed into my FT-1DR. All but 1 are
>> analog, the last is a new SystemFusion repeater.
>>
>> I can't figure out how to tell the radio that the mode of the SF repeater
>> is digital - it seems I have to press the Dx button to hear/xmit digital.
>> If I then move to one of the analog repeaters, the radio still shows "DN"
>> as the mode and if I key up, I can only imagine I am sending digital noise
>> to an analog repeater!
>>
>> How to I set a memory I know is digital to digital, while the rest are
>> analog, and scan them?
>>
>> 73
>>
>> -Brian n8wrl
>>
>> ------------------------------
>> Posted by: Brian Smithson <brianesmithson@...>
>>
>>
>
>

307. Re: [FT-1D] Scanning FM vs. C4FM

Yahoo group: FT-1D
Date: 2015-03-04 16:59:24 UTC
From: Brian Smithson
Topic: 302 Message: 307

Eric - i can certainly try that.

When I twist the memory knob to what I know is a system-fusion repeater and press PTT, what happens? FM or C4FM? I need to try it.

-Brian n8wrl

On Wed, Mar 4, 2015 at 11:06 AM, Eric Christensen eric@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> On , Brian Smithson n8wrl@... [FT-1D] wrote:
> > I can't figure out how to tell the radio that the mode of the SF
> > repeater is digital - it seems I have to press the Dx button to
> > hear/xmit digital. If I then move to one of the analog repeaters, the
> > radio still shows "DN" as the mode and if I key up, I can only imagine
>
> Why can't you just set the mode as "auto", DN or FM with the little bar
> next to it?
>
> 73,
> Eric W4OTN
>
>

308. Re: [FT-1D] Scanning FM vs. C4FM

Yahoo group: FT-1D
Date: 2015-03-04 17:06:05 UTC
From: Jim Tovet
Topic: 302 Message: 308

Absolutely correct.....so far it's worked really well

73 Jim W1JT

On Wed, Mar 4, 2015 at 11:58 AM, Brian Smithson n8wrl@... [FT-1D] <
FT-1D@yahoogroups.com> wrote:

>
>
> Jim - that's great advice. Do you have your 'A' band set to DN and your
> 'B' band set to FM then?
>
> 73
>
> -Brian n8wrl
>
> On Wed, Mar 4, 2015 at 10:54 AM, Jim Tovet jtovet@... [FT-1D] <
> FT-1D@yahoogroups.com> wrote:
>
>>
>>
>> It was a great question and the answer was exactly what I thought it
>> would be. It should would be nice if the software would allow us to
>> program the mode into each individual memory slot.
>>
>> I've got two Fusion repeaters in my neighborhood so I programmed in 3
>> digital frequencies. Two are for the repeaters and one is for simplex.
>> I then put them on a bank of their own and I scan that on Band A.
>>
>> The rest of my memories are a combination of local FM repeaters with some
>> Public Safety and airport frequencies added in. I set them up in their
>> appropriate banks and then I choose a bank I want to listen to and scan it
>> on Band B.
>>
>> Sometimes I want to listen to local FM repeaters on Band B but also want
>> to include scanning our local FD. In that case I can link the two
>> appropriate banks together and scan them on B. It really works well.
>>
>> Just my 2 cents.
>>
>> 73
>> Jim W1JT
>>
>> On Wed, Mar 4, 2015 at 10:44 AM, Dennis Griffin eagleeyedennis@gmx.com
>> [FT-1D] <FT-1D@yahoogroups.com> wrote:
>>

>>>
>>>
>>> AFAIK, I don’t believe this is possible. Some would call this an Easter
>>> egg, others a fault.
>>>
>>> RTS software only allows operating choices of AM or FM to be saved with
>>> a memory channel, depending on band segment.
>>>
>>> It seems that DV mode has to be applied to a YSF repeater memory on a
>>> per use basis, when analog FM mode xmit isn’t desired.
>>>
>>> 73 de Dennis KD7CAC
>>> Scottsdale, AZ
>>>
>>>
>>> On Mar 4, 2015, at 8:19 AM, Brian Smithson n8wrl@... [FT-1D] <
>>> FT-1D@yahoogroups.com> wrote:
>>>
>>>
>>>
>>> I am *really* puzzled by something.
>>>
>>> I have a number of repeaters programmed into my FT-1DR. All but 1 are
>>> analog, the last is a new SystemFusion repeater.
>>>
>>> I can't figure out how to tell the radio that the mode of the SF
>>> repeater is digital - it seems I have to press the Dx button to hear/xmit
>>> digital. If I then move to one of the analog repeaters, the radio still
>>> shows "DN" as the mode and if I key up, I can only imagine I am sending
>>> digital noise to an analog repeater!
>>>
>>> How to I set a memory I know is digital to digital, while the rest are
>>> analog, and scan them?
>>>
>>> 73
>>>
>>> -Brian n8wrl
>>>
>>> ------------------------------
>>> Posted by: Brian Smithson <brianesmithson@...>
>>>
>>>
>>
>
>

309. Re: [FT-1D] Scanning FM vs. C4FM

Yahoo group: FT-1D
Date: 2015-03-04 17:12:55 UTC
From: Brian Smithson
Topic: 302 Message: 309

I may have to go that route.

Right now I have just one 'big list' of repeaters ported from my FT-60. I've added the single YSF repeater to the list. My only option in RTS is AM or FM, so FM it is.

When I save the frequency on the radio it goes into memory as FM..

I set the mode to 'AMS.' I tuned to the YSF repeater and keyed up. It transmitted in FM - I guess it had no digital signal to 'hear' and pick DN. Now the icon has the little bar and "FM" next to it.

Your solution would fix this because all the analog freq's would be on the B side and I'd set the mode to FM. All the digi freq's (one, for me :( ) would be on the A side set to DN.

This is even more puzzling to me because while I was writing this message, the radio is parked on the YSF repeater and the mode has the little bar and "FM" which I think is AMS right? Someone just keyed the repeater and all I heard was the digital hash. I thought it would switch to DN?

Oh well, so much to learn.

-Brian n8wrl

On Wed, Mar 4, 2015 at 12:06 PM, Jim Tovet jtovet@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> Absolutely correct.....so far it's worked really well
>
> 73 Jim W1JT
>
> On Wed, Mar 4, 2015 at 11:58 AM, Brian Smithson n8wrl@... [FT-1D] <
> FT-1D@yahoogroups.com> wrote:
>
>>
>>
>> Jim - that's great advice. Do you have your 'A' band set to DN and your
>> 'B' band set to FM then?
>>
>> 73
>>
>> -Brian n8wrl
>>
>> On Wed, Mar 4, 2015 at 10:54 AM, Jim Tovet jtovet@... [FT-1D] <

>> FT-1D@yahoogroups.com> wrote:
>>
>>>
>>>
>>> It was a great question and the answer was exactly what I thought it
>>> would be. It should would be nice if the software would allow us to
>>> program the mode into each individual memory slot.
>>>
>>> I've got two Fusion repeaters in my neighborhood so I programmed in 3
>>> digital frequencies. Two are for the repeaters and one is for simplex.
>>> I then put them on a bank of their own and I scan that on Band A.
>>>
>>> The rest of my memories are a combination of local FM repeaters with
>>> some Public Safety and airport frequencies added in. I set them up in
>>> their appropriate banks and then I choose a bank I want to listen to and
>>> scan it on Band B.
>>>
>>> Sometimes I want to listen to local FM repeaters on Band B but also want
>>> to include scanning our local FD. In that case I can link the two
>>> appropriate banks together and scan them on B. It really works well.
>>>
>>> Just my 2 cents.
>>>
>>> 73
>>> Jim W1JT
>>>
>>> On Wed, Mar 4, 2015 at 10:44 AM, Dennis Griffin eagleeyedennis@...
>>> [FT-1D] <FT-1D@yahoogroups.com> wrote:
>>>
>>>>>
>>>>>
>>>> AFAIK, I don’t believe this is possible. Some would call this an Easter
>>>> egg, others a fault.
>>>>
>>>> RTS software only allows operating choices of AM or FM to be saved with
>>>> a memory channel, depending on band segment.
>>>>
>>>> It seems that DV mode has to be applied to a YSF repeater memory on a
>>>> per use basis, when analog FM mode xmit isn’t desired.
>>>>
>>>> 73 de Dennis KD7CAC
>>>> Scottsdale, AZ
>>>>
>>>>
>>>> On Mar 4, 2015, at 8:19 AM, Brian Smithson n8wrl@... [FT-1D] <
>>>> FT-1D@yahoogroups.com> wrote:
>>>>
>>>>>>
>>>>>>
>>>>> I am *really* puzzled by something.

>>>>
>>>> I have a number of repeaters programmed into my FT-1DR. All but 1 are
>>>> analog, the last is a new SystemFusion repeater.
>>>>
>>>> I can't figure out how to tell the radio that the mode of the SF
>>>> repeater is digital - it seems I have to press the Dx button to hear/xmit
>>>> digital. If I then move to one of the analog repeaters, the radio still
>>>> shows "DN" as the mode and if I key up, I can only imagine I am sending
>>>> digital noise to an analog repeater!
>>>>
>>>> How to I set a memory I know is digital to digital, while the rest are
>>>> analog, and scan them?
>>>>
>>>> 73
>>>>
>>>> -Brian n8wrl
>>>>
>>>> ------------------------------
>>>> Posted by: Brian Smithson <brianesmithson@...>
>>>>
>>>>
>>>
>>
>
>

310. Repeater list and APRS on 440?

Yahoo group: FT-1D
Date: 2015-03-06 13:54:45 UTC
From: James French
Topic: 310 Message: 310

Two questions here.

1) where can I find a 'current' repeater list of Fusion repeaters?

2) I have tried to do APRS on 440 with no success. It will not transmit up there at all, even in manual mode. Is there something I have missed?

James W8ISS

311. Re: [FT-1D] C4FM audio sample uploaded to the Files section

Yahoo group: FT-1D
Date: 2015-03-10 04:05:52 UTC
From: rolandsimmons@...
Topic: 120 Message: 311

Hi Ed,

I was playing with google search tonight and came across an APRS message you sent to me. I didn't receive it on my radio though.

I do like the FT-1D. It has a lot of features. I try to make sure I have the manual with me when I use it just in case. It has a separate APRS manual that I downloaded to my cell phone for those times I'm away from my laptop.

I just figured out how to use the digi peater on the ISS this weekend. Went camping this weekend on the Oregon Coast and was able to catch a few passes of the ISS. Also caught a pass of SO-50 but just listened and didn't throw my call sign out there.

312. Aprs on 70cms?

Yahoo group: FT-1D
Date: 2015-03-12 22:18:17 UTC
From: James French
Topic: 312 Message: 312

I have tried to utilize aprs on 70cm this weekend with no luck. It won't transmit even when I manually (function - 0).

Is there something that I am missing or is the aprs limited to only 2m?

Also would like to know if there is anything for the digital voice in the Detroit area ? I don't do repeaters often so I have no idea what is up and around anymore.

I am mostly a VHF/UHF/MW rover a majority of the time and got the ft1dr instead of the Kenwood because of price and capabilities.

James W8ISS

313. Re: can't importing csv file into ADMS-6 software.

Yahoo group: FT-1D
Date: 2015-03-16 14:08:46 UTC
From: carguy4471@...
Topic: 284 Message: 313

My chirp wouldn't work either until I downloaded the "daily" build. The stable release version will not work. Make sure you get the latest daily here: Index of /chirp_daily/LATEST http://trac.chirp.danplanet.com/chirp_daily/LATEST/

http://trac.chirp.danplanet.com/chirp_daily/LATEST/

Index of /chirp_daily/LATEST http://trac.chirp.danplanet.com/chirp_daily/LATEST/ Name Last modified Size Description Parent Directory - Model_Support.html 16-Mar-2015 00:06 327K SHA1SUM 16-Mar-2015 00:06 472 Test_Report.html...

View on trac.chirp.danplanet.com http://trac.chirp.danplanet.com/chirp_daily/LATEST/ Preview by Yahoo

I got both AMDS6 and chirp working rather quickly. I imported my .csv with chirp, loaded to the FT1DR then opened AMDS6 and read from the radio. Saved both files out and I now have either one to work with in either program.

314. APRS questions

Yahoo group: FT-1D
Date: 2015-03-17 12:52:52 UTC
From: carguy4471@...
Topic: 314 Message: 314

I finally got my new ft1 up and running on APRS. I had a couple questions though....

I was able to verify my packets were received by checking on aprs.fi. Is there a way to see if my APRS data was received by an igate on my HT? It seems like it received my own station on the HT, but once it was in the station list I didn't see it come up again?? How can I make sure via my HT my packets are received by an igate??

315. Re: [FT-1D] APRS questions

Yahoo group: FT-1D
Date: 2015-03-17 14:21:32 UTC
From: Ron Wenig
Topic: 314 Message: 315

Hello Carguy,

I believe when you see your position come back on the FT1D display means you were heard by a digipeater and the packets were sent back out. To be seen on the APRS servers an IGATE would have to receive it also. The only way to find out is to go on one of the servers like APRS.FI and search for you callsign. If you are away from your computer you can use an APP on your smart phone like APRSdroid.

73, Ron NY3J

On 03/17/2015 08:52 AM, carguy4471@... [FT-1D] wrote:
>
> I finally got my new ft1 up and running on APRS. I had a couple
> questions though....
>
>
> I was able to verify my packets were received by checking on aprs.fi.
> Is there a way to see if my APRS data was received by an igate on my
> HT? It seems like it received my own station on the HT, but once it
> was in the station list I didn't see it come up again?? How can I
> make sure via my HT my packets are received by an igate??
>
>
>

316. Re: APRS questions

Yahoo group: FT-1D
Date: 2015-03-17 14:30:31 UTC
From: carguy4471@...
Topic: 314 Message: 316

That's what I was afraid of. I am trying to figure out a way to ensure I've gotten within range of an Igate without having my phone or tablet with me. It's easy enough to check aprs.fi or aprsdoid on my phone but it would be nice to be able to confirm somehow that I hit an Igate without needing it.

It sure is interesting to see all of the stations that I pick up. Lots of folks around with APRS running.

317. Re: [FT-1D] Re: APRS questions

Yahoo group: FT-1D
Date: 2015-03-17 14:36:44 UTC
From: Ron Wenig
Topic: 314 Message: 317

It's probably because of the good deal on the FT1Ds and people saw the built in APRS function and turned it on. I hike a lot and if I'm talking to someone on the radio I'll just tell them to search for NY3J-7 to see my tracks. Lots of fun.

Ron NY3J

On 03/17/2015 10:30 AM, carguy4471@... [FT-1D] wrote:
>
> That's what I was afraid of. I am trying to figure out a way to
> ensure I've gotten within range of an Igate without having my phone or
> tablet with me. It's easy enough to check aprs.fi or aprsdoid on my
> phone but it would be nice to be able to confirm somehow that I hit an
> Igate without needing it.
>
>
> It sure is interesting to see all of the stations that I pick up.
> Lots of folks around with APRS running.
>

318. Re: [FT-1D] Re: APRS questions

Yahoo group: FT-1D
Date: 2015-03-17 14:54:08 UTC
From: Marco Filippi IZ3GME
Topic: 314 Message: 318

...mmmm... I would try with pc connected to aprs internet server and setup to auto message reply, when you'll send message to it with ft-1d you should get the reply back.

Xastir can do autoreply, dunno if other programs have same function.

73 de IZ3GME Marco

On 17/03/2015 15:30, carguy4471@... [FT-1D] wrote:
> That's what I was afraid of. I am trying to figure out a way to ensure
> I've gotten within range of an Igate without having my phone or tablet
> with me. It's easy enough to check aprs.fi or aprsdoid on my phone but
> it would be nice to be able to confirm somehow that I hit an Igate
> without needing it.
>
>
> It sure is interesting to see all of the stations that I pick up. Lots
> of folks around with APRS running.
>
>

319. Re: [FT-1D] Re: APRS questions

Yahoo group: FT-1D
Date: 2015-03-17 16:28:05 UTC
From: carguy4471@...
Topic: 314 Message: 319

I just looked at the install procedure for Xaster briefly, it appears to be 20 pages long. Is it really that much of a PITA??

320. Re: [FT-1D] Re: APRS questions

Yahoo group: FT-1D
Date: 2015-03-17 16:40:26 UTC
From: Marco Filippi IZ3GME
Topic: 314 Message: 320

Installing xastir in linux is a matter of seconds.

For what it concern windows I just know it (should) works, sorry I can't help you there.

73 de IZ3GME Marco

On 17/03/2015 17:28, carguy4471@... [FT-1D] wrote:
> I just looked at the install procedure for Xaster briefly, it appears to
> be 20 pages long. Is it really that much of a PITA??
>
>

321. Re: APRS questions

Yahoo group: FT-1D
Date: 2015-03-17 17:06:12 UTC
From: carguy4471@...
Topic: 314 Message: 321

I do run windows, which in this case seems to make install a wee bit of a visit to the dentist.

322. Re: Undocumented features?

Yahoo group: FT-1D
Date: 2015-03-18 16:47:47 UTC
From: n7xsq@...
Topic: 290 Message: 322

I almost had to factory reset my radio after I got it into this mode while experimenting with holding down buttons on power on. I can't find anything about this by searching for memory in the downloadable manual.

If you hold the V/M button while powering on, it puts it Memory Only mode. That is, both bands are in memory mode and they will not let you switch to VFO mode. Repeat to take it out of Memory Only.

73 de N7XSQ

323. Re: [FT-1D] FT1D Power Supply

Yahoo group: FT-1D
Date: 2015-03-21 11:42:18 UTC
From: Ron Wenig
Topic: 241 Message: 323

Dennis and All,

I am now using a Drok regulator adjusted to 8 VDC without the battery
and it's working great. Stays nice and cool when I'm monitoring the
bands. Now I'm finding out that not all power connections are the
same. The battery charger connector has a yellow tip. I got a
connector with a yellow tip from Radio Shack and the connection is
loose. I had to slightly crimp it so it wouldn't lose the connection.
I guess I'll have to order an E-DC-6 optional cable. No warning when
the battery runs down. While I was in a QSO and listening to a reply
the radio immediately shutdown.

Ron NY3J

On 03/01/2015 08:34 PM, Dennis Griffin eagleeyedennis@... [FT-1D] wrote:
>
> The FT1DR only needs 7.4 VDC nominal to operate. By feeding it 13.2
> VDC during operation, it is acting as a heat sink to dissipate the
> difference. Mine will run most all day with light TX on the standard
> battery. I would suggest operating off the battery and recharging
> overnight. Otherwise, turning down the power supply would help some,
> and adding a buck converter with its output set for about 8VDC would
> be better yet.
>
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
>> On Mar 1, 2015, at 5:52 PM, Ron Wenig rwenig@...
>> <mailto:rwenig@...> [FT-1D] <FT-1D@yahoogroups.com
>> <mailto:FT-1D@yahoogroups.com>> wrote:
>>
>> Hi Everyone,
>>
>> I have an FT1D Silver. When I'm in the shack I connect it to an
>> external antenna and connected to a 12 volt power supply without the
>> battery.
>>
>> I'm monitoring the sensor info and the readings are - Voltage 13.2 volts
>> and Temp 113 degrees Fahrenheit. This is just monitoring on receive.
>>
>> The back of the radio is quite warm to the touch and I'm wondering if
>> this is not good for the radio. I'm saving for a FTM-400 so I don't
>> have to leave the FT1D running. So is this normal temperature for this
>> HT or should I do this.
>>

>> 73, Ron NY3J
>>
>> ----------
>> Posted by: Ron Wenig <rwenig@... <mailto:rwenig@...>>
>

324. Re: [FT-1D] FT1D Power Supply

Yahoo group: FT-1D
Date: 2015-03-22 11:27:29 UTC
From: Dennis Griffin
Topic: 241 Message: 324

Hi Ron,

Good to know that worked for you. Check the plastic tip on the E-DC-6 by trying to pull it off. Those tips are known to be loose, and they can come off inside the jack. When this happens, it may not allow the HT to work off of a battery pack, because it holds a contact open. It’s better to have it come off in your hand, so you can glue it back in place before it lodges deep in the power jack.

Cheers,

73 de Dennis KD7CAC
Scottsdale, AZ

> On Mar 21, 2015, at 4:42 AM, Ron Wenig rwenig@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> Dennis and All,
>
> I am now using a Drok regulator adjusted to 8 VDC without the battery and it's working great. Stays nice and cool when I'm monitoring the bands. Now I'm finding out that not all power connections are the same. The battery charger connector has a yellow tip. I got a connector with a yellow tip from Radio Shack and the connection is loose. I had to slightly crimp it so it wouldn't lose the connection. I guess I'll have to order an E-DC-6 optional cable. No warning when the battery runs down. While I was in a QSO and listening to a reply the radio immediately shutdown.
>
> Ron NY3J
>
> On 03/01/2015 08:34 PM, Dennis Griffin eagleeyedennis@... <mailto:eagleeyedennis@...m> [FT-1D] wrote:
>>
>> The FT1DR only needs 7.4 VDC nominal to operate. By feeding it 13.2 VDC during operation, it is acting as a heat sink to dissipate the difference. Mine will run most all day with light TX on the standard battery. I would suggest operating off the battery and recharging overnight. Otherwise, turning down the power supply would help some, and adding a buck converter with its output set for about 8VDC would be better yet.
>>
>>
>> 73 de Dennis KD7CAC
>> Scottsdale, AZ
>>
>>> On Mar 1, 2015, at 5:52 PM, Ron Wenig rwenig@... <mailto:rwenig@...> [FT-1D] <FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>> wrote:
>>>
>>>
>>> Hi Everyone,
>>>

>>> I have an FT1D Silver. When I'm in the shack I connect it to an
>>> external antenna and connected to a 12 volt power supply without the
>>> battery.
>>>
>>> I'm monitoring the sensor info and the readings are - Voltage 13.2 volts
>>> and Temp 113 degrees Fahrenheit. This is just monitoring on receive.
>>>
>>> The back of the radio is quite warm to the touch and I'm wondering if
>>> this is not good for the radio. I'm saving for a FTM-400 so I don't
>>> have to leave the FT1D running. So is this normal temperature for this
>>> HT or should I do this.
>>>
>>> 73, Ron NY3J
>>> Posted by: Ron Wenig <rwenig@... <mailto:rwenig@verizon.net>>

325. New to the group

Yahoo group: FT-1D
Date: 2015-03-27 22:49:32 UTC
From: radioblanca@...
Topic: 325 Message: 325

.Hi, thanks for accepting moderator,73 from Canrias Islands, Spain

326. voice decoding of V/D type 2

Yahoo group: FT-1D
Date: 2015-04-03 15:38:44 UTC
From: ozguroruc@...
Topic: 326 Message: 326

I have interested in encoding/decoding of amateur radio protocols. I have some problems Yaesu FT1D transceiver.

I have examined voice frames from recordings. I have followed Amateur Radio Digital Standards.

I obtain easily content of FS and FICH frames. According the FICH, data type of the recording is V/D type 2.

I followed VCH and VECH sections of Standard. I obtained 49 bit voice encoded data after processes of deinterleaving, dewhitening, decreation from 3 bit repeating. I have collected 49 bits over whole recording. But i didnt converted them audio signal.

Please give me the idea how i can obtain the voice of recording?

Thank you for your help in this matter.

327. Any UK owners received the Camera Mic yet ?

Yahoo group: FT-1D
Date: 2015-04-11 11:47:09 UTC
From: g1zrn@...
Topic: 327 Message: 327

I sent my claim to Yaesu UK (including a cash back claim for my FT450D) and they received it on the 20th March and haven't heard anything since.

Has any other UK owner been notified about or received their claim yet ?

Cheers,
Mike G1ZRN.

328. Re: Any UK owners received the Camera Mic yet ?

Yahoo group: FT-1D
Date: 2015-04-12 12:22:06 UTC
From: w8lgz@...
Topic: 327 Message: 328

Not sure about the UK, but in the US, it's been my experience that most rebates take anywhere up to 8 weeks before you receive it.

Jim, W8LGZ

329. Re: Any UK owners received the Camera Mic yet ?

Yahoo group: FT-1D
Date: 2015-04-12 17:54:58 UTC
From: g1zrn@...
Topic: 327 Message: 329

Thanks for the reply.

I suppose it could be the same here in the UK but a friend of mine put his claim in for the Camera Mic in January and still hasn't received one.

Cheers,
Mike G1ZRN
Wires-X G1ZRN-ROOM

330. Re: Any UK owners received the Camera Mic yet ?

Yahoo group: FT-1D
Date: 2015-04-16 19:24:02 UTC
From: on5vdk@...
Topic: 327 Message: 330

Hi Mike,

I just received an email last week from Yaesu UK, where I had send my application, that because of the high demand for this offer the mics are delayed and they will be able to ship mine in May.

This is a few weeks after I had posted my 2 requests, so I guess there is some good demand/success on this offer :)

73,

Tjardick de ON5VDK

SysOp of ON0LGE in JO20UO
Fusion: 439.2125 -7.6 MHz / CTCSS 74.4
DMR: 438.9375 -7.6 MHz
D-Star: 439.5875 -7.6 MHz

331. Re: Any UK owners received the Camera Mic yet ?

Yahoo group: FT-1D
Date: 2015-04-23 12:52:17 UTC
From: g1zrn@...
Topic: 327 Message: 331

Thanks for the update.

When did you send your claim in ?

I wonder how far down the list my claim is.

Cheers,
Mike G1ZRN.

332. FOR SALE: CD-41 rapid charger

Yahoo group: FT-1D
Date: 2015-04-24 17:51:09 UTC
From: w5dom@...
Topic: 332 Message: 332

I'm cleaning out my abundant selection of accessories and would like to sell a rapid charger (CD-41) for the FT1D. It is lightly used but like new and includes packaging and original papers.

If anyone is interested; $25 shipped - Payment via USPS money order and shipped CONUS only.

333. Re: FOR SALE: CD-41 rapid charger

Yahoo group: FT-1D
Date: 2015-04-25 16:59:04 UTC
From: w5dom@...
Topic: 332 Message: 333

The charger is sold pending funds.

Thanks for everyone's interest.
W5DOM

334. Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-26 22:41:03 UTC
From: thepixelated13@...
Topic: 334 Message: 334

I got a vanity callsign after I purchased my Yaesu FT1DR. Every time I reprogram the radio with Chirp (on Mac), my old callsign returns when the radio is done reprogramming. Every time I have to change it from going to Display - 12 Callsign.

How do set it so I don't have to keep resetting my callsign on the radio?

Thanks.

335. RE: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-26 23:08:20 UTC
From: jadaugh
Topic: 334 Message: 335

Use RTS software might solve your problem Sent on the new Sprint Network from my Samsung Galaxy S®4.
-------- Original message --------
From: "thepixelated13@gmail.com [FT-1D]"
Date:04/26/2015 3:41 PM (GMT-07:00)
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Old Callsign Still Appears

I got a vanity callsign after I purchased my Yaesu FT1DR. Every time I reprogram the radio with Chirp (on Mac), my old callsign returns when the radio is done reprogramming. Every time I have to change it from going to Display - 12 Callsign. How do set it so I don't have to keep resetting my callsign on the radio? Thanks.

336. RE: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-26 23:23:56 UTC
From: Jeff Pixelated
Topic: 334 Message: 336

RTS doesn't run on Mac. Thanks.

337. RE: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-26 23:28:21 UTC
From: jadaugh
Topic: 334 Message: 337

This may be a stupid question but did u save before writing to radio? Sent on the new Sprint Network from my Samsung Galaxy S®4.
-------- Original message --------
From: "Jeff Pixelated thepixelated13@gmail.com [FT-1D]"
Date:04/26/2015 4:23 PM (GMT-07:00)
To: FT-1D@yahoogroups.com
Subject: RE: [FT-1D] Old Callsign Still Appears

RTS doesn't run on Mac. Thanks.

338. RE: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-26 23:36:20 UTC
From: Jeff Pixelated
Topic: 334 Message: 338

Yes I did. It's my new callsign every time I turn the radio on.

339. Re: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-27 00:38:38 UTC
From: Jeff Daugherty
Topic: 334 Message: 339

There are two different settings for callsigns. 1 for display and what goes over Fusin and another setting that controls the callsign for APRS.
----- Original Message -----
From: Jeff Pixelated thepixelated13@... [FT-1D]
To: FT-1D@yahoogroups.com
Sent: Sunday, April 26, 2015 4:36 PM
Subject: RE: [FT-1D] Old Callsign Still Appears

Yes I did. It's my new callsign every time I turn the radio on.

340. Re: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-27 00:43:58 UTC
From: Jeff Pixelated
Topic: 334 Message: 340

As stated in my first post, I set it under Display - 12 Callsign.

341. Re: Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-27 03:59:09 UTC
From: rolandsimmons@...
Topic: 334 Message: 341

I haven't used chirp too much with my FT1D but within the program, do you have to make sure your call sign is correct? If the program has your old call sign stored, it will just keep uploading it. Change your call sign in the radio again and then try downloading from the radio and see if that takes care of the problem

342. Re: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-27 04:00:10 UTC
From: jadaugh
Topic: 334 Message: 342

Go to 9 then 23 to set again Sent on the new Sprint Network from my Samsung Galaxy S®4.
-------- Original message --------
From: "Jeff Pixelated thepixelated13@gmail.com [FT-1D]"
Date:04/26/2015 5:43 PM (GMT-07:00)
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] Old Callsign Still Appears

As stated in my first post, I set it under Display - 12 Callsign.

343. Re: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-27 06:59:02 UTC
From: Marco Filippi IZ3GME
Topic: 334 Message: 343

The callsign, with all other settings, is saved into the memory image; I suppose you reuse the image you saved before the callsign change to reprogram your radio.
After changing the call sign you can download a new image to chirp and save it for future use.

73 de IZ3GME Marco

On 27/04/2015 00:41, thepixelated13@... [FT-1D] wrote:
> I got a vanity callsign after I purchased my Yaesu FT1DR. Every time I
> reprogram the radio with Chirp (on Mac), my old callsign returns when
> the radio is done reprogramming. Every time I have to change it from
> going to Display - 12 Callsign.
>
>
> How do set it so I don't have to keep resetting my callsign on the radio?
>
>
> Thanks.
>
>

344. Re: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-27 11:25:08 UTC
From: Jeff Pixelated
Topic: 334 Message: 344

Not sure why I should set my callsign in APRS since I don't use APRS at the moment and my callsign wasn't set in there to start.

345. Re: [FT-1D] Old Callsign Still Appears

Yahoo group: FT-1D
Date: 2015-04-27 11:25:52 UTC
From: Jeff Pixelated
Topic: 334 Message: 345

Not sure why I didn't think of this. Maybe too much stress from work.

I think this has fixed it. Thanks!

346. Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2015-05-01 21:47:20 UTC
From: doug.mccomber@...
Topic: 186 Message: 346

Sorry to resurrect an old thread. I just got my FT1DR 5 days ago. I charged it fully before first using it. The charge lasts the approximate number of hours that I expect it to, but like yours the battery charge indicator stays on full until the radio just shuts off.

Did you get a replacement radio? Anyone else have this problem?

Thanks,
Doug

347. Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2015-05-02 13:49:42 UTC
From: k6di@...
Topic: 186 Message: 347

Sadly, that's just the way the battery indicator behaves. Perhaps it will be fixed in a future firmware update.

--Dan (K6DI)

348. Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2015-05-02 13:59:36 UTC
From: k6di@...
Topic: 186 Message: 348

While the behavior is frustrating, it seems a bit drastic to send the radio back for such simple reasons.

A new antenna, much better than any stock rubber duck, is available for around $20. For the battery, keep the radio plugged in, or swap it out when it dies. Other than these quirks, you'll be hard pressed to find a better radio for the money.

And, yes, the Yaesu techs can be jerks (sorry, Chris). I've found information from these Internet groups to be a good, and (usually) friendlier alternative.

--Dan (K6DI)

349. Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2015-05-02 14:20:30 UTC
From: Jeff Pixelated
Topic: 186 Message: 349

I bought a second battery with my FT-1DR and the charging station. I always have a fully charged battery ready to swap in place of the dead one.

350. RT Systems Software

Yahoo group: FT-1D
Date: 2015-05-02 18:31:30 UTC
From: Mark
Topic: 350 Message: 350

Hs anyone had problems with the RT Systems software for the FT-1D not reading/writing to the card? I bought the ☐package☐ that included the software, card, and card reader device. I have written the backup file to the card with the radio, but the file will not import into the software when I select Communications à Read Data from SD Card.

It appears to be looking in the ☐proper☐ location for the file; it just doesn☐t open the file.

I☐ve called Tech Support at RT Systems, and sent them my backup.dat file so they can try to replicate the issue there. I did a ☐copy and paste☐ of my programming data from Yaesu☐s ADMS-6 software into the RT Systems software and wrote that file to the card ☐ that worked fine. Puzzling .

Mark ☐ N9WYS

351. RE: [FT-1D] RT Systems Software

Yahoo group: FT-1D
Date: 2015-05-02 18:45:04 UTC
From: Jim
Topic: 350 Message: 351

Make a call to RT Systems, they are very helpfull and will solve whatever problem that you are having.

Jim
www.jimsengraving.com <http://www.jimsengraving.com/>

HAM NATION LIVE EVERY WEDNESDAY EVENING AT 8:00 CST www.live.twit.tv <http://www.live.twit.tv/>

HAM NATION ARCHIVES www.twit.tv/hn

HAM RADIO SUPPLIERS
http://jimsengraving.com/main/page_ham_radio_suppliers.html

We are advised to NOT judge ALL Muslims by the actions of a few lunatics, but we are encouraged to judge
ALL gun owners by the actions of a few lunatics. Funny how that works.

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Saturday, May 02, 2015 1:32 PM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] RT Systems Software

Hs anyone had problems with the RT Systems software for the FT-1D not reading/writing to the card? I bought the ☐package☐ that included the software, card, and card reader device. I have written the backup file to the card with the radio, but the file will not import into the software when I select Communications à Read Data from SD Card.

It appears to be looking in the ☐proper☐ location for the file; it just doesn☐t open the file.

I☐ve called Tech Support at RT Systems, and sent them my backup.dat file so they can try to replicate the issue there. I did a ☐copy and paste☐ of my programming data from Yaesu☐s ADMS-6 software into the RT Systems software and wrote that file to the card ☐ that worked fine. Puzzling .

Mark ☐ N9WYS

352. Re: [FT-1D] Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2015-05-02 19:24:18 UTC
From: Roland Simmons
Topic: 186 Message: 352

I never had that problem. My radio was purchased in Feb. Don't know if that makes a difference. My indicator will go to one bar and I still will be able to talk but not for long. Need to purchase a second battery one of these days.
On May 1, 2015 2:47 PM, "doug.mccomber@... [FT-1D]" <
FT-1D@yahoogroups.com> wrote:

>
>
> Sorry to resurrect an old thread. I just got my FT1DR 5 days ago. I
> charged it fully before first using it. The charge lasts the approximate
> number of hours that I expect it to, but like yours the battery charge
> indicator stays on full until the radio just shuts off.
>
> Did you get a replacement radio? Anyone else have this problem?
>
> Thanks,
> Doug
>
>

354. Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-03 00:12:33 UTC
From: radioblanca@...
Topic: 353 Message: 354

Hello, where I can find tutorial software ADMS-6., EA8CHY

355. RE: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-03 08:30:18 UTC
From: Mark
Topic: 353 Message: 355

I don’t think there is a tutorial available for the software… I downloaded ADMS-6 from Yaesu’s website.

Mark – N9WYS

From: FT-1D@yahoogroups.com Posted by: radioblanca@...
Sent: Saturday, May 02, 2015 7:13 PM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Re: ADMS-6

Hello, where I can find tutorial software ADMS-6., EA8CHY

356. Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2015-05-03 12:19:31 UTC
From: doug.mccomber@...
Topic: 186 Message: 356

Well I'm glad at least it isn't just my radio. Wouldn't want to have to return it in this day and age if Internet mail order (Canada Post is really slow and expensive).

357. Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2015-05-03 12:23:06 UTC
From: doug.mccomber@...
Topic: 186 Message: 357

When I ordered mine I got the AAA battery pack with it for those occasions when charging isn't an option. But now I think a second rechargeable is in order. Batteries America has one on sales right now, anyone used their products before? YAESU-VERTEX batteries http://www.batteriesamerica.com/yaesu-vertex.htm

358. Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-03 12:28:48 UTC
From: doug.mccomber@...
Topic: 358 Message: 358

In another thread Dan mentioned replacing the stock antenna. I'm new to amateur radio (taking a course at my local club now and the exam in early June) and this is my first HT. So I haven't done any transmitting testing of course and I have no experience with different 3rd party antenna brands/models. Anyone care to recommend a specific replacement antenna or give any general guidelines as to brands to buy or avoid?

Thanks,
Doug

359. Re: [FT-1D] Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2015-05-03 12:41:49 UTC
From: Jim K5JG
Topic: 186 Message: 359

I've used many BatteriesAmerica batteries and chargers over the years
and never had a problem.

73, Jim K5JG

doug.mccomber@... [FT-1D] wrote:
>
>
> When I ordered mine I got the AAA battery pack with it for those
> occasions when charging isn't an option. But now I think a second
> rechargeable is in order. Batteries America has one on sales right now,
> anyone used their products before? YAESU-VERTEX batteries
> <http://www.batteriesamerica.com/yaesu-vertex.htm>

360. Re: [FT-1D] Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-03 12:50:16 UTC
From: Jim K5JG
Topic: 358 Message: 360

I like the Diamond SRH-519 - I've been using them for years. It's about the same length as the stock antenna, but it seems to be better performance-wise. Sure, one of the longer antennas would perform even better, but I don't like to have an antenna tickling my armpit when the radio is clipped to my belt.

Also, the SRH-519 is thin and flexible, unlike the stock antenna and many other after market ones.

73, Jim K5JG

doug.mccomber@... [FT-1D] wrote:
>
>
> In another thread Dan mentioned replacing the stock antenna. I'm new to
> amateur radio (taking a course at my local club now and the exam in
> early June) and this is my first HT. So I haven't done any transmitting
> testing of course and I have no experience with different 3rd party
> antenna brands/models. Anyone care to recommend a specific replacement
> antenna or give any general guidelines as to brands to buy or avoid?
>
>
> Thanks,
>
> Doug
>
>

361. Re: Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-03 13:40:56 UTC
From: Jeff Pixelated
Topic: 358 Message: 361

I have a Diamond SRH-77CA antenna on my FT-1DR. If I'm in the car I have a Comet M-24S mag mount connected to my HT (not getting a mobile radio until way after I get a HF base station radio first).

362. RE: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-03 15:32:52 UTC
From: radioblanca@...
Topic: 353 Message: 362

I put frequently in the software off ERROR A VALID FREQUENCY

363. RE: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-03 16:39:42 UTC
From: m3oyi@...
Topic: 353 Message: 363

FT1D ADM 6 Entry Error https://www.youtube.com/watch?v=tedFCescBx4

https://www.youtube.com/watch?v=tedFCescBx4

FT1D ADM 6 Entry Error https://www.youtube.com/watch?v=tedFCescBx4 Short tutorial on the free programming software ADM-6 from USA site Yaesu. Entry Error I got on first go with the software Link https://www.yaesu.com/i...

View on www.youtube.com https://www.youtube.com/watch?v=tedFCescBx4
Preview by Yahoo

If you don't get data from radio first you
will get this error

364. Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-03 16:54:11 UTC
From: m3oyi@...
Topic: 353 Message: 364

FT1D ADM 6 Entry Error https://www.youtube.com/watch?v=tedFCescBx4

https://www.youtube.com/watch?v=tedFCescBx4

FT1D ADM 6 Entry Error https://www.youtube.com/watch?v=tedFCescBx4 Short tutorial on the free programming software ADM-6 from USA site Yaesu. Entry Error I got on first go with the software Link https://www.yaesu.com/i...

View on www.youtube.com https://www.youtube.com/watch?v=tedFCescBx4
Preview by Yahoo

365. Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-03 16:55:58 UTC
From: m3oyi@...
Topic: 353 Message: 365

FT1D ADM 6 Entry Error https://www.youtube.com/watch?v=tedFCescBx4

https://www.youtube.com/watch?v=tedFCescBx4

FT1D ADM 6 Entry Error https://www.youtube.com/watch?v=tedFCescBx4 Short tutorial on the free programming software ADM-6 from USA site Yaesu. Entry Error I got on first go with the software Link https://www.yaesu.com/i...

View on www.youtube.com https://www.youtube.com/watch?v=tedFCescBx4
Preview by Yahoo

366. RE: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-03 22:11:54 UTC
From: Mark
Topic: 353 Message: 366

The FT-1D does NOT do “narrowband” channels, or at least not all of them. The frequency needs to be divisible by either “5” or “6.25” to be considered “valid” by the software. Some narrowband frequencies fit this criteria, others do not… (Many of the narrowband frequencies are divisible by 2.5.)

I’m thinking that the frequency you are trying to enter does not fit the criteria that Yaesu has defined, therefore the error.

Mark – N9WYS

From: FT-1D@yahoogroups.com Posted by: radioblanca@yahoo.es
Sent: Sunday, May 03, 2015 10:33 AM
To: FT-1D@yahoogroups.com
Subject: RE: [FT-1D] Re: ADMS-6

I put frequently in the software off ERROR A VALID FREQUENCY

367. RE: [FT-1D] Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-03 22:18:28 UTC
From: Mark
Topic: 358 Message: 367

I have a JetStream JTS2 that I originally bought for use on my VX-7R. When that radio died, I just moved it to the FT-1D and I’m VERY happy with it so far.

But understand; asking for a “recommendation” is like asking what is the better vehicle – Chevy, Ford, or Dodge. ;-)

Mark – N9WYS

From: FT-1D@yahoogroups.com Posted by: doug.mccomber@...
Sent: Sunday, May 03, 2015 7:29 AM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Antenna Recommendations

In another thread Dan mentioned replacing the stock antenna. I'm new to amateur radio (taking a course at my local club now and the exam in early June) and this is my first HT. So I haven't done any transmitting testing of course and I have no experience with different 3rd party antenna brands/models. Anyone care to recommend a specific replacement antenna or give any general guidelines as to brands to buy or avoid?

Thanks,

Doug

368. RE: [FT-1D] Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-03 22:46:09 UTC
From: Edward Ivester
Topic: 358 Message: 368

I've used a Comet SMA-24 for a couple of years. It's very flexible. Doesn't put any leverage on the SMA receptacle, and has some gain as compared to the stock antenna. Also, all the beautiful people use this antenna at ham conventions!
Ted, N7NSL

369. RE: [FT-1D] Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-03 23:24:35 UTC
From: bill@...
Topic: 358 Message: 369

I only have HT so have used other antennas to increase range. The Diamond SRH77CA (at HRO) is good both in my FT-60 and (current) FT-1DR.

But the Pryme AL-800 seems to have exceptional performance (though it's much longer and seems to me to be somewhat fragile. I'm careful how I handle mine).

--Bill K6BLL

370. RE: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-04 14:14:18 UTC
From: radioblanca@...
Topic: 353 Message: 370

I can only enter frequencies without decimals, for example 146,000

371. RE: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-04 15:26:51 UTC
From: radioblanca@...
Topic: 353 Message: 371

Is there any alternative to ADMS-6?

372. Re: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-04 16:14:15 UTC
From: Brian Smithson
Topic: 353 Message: 372

https://www.rtsystemsinc.com/FT-1D-programming-software-and-USB-cable-s/2244.htm

On Mon, May 4, 2015 at 11:26 AM, radioblanca@... [FT-1D] <
FT-1D@yahoogroups.com> wrote:

>
>
> Is there any alternative to ADMS-6?
>
>

373. Re: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-04 16:26:30 UTC
From: Marco IZ3GME
Topic: 353 Message: 373

Chirp!
http://chirp.danplanet.com

Be sure to download the daily version

73 de IZ3GME Marco

On 04/05/2015 17:26, radioblanca@... [FT-1D] wrote:
> Is there any alternative to ADMS-6?
>
>

374. RE: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-04 17:23:15 UTC
From: Jeff Pixelated
Topic: 353 Message: 374

I use Chirp. It's opensource, available for multiple OSes and the only one for the Mac, which I have. I need to download the nightly builds for the FT-1D, but that's not a big deal for me. I keep getting updated versions of the software, the last stable version is from last September (I think).

375. Re: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-04 17:47:25 UTC
From: Marco IZ3GME
Topic: 353 Message: 375

Last Chirp stable version is more than a year old, there are many improvement and new radio support in daily build, including FT-1D since last december.

73 de IZ3GME Marco

On 04/05/2015 19:23, Jeff Pixelated thepixelated13@... [FT-1D] wrote:
> I use Chirp. It's opensource, available for multiple OSes and the only
> one for the Mac, which I have. I need to download the nightly builds for
> the FT-1D, but that's not a big deal for me. I keep getting updated
> versions of the software, the last stable version is from last September
> (I think).
>
>
>
>

376. Re: Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-04 20:02:51 UTC
From: k6di@...
Topic: 358 Message: 376

Hi Doug,

I've had many of the antennas mentioned by other posts, and you won't go wrong with any of them. Of course, longer antennas generally perform better than shorter ones, at the price of being clumsier and more conspicuous. Surprisingly, I found the SMA-24, a thin wire antenna, to perform somewhat better than the heftier SRH77CA, to be less visible, and (being flexible) to be easier to deal with.

My current antenna is a Smiley 270A Dual Band http://www.smileyantenna.com/collections/dual-band/products/270a-dual-band, and it's well made, with fine performance. It has the advantage of being extendable to the length of the SRH77CA or SMA-24 when you need the gain, and as short as a rubber duck when you're close in. It's eHam.net review places it somewhat higher than the two previously mentioned. The price is quite reasonable at $23, direct from the manufacturer.

Appearance may be as important a discriminator here as performance. To echo others, though, they're all better choices than the stock rubber duck.

--Dan (K6DI)

377. Re: [FT-1D] Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-04 21:18:20 UTC
From: Dennis Griffin
Topic: 358 Message: 377

This is indeed a good performing antenna, but I haven’t found it to perform better than the all time favorite of many, the Diamond 77 series. However, it has a tendency to oscillate physically if one is walking with it, or otherwise not keeping it still, making it much less suitable in many cases than the 77 series. This oscillation can cause flutter on the transmitted signal, especially into a more distant repeater.

Possibly the best attribute of antennas of this type is the ability to form them into a closed loop, as though attempting to tie in a knot, but not pulling tight. Doing this puts the SMA-24 into a loop about 3" in diameter, making it easy to tuck away for use as a spare, or to keep it from tickling one's armpit while walking with the HT on one's belt.

I too like many of the Smiley products.

73 de Dennis KD7CAC
Scottsdale, AZ

> On May 4, 2015, at 1:02 PM, k6di@arrl.net [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> Hi Doug,
>
>
> I've had many of the antennas mentioned by other posts, and you won't go wrong with any of them. Of course, longer antennas generally perform better than shorter ones, at the price of being clumsier and more conspicuous. Surprisingly, I found the SMA-24, a thin wire antenna, to perform somewhat better than the heftier SRH77CA, to be less visible, and (being flexible) to be easier to deal with.
>
> My current antenna is a Smiley 270A Dual Band <http://www.smileyantenna.com/collections/dual-band/products/270a-dual-band>, and it's well made, with fine performance. It has the advantage of being extendable to the length of the SRH77CA or SMA-24 when you need the gain, and as short as a rubber duck when you're close in. It's eHam.net review places it somewhat higher than the two previously mentioned. The price is quite reasonable at $23, direct from the manufacturer.
>
> Appearance may be as important a discriminator here as performance. To echo others, though, they're all better choices than the stock rubber duck.
>
> --Dan (K6DI)
>
>
> Posted by: k6di@...

378. Re: Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-04 21:42:24 UTC
From: Edward Ivester
Topic: 358 Message: 378

This has been an interesting conversation. As I state previously, my favorite is the SMA124. There is a potential problem however. It as no ability to seal the SMA recepticle, so water could get in to the internals. Our club tested the gain, kind of, using a signal strength meter. We compared the Diamond SRH320A, NAGOYA NA771, and Comet SMA24. Both Comet and NAGOYA antennas indicated the same gain with the Diamond showing slightly less gain. But compared to the stock antennas (dummy loads), they all did great.
Only he NAGOYA sealed well on the SMA receptacle so it is my choice out in the field.
 But compared to the stock antennas (dummy loads), they all did great.Knowing all that, I still use the SMA124 - at least at ham conventions.
Edward Ivester, N7NSL

379. RE: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-04 21:55:37 UTC
From: Mark
Topic: 353 Message: 379

I just bought the RT Systems ADMS-FT1D software. Had a glitch, but Tech Support has just fixed that.

FWIW – anyone here who has this might want to get the latest update… it's maybe 6 hours old now. My file contributed to them finding/fixing the bug.

Mark – N9WYS

From: FT-1D@yahoogroups.com Posted by: radioblanca@...
Sent: Monday, May 04, 2015 10:27 AM
To: FT-1D@yahoogroups.com
Subject: RE: [FT-1D] Re: ADMS-6

Is there any alternative to ADMS-6?

380. Re: [FT-1D] Re: Battery/charging level display

Yahoo group: FT-1D
Date: 2015-05-05 00:22:33 UTC
From: Mike Dombrowski
Topic: 186 Message: 380

I exchanged mine due to the battery display issue (in part). The replacement radio's battery mostly functions as it should... the charging meter is not any good but the operational battery icon now works.

On Sunday, May 3, 2015 6:40 AM, "Jim K5JG k5jg@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

  I've used many BatteriesAmerica batteries and chargers over the years
and never had a problem.

73, Jim K5JG

doug.mccomber@... [FT-1D] wrote:
>
>
> When I ordered mine I got the AAA battery pack with it for those
> occasions when charging isn't an option. But now I think a second
> rechargeable is in order. Batteries America has one on sales right now,
> anyone used their products before? YAESU-VERTEX batteries
> <http://www.batteriesamerica.com/yaesu-vertex.htm>

381. Re: Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-05 12:39:37 UTC
From: doug.mccomber@...
Topic: 358 Message: 381

That's my plan too Jeff! :)

---In FT-1D@yahoogroups.com, <thepixelated13@...> wrote :

I have a Diamond SRH-77CA antenna on my FT-1DR. If I'm in the car I have a Comet M-24S mag mount connected to my HT (not getting a mobile radio until way after I get a HF base station radio first).

382. Re: Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-05 12:59:46 UTC
From: doug.mccomber@...
Topic: 358 Message: 382

Thanks for all the input everyone, very informative. I've narrowed it down to either the Comet SMA-503 or Diamond SRH-519. But I'll probably get one of the longer antennas at a later date too!

383. Packet and CT-44

Yahoo group: FT-1D
Date: 2015-05-05 13:11:28 UTC
From: doug.mccomber@...
Topic: 383 Message: 383

I have an old AEA PK-232MBX and I want to interface it with my FT1DR. The FT1DR manual briefly mentions packet and says you can do it "by connecting TNC using an optional connection cable CT-44". CT-44 plugs into the mic port and provides a separate mic and ear port. But googling for a suitable cable (my soldering skills aren't there yet) I came across one from MFJ (http://www.mfjenterprises.com/Product.php?productid=MFJ-5020X) that has just the single jack which looks to be correct. Their page mentions it is compatible with R-series HT's.

So this MFJ cable looks to be correct and I can skip the CT-44. Does that seem right to you?

Thanks,
Doug

384. Re: [FT-1D] Antenna Recommendations

Yahoo group: FT-1D
Date: 2015-05-05 13:14:48 UTC
From: Dennis Griffin
Topic: 358 Message: 384
Attachments: 4 described; binary payloads are missing from this source WARC

5W or less can reach out with the right antenna, whether handheld, in a car or on a motorcycle, bicycle, canoe, etc.

See SRH77CA on TH-D7A in action shot. TH-D7A talking like a big radio through a Diamond NR-770BNMO in the two VStrom shots. I've worked many MS-150 and similar bicycle races & rides that get out into rural areas, with repeaters as much as 60 miles distant, with this setup. Icom Z1A reaching out through a Smiley with a tiger tail on Triumph Daytona.

73 de Dennis KD7CAC
Scottsdale, AZ

> On May 5, 2015, at 5:39 AM, doug.mccomber@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>
> That's my plan too Jeff! :)
>
> ---In FT-1D@yahoogroups.com, <thepixelated13@...> wrote :
>
> I have a Diamond SRH-77CA antenna on my FT-1DR. If I'm in the car I have a Comet M-24S mag mount connected to my HT (not getting a mobile radio until way after I get a HF base station radio first).
>
>
>
>
> Posted by: doug.mccomber@... <mailto:doug.mccomber@...>

385. Re: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-05 14:58:26 UTC
From: radioblanca@...
Topic: 353 Message: 385

Thanks to all at the end install the CHIRP and am very happy, it works well.

386. Re: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-05 15:40:06 UTC
From: Edward Ivester
Topic: 353 Message: 386

I'm awaiting my brand new FT-1DR radio. I have a question regarding programing software.
Does CHIRP or ADMS-6 program the features of the FT-1DR?
Edward Ivester, N7NSL

387. Re: [FT-1D] Re: ADMS-6

Yahoo group: FT-1D
Date: 2015-05-05 21:04:23 UTC
From: radioblanca@...
Topic: 353 Message: 387

Chirp works very well, I did not work I ADMS-6.Elicio EA8CHY

388. when I get to charge the battery?

Yahoo group: FT-1D
Date: 2015-05-08 21:53:14 UTC
From: radioblanca@...
Topic: 388 Message: 388

charge the battery when the FT 1, if the battery indicator, always dial charged butt? 73
Elicio EA8CHY

389. 2 Questions from a Newbie!

Yahoo group: FT-1D
Date: 2015-05-13 19:21:55 UTC
From: n7nsl@...
Topic: 389 Message: 389

Just received my new FT1DR yesterday and so far so good. It replaces a VX-6.
I have 2 questions: How is the firmware version found? And, is there a way of determining the date of manufacture?

Edward Ivester, N7NSL

390. Re: [FT-1D] 2 Questions from a Newbie!

Yahoo group: FT-1D
Date: 2015-05-13 20:28:06 UTC
From: Shiny Side
Topic: 389 Message: 390

Hi Edward,

I believe you hold the number 3 key down while powering on the radio. Not by the radio or manual, so just going by off the cuff memory. Hope that helps.

Bob

__

From: mailto:FT-1D@yahoogroups.com
Sent: Wednesday, May 13, 2015 2:21 PM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] 2 Questions from a Newbie!

Just received my new FT1DR yesterday and so far so good. It replaces a VX-6.

I have 2 questions: How is the firmware version found? And, is there a way of determining the date of manufacture?

Edward Ivester, N7NSL

391. Re: [FT-1D] 2 Questions from a Newbie!

Yahoo group: FT-1D
Date: 2015-05-13 20:43:46 UTC
From: Edward Ivester
Topic: 389 Message: 391

Bob,
That didn't do it. I stood on one foot, held my breath for 10 seconds, and tried having good thought of Yaesu manuals - that was hard, but nothing happened.This brings up another question: Is there alternate instructional material for the FT1DR?
He Who WondersEdward Ivester, N7NSL

On Wednesday, May 13, 2015 1:28 PM, "Shiny Side shinysideup@hotmail.com [FT-1D]" <FT-1D@yahoogroups.com> wrote:

Hi Edward, I believe you hold the number 3 key down while powering on the radio. Not by the radio or manual, so just going by off the cuff memory. Hope that helps. Bob ***___*** From: mailto:FT-1D@yahoogroups.com Sent: Wednesday, May 13, 2015 2:21 PMTo: FT-1D@yahoogroups.com Subject: [FT-1D] 2 Questions from a Newbie! Just received my new FT1DR yesterday and so far so good. It replaces a VX-6.I have 2 questions: How is the firmware version found? And, is there a way of determining the date of manufacture?
Edward Ivester, N7NSL

392. Re: [FT-1D] 2 Questions from a Newbie!

Yahoo group: FT-1D
Date: 2015-05-13 21:18:08 UTC
From: Dennis Griffin
Topic: 389 Message: 392

Hi Edward,

No special antics required. Hold down the Band key while powering on. LED will light and display will be blanked. Press the Band key again and the HT will buzz and display the base version number.

To get the DPS version, use the Dx key to put the HT in a mode other than straight FM. Selecting modes Auto FM (w flashing bar in front of FM), DN & VW will allow version to show. Then hold down the Disp key to open the menu system, scroll to 2 TX/RX, press the Ent key, scroll to 2 Digital and press the Ent key, scroll to 6 DSP Ver and press the Ent key one last time.

Date of Mfr may be available from the s/n, if you ask the service center nicely.

73 de Dennis KD7CAC
Scottsdale, AZ

> On May 13, 2015, at 1:43 PM, Edward Ivester n7nsl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>
> Bob,
>
> That didn't do it. I stood on one foot, held my breath for 10 seconds, and tried having good thought of Yaesu manuals - that was hard, but nothing happened.
> This brings up another question: Is there alternate instructional material for the FT1DR?
>
> He Who Wonders
> Edward Ivester, N7NSL
>
> On Wednesday, May 13, 2015 1:28 PM, "Shiny Side shinysideup@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:
>
> Hi Edward,
>
> I believe you hold the number 3 key down while powering on the radio. Not by the radio or manual, so just going by off the cuff memory. Hope that helps.
>
> Bob
>
> ***___***
>
> From: mailto:FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>
> Sent: Wednesday, May 13, 2015 2:21 PM
> To: FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>
> Subject: [FT-1D] 2 Questions from a Newbie!

>
>
> Just received my new FT1DR yesterday and so far so good. It replaces a VX-6.
> I have 2 questions: How is the firmware version found? And, is there a way of determining the date of manufacture?
>
> Edward Ivester, N7NSL
>
>

393. Re: [FT-1D] 2 Questions from a Newbie!

Yahoo group: FT-1D
Date: 2015-05-14 02:10:46 UTC
From: Edward Ivester
Topic: 389 Message: 393

Dennis,
Thanks for the information. It worked and my radio came with version 1.08. The upgrade worked and now the radio is at version 2.04.Now for the manufacture date!
Edward Ivester, N7NSL

On Wednesday, May 13, 2015 2:18 PM, "Dennis Griffin eagleeyedennis@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

Hi Edward,
No special antics required. Hold down the Band key while powering on. LED will light and display will be blanked. Press the Band key again and the HT will buzz and display the base version number.
To get the DPS version, use the Dx key to put the HT in a mode other than straight FM. Selecting modes Auto FM (w flashing bar in front of FM), DN & VW will allow version to show. Then hold down the Disp key to open the menu system, scroll to 2 TX/RX, press the Ent key, scroll to 2 Digital and press the Ent key, scroll to 6 DSP Ver and press the Ent key one last time.
Date of Mfr may be available from the s/n, if you ask the service center nicely.
73 de Dennis KD7CACScottsdale, AZ

On May 13, 2015, at 1:43 PM, Edward Ivester n7nsl@... [FT-1D] <FT-1D@...m> wrote:

Bob,
That didn't do it. I stood on one foot, held my breath for 10 seconds, and tried having good thought of Yaesu manuals - that was hard, but nothing happened.This brings up another question: Is there alternate instructional material for the FT1DR?
He Who WondersEdward Ivester, N7NSL
On Wednesday, May 13, 2015 1:28 PM, "Shiny Side shinysideup@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

Hi Edward, I believe you hold the number 3 key down while powering on the radio. Not by the radio or manual, so just going by off the cuff memory. Hope that helps. Bob ***___*** From: mailto:FT-1D@yahoogroups.com Sent: Wednesday, May 13, 2015 2:21 PMTo: FT-1D@yahoogroups.com Subject: [FT-1D] 2 Questions from a Newbie! Just received my new FT1DR yesterday and so far so good. It replaces a VX-6.I have 2 questions: How is the firmware version found? And, is there a way of determining the date of manufacture?
Edward Ivester, N7NSL

394. Re: [FT-1D] 2 Questions from a Newbie!

Yahoo group: FT-1D
Date: 2015-05-14 03:06:38 UTC
From: Jim K5JG
Topic: 389 Message: 394

Yaesu year and month of manufacture can be determined from the serial number as follows:

1st character (always a number) - Year of manufacture: 3 = 2013, 4 = 2014, 5 = 2015, etc.

2nd character (always a letter) - Month of manufacture: C = Jan, D = Feb,....., N = Dec.

3rd & 4th characters (always numbers) - the lot or run number

5th thru 8th characters (always numbers) - manufacturing sequence number.

So, a serial number of 5F123456 would be for a radio made in 2015 during the month of April, which was part of Lot 12, and was the 3,456th radio made in that lot.

73, Jim K5JG

Edward Ivester n7nsl@... [FT-1D] wrote:
>
>
> Dennis,
>
> Thanks for the information. It worked and my radio came with version
> 1.08. The upgrade worked and now the radio is at version 2.04.
> Now for the manufacture date!
>
> Edward Ivester, N7NSL

395. Re: [FT-1D] 2 Questions from a Newbie!

Yahoo group: FT-1D
Date: 2015-05-14 04:17:31 UTC
From: Edward Ivester
Topic: 389 Message: 395

Thanks Jim for the info. I just purchased my radio through Amazon. It has a manufacture date of March 2014.
Edward Ivester, N7NSL

On Wednesday, May 13, 2015 8:05 PM, "Jim K5JG k5jg@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

  Yaesu year and month of manufacture can be determined from the serial number as follows:

1st character (always a number) - Year of manufacture: 3 = 2013, 4 = 2014, 5 = 2015, etc.

2nd character (always a letter) - Month of manufacture: C = Jan, D = Feb,......., N = Dec.

3rd & 4th characters (always numbers) - the lot or run number

5th thru 8th characters (always numbers) - manufacturing sequence number.

So, a serial number of 5F123456 would be for a radio made in 2015 during the month of April, which was part of Lot 12, and was the 3,456th radio made in that lot.

73, Jim K5JG

Edward Ivester n7nsl@yahoo.com [FT-1D] wrote:
>
>
> Dennis,
>
> Thanks for the information. It worked and my radio came with version
> 1.08. The upgrade worked and now the radio is at version 2.04.
> Now for the manufacture date!
>
> Edward Ivester, N7NSL

396. Setting memories

Yahoo group: FT-1D
Date: 2015-05-18 02:26:23 UTC
From: Richard Hall
Topic: 396 Message: 396

Is the any way to set FM, auto DN, or DN using programming software for each memory channel?

Thanks,
Richard
WB4TNH

397. DSP Version displays a decimal

Yahoo group: FT-1D
Date: 2015-05-19 03:15:35 UTC
From: kb5hav@...
Topic: 397 Message: 397

Not sure if anyone else has seen this problem, if it is one, but, I saw a post on Facebook today where a guy, when checking to see what version DSP firmware his FT-1DR has it showed (DSP Ver .) That's right, no numbers, only a decimal. So, I was curious as to what my radio would show that I bought back in April.

When I check the Main Firmware version I get version 2.04. This is fine as it is the latest version. When checking the DSP Firmware Version, I get only a decimal. I downloaded the latest firmware and DSP updates from Yaesu's website. Even though I have the same firmware as the update, I ran the program and followed all steps to the letter. Once all that was complete, I ran the DSP update and followed all steps to the letter. Once all complete, there is NO CHANGE. Main Firmware is 2.04, which is correct, and the DSP Firmware is . , not 1.07 as it should be.

Anyone else noticed this? Anyone have any idea of what to do beyond calling Yaesu Tech Support and/or sending it back to Yaesu? I'd hate to send it back as there is no idea when I'd see it again. This is a great little radio!

Thanks in advance for answers or advice!

73
Bobby
KB5HAV

398. Re: [FT-1D] DSP Version displays a decimal

Yahoo group: FT-1D
Date: 2015-05-19 11:08:00 UTC
From: Dennis Griffin
Topic: 397 Message: 398

To get the DPS version number, use the Dx key to put the HT in a mode other than straight FM. Selecting modes Auto FM (w flashing bar in front of FM), DN & VW will allow the version number to show. Then hold down the Disp key to open the menu system, scroll to 2 TX/RX, press the Ent key, scroll to 2 Digital and press the Ent key, scroll to 6 DSP Ver and press the Ent key one last time.

73 de Dennis KD7CAC
Scottsdale, AZ

> On May 18, 2015, at 8:15 PM, kb5hav@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> Not sure if anyone else has seen this problem, if it is one, but, I saw a post on Facebook today where a guy, when checking to see what version DSP firmware his FT-1DR has it showed (DSP Ver .) That's right, no numbers, only a decimal. So, I was curious as to what my radio would show that I bought back in April.
>
> When I check the Main Firmware version I get version 2.04. This is fine as it is the latest version. When checking the DSP Firmware Version, I get only a decimal. I downloaded the latest firmware and DSP updates from Yaesu's website. Even though I have the same firmware as the update, I ran the program and followed all steps to the letter. Once all that was complete, I ran the DSP update and followed all steps to the letter. Once all complete, there is NO CHANGE. Main Firmware is 2.04, which is correct, and the DSP Firmware is . , not 1.07 as it should be.
>
> Anyone else noticed this? Anyone have any idea of what to do beyond calling Yaesu Tech Support and/or sending it back to Yaesu? I'd hate to send it back as there is no idea when I'd see it again. This is a great little radio!
>
> Thanks in advance for answers or advice!
>
> 73
> Bobby
> KB5HAV

399. Re: [FT-1D] DSP Version displays a decimal

Yahoo group: FT-1D
Date: 2015-05-19 19:44:49 UTC
From: Dennis Griffin
Topic: 397 Message: 399

Sorry, make that the DSP version, not DPS.

73 de Dennis KD7CAC
Scottsdale, AZ

> On May 19, 2015, at 4:08 AM, Dennis Griffin eagleeyedennis@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> To get the DPS version number, use the Dx key to put the HT in a mode other than straight FM. Selecting modes Auto FM (w flashing bar in front of FM), DN & VW will allow the version number to show. Then hold down the Disp key to open the menu system, scroll to 2 TX/RX, press the Ent key, scroll to 2 Digital and press the Ent key, scroll to 6 DSP Ver and press the Ent key one last time.
>
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
>> On May 18, 2015, at 8:15 PM, kb5hav@...g <mailto:kb5hav@...> [FT-1D] <FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>> wrote:
>>
>>
>> Not sure if anyone else has seen this problem, if it is one, but, I saw a post on Facebook today where a guy, when checking to see what version DSP firmware his FT-1DR has it showed (DSP Ver .) That's right, no numbers, only a decimal. So, I was curious as to what my radio would show that I bought back in April.
>>
>> When I check the Main Firmware version I get version 2.04. This is fine as it is the latest version. When checking the DSP Firmware Version, I get only a decimal. I downloaded the latest firmware and DSP updates from Yaesu's website. Even though I have the same firmware as the update, I ran the program and followed all steps to the letter. Once all that was complete, I ran the DSP update and followed all steps to the letter. Once all complete, there is NO CHANGE. Main Firmware is 2.04, which is correct, and the DSP Firmware is . , not 1.07 as it should be.
>>
>> Anyone else noticed this? Anyone have any idea of what to do beyond calling Yaesu Tech Support and/or sending it back to Yaesu? I'd hate to send it back as there is no idea when I'd see it again. This is a great little radio!
>>
>> Thanks in advance for answers or advice!
>>
>> 73
>> Bobby
>> KB5HAV
>>

>
>
>
> Posted by: Dennis Griffin <EagleEyeDennis@...>

400. Re: [FT-1D] DSP Version displays a decimal

Yahoo group: FT-1D
Date: 2015-05-20 03:28:55 UTC
From: Edward Ivester
Topic: 397 Message: 400

I've just purchased a FT-1DR with a manufacture date of March 2014. Just updated the firmware to 2.04 but the DSP firmware indicated 1.04, not 1.07. Any thoughts.
Edward Ivester, N7NSL

401. Adms-6

Yahoo group: FT-1D
Date: 2015-06-20 12:29:18 UTC
From: radioblanca@...
Topic: 401 Message: 401

.Adms 6, new version , version 1.2.13

402. Re: [FT-1D] Adms-6 (New Version - NOT)

Yahoo group: FT-1D
Date: 2015-06-20 14:24:57 UTC
From: Jim K5JG
Topic: 401 Message: 402

The Yaesu site says it's v1.02.13, but when checking Help|About after installing it, the version is still showing v1.02.11.

Also, none of the "new" files have 2015 for their date stamp, other than the ones created during installation and program startup.

Apparently someone at Yaesu messed up.

73, Jim K5JG

radioblanca@... [FT-1D] wrote:
>
>
> .Adms 6, new version , version 1.2.13
>
>

403. Re: [FT-1D] Adms-6 (New Version - NOT)

Yahoo group: FT-1D
Date: 2015-06-20 18:07:52 UTC
From: radioblanca@...
Topic: 401 Message: 403

ok, right 73

404. there are no changes

Yahoo group: FT-1D
Date: 2015-06-29 14:49:51 UTC
From: radioblanca@...
Topic: 404 Message: 404

...Yaesu does not change the version of Adms 6.Les send an email to the change, but still the same.

407. North American FT-1D with European frequencies?

Yahoo group: FT-1D
Date: 2015-08-21 18:42:40 UTC
From: Thanh Nguyen
Topic: 407 Message: 407

I am traveling with my north american FT-1D radio in Europe and I noticed that I can't set certain frequencies that my French and Spanish partners can do on their 2m radios. Is there away to "unlock" all frequencies on the north american device?
Thanks.
T

408. RE: [FT-1D] North American FT-1D with European frequencies?

Yahoo group: FT-1D
Date: 2015-08-21 23:04:29 UTC
From: Steve
Topic: 407 Message: 408

You can wideband an FT1D, I had an FT1DE made wideband. I sold it when I got the FT2DE. Then new owner is part of a rescue group and we tested it in the 160MHz range and it transmitted fine. Not that you need that frequency

I had mine done by the dealer so don't know the details, but it is possible to do

Steve

G6UIM

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: 21 August 2015 19:43
To: FT-1D@yahoogroups.com
Subject: [FT-1D] North American FT-1D with European frequencies?

I am traveling with my north american FT-1D radio in Europe and I noticed that I can't set certain frequencies that my French and Spanish partners can do on their 2m radios. Is there away to "unlock" all frequencies on the north american device?
Thanks.
T

409. Re: North American FT-1D with European frequencies?

Yahoo group: FT-1D
Date: 2015-08-22 02:38:22 UTC
From: k9rod@...
Topic: 407 Message: 409

Here is the US mod:

If you remove the battery and the small round plastic cover you will notice a switch and a jumper, do not touch the switch just remove the jumper.
Put plastic cover back in place and the battery then just press and hold the band when power on the transceiver, the mode will enable TX 140.000 - 174.000 and 420.00 - 470.000 MHz.
All data will be lost and call sign as well.!
Please do this at our own risk i presume no responsibility i did it and it worked !!! :)'

As you see in my radio the only visible jumper is actually removed by me.

410. Re: [FT-1D] Re: North American FT-1D with European frequencies?

Yahoo group: FT-1D
Date: 2015-08-22 19:26:58 UTC
From: Thanh Nguyen
Topic: 407 Message: 410

Thank you very much. Excellent instructions. I will give this a try. Those are the frequencies that I couldn't enter on my N American device.

T.

On Aug 22, 2015 4:38 AM, "k9rod@k9rod.net [FT-1D]" <FT-1D@yahoogroups.com> wrote:

Here is the US mod:

If you remove the battery and the small round plastic cover you will notice a switch and a jumper, do not touch the switch just remove the jumper.
Put plastic cover back in place and the battery then just press and hold the band when power on the transceiver, the mode will enable TX 140.000 - 174.000 and 420.00 - 470.000 MHz.
All data will be lost and call sign as well.!
Please do this at our own risk i presume no responsibility i did it and it worked !!! :)'

As you see in my radio the only visible jumper is actually removed by me.

411. RE: [FT-1D] Re: North American FT-1D with European frequencies?

Yahoo group: FT-1D
Date: 2015-08-23 10:26:24 UTC
From: N9WYS
Topic: 407 Message: 411

I can verify this method works – I have done the same with mine. Now, if it would only do the “narrowband” splits in VHF…

Mark – N9WYS

Lt., Field Services Division

Will County (IL) EMA

From: FT-1D@yahoogroups.com Posted by: k9rod@...
Sent: Friday, August 21, 2015 9:38 PM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Re: North American FT-1D with European frequencies?

Here is the US mod:

If you remove the battery and the small round plastic cover you will notice a switch and a jumper, do not touch the switch just remove the jumper.

Put plastic cover back in place and the battery then just press and hold the band when power on the transceiver, the mode will enable TX 140.000 - 174.000 and 420.00 - 470.000 MHz.

All data will be lost and call sign as well.!

Please do this at our own risk i presume no responsibility i did it and it worked !!! :)'

412. RE: [FT-1D] Re: North American FT-1D with European frequencies?

Yahoo group: FT-1D
Date: 2015-08-23 13:29:33 UTC
From: jim
Topic: 407 Message: 412

You can open up the FT1D but don't forget that it's illegal to transmit outside of the amateur bands.

Sent from my Samsung Galaxy Tab®4

-------- Original message --------
From: "'N9WYS' n9wys@ameritech.net [FT-1D]" <FT-1D@yahoogroups.com>
Date: 8/23/2015 5:26 AM (GMT-06:00)
To: FT-1D@yahoogroups.com
Subject: RE: [FT-1D] Re: North American FT-1D with European frequencies?

I can verify this method works – I have done the same with mine. Now, if it would only do the “narrowband” splits in VHF… Mark – N9WYSLt., Field Services DivisionWill County (IL)
EMA From: FT-1D@yahoogroups.com Posted by: k9rod@k9rod.net
Sent: Friday, August 21, 2015 9:38 PM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Re: North American FT-1D with European frequencies?Here is the US mod: If you remove the battery and the small round plastic cover you will notice a switch and a jumper, do not touch the switch just remove the jumper. Put plastic cover back in place and the battery then just press and hold the band when power on the transceiver, the mode will enable TX 140.000 - 174.000 and 420.00 - 470.000 MHz. All data will be lost and call sign as well.! Please do this at our own risk i presume no responsibility i did it and it worked !!! :)'

414. Memory tag, Mic Jack, Programing Questions

Yahoo group: FT-1D
Date: 2015-08-24 00:00:42 UTC
From: mi.emt10@...
Topic: 414 Message: 414

I am looking at purchasing an FT1DR from Giga Parts and have a few questions:

1. When running in dual channel mode from memory, are the memory tags displayed, or is that only in single-channel mode?

2. How is the mic jack? Does the mic stay in, or have problems with coming out like on the ft60r?
3. Does anyone have experience with the Yaesu ADMS-6 programing software?
4. Will the radio come with a cable to use with that software, or will I need to purchase one separately?

Thanks,
KD8RMQ

415. Re: Memory tag, Mic Jack, Programing Questions

Yahoo group: FT-1D
Date: 2015-08-24 00:06:39 UTC
From: Jeff Pixelated
Topic: 414 Message: 415

I have a Mac and use Chirp to program the radio. Easy peasy. And it's free...

Yes, the radio comes with a cable for programming.

I've never had a problem with the speaker/mic coming unplugged...

416. Re: Memory tag, Mic Jack, Programing Questions

Yahoo group: FT-1D
Date: 2015-08-24 00:07:12 UTC
From: Jeff Pixelated
Topic: 414 Message: 416

And they have Chirp for Windows also...

417. Re: Memory tag, Mic Jack, Programing Questions

Yahoo group: FT-1D
Date: 2015-08-30 14:02:41 UTC
From: mi.emt10@...
Topic: 414 Message: 417

Thanks for the info.

My FT1DR just arrived from Gigaparts. So far, I am happy with it.

418. Mic jack pinout?

Yahoo group: FT-1D
Date: 2015-09-15 02:42:40 UTC
From: aftbit@...
Topic: 418 Message: 418

I can't find this anywhere - what's the pinout for the mic jack? Is it compatible with the VX8R? I want to build a cable for my Signalink...

419. What capacity MicroSD Card

Yahoo group: FT-1D
Date: 2015-09-16 18:11:39 UTC
From: 2e0jtp@...
Topic: 419 Message: 419

Hello,

I've just picked up an FT1DE and got it programmed up with my local frequencies, curtousy of Bob Freeth G4HFQ's, FTB1D software, and I'm trying to work out just how big an MicroSD card I'm going to have to buy.

I'm not going to be using it for photos.

What size of card do people use?

What is it used for, as I used the included SCU-19 cable to program the radio?

Regards

Jon 2E0JTP
Gillingham, Kent, UK

420. Re: [FT-1D] What capacity MicroSD Card

Yahoo group: FT-1D
Date: 2015-09-16 18:27:04 UTC
From: scott harshman
Topic: 419 Message: 420

i just have a small 4gig in mine and i use it to store the programing for the radio.if you have to restore it in the field you can with out the use of a computer

On Wednesday, September 16, 2015 2:11 PM, "2e0jtp@gmail.com [FT-1D]" <FT-1D@yahoogroups.com> wrote:

  Hello,

I've just picked up an FT1DE and got it programmed up with my local frequencies, curtousy of Bob Freeth G4HFQ's, FTB1D software, and I'm trying to work out just how big an MicroSD card I'm going to have to buy.

I'm not going to be using it for photos.

What size of card do people use?

What is it used for, as I used the included SCU-19 cable to program the radio?

Regards
Jon 2E0JTPGillingham, Kent, UK

421. RE: [FT-1D] What capacity MicroSD Card

Yahoo group: FT-1D
Date: 2015-09-16 18:29:34 UTC
From: Carl Chaffin
Topic: 419 Message: 421

I have a 32gb card that I've used in the past but I've also loaded my entire configuration on a 2 gb. card. Works just fine...:)

To: FT-1D@yahoogroups.com
From: FT-1D@yahoogroups.com
Date: Wed, 16 Sep 2015 18:27:04 +0000
Subject: Re: [FT-1D] What capacity MicroSD Card

i just have a small 4gig in mine and i use it to store the programing for the radio.if you have to restore it in the field you can with out the use of a computer

On Wednesday, September 16, 2015 2:11 PM, "2e0jtp@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

Hello,I've just picked up an FT1DE and got it programmed up with my local frequencies, curtousy of Bob Freeth G4HFQ's, FTB1D software, and I'm trying to work out just how big an MicroSD card I'm going to have to buy.I'm not going to be using it for photos.What size of card do people use?What is it used for, as I used the included SCU-19 cable to program the radio?RegardsJon 2E0JTPGillingham, Kent, UK

422. Re: What capacity MicroSD Card

Yahoo group: FT-1D
Date: 2015-09-16 18:48:57 UTC
From: Jeff Pixelated
Topic: 419 Message: 422

I have a 16 GB card in mine. I got that size so I can use it in the future for other things (came with an SD card adapter). Didn't see any need to go bigger at the time for the price...

423. Re: What capacity MicroSD Card

Yahoo group: FT-1D
Date: 2015-09-17 08:08:25 UTC
From: george.ok2kg@...
Topic: 419 Message: 423

Hi Jon,

I am using in my FT1DE an 8GB card for setup backup and GPS tracking in case I want see my trip on a map and there is no APRS didgi reachable.

73!

George OK2KG

424. Re: What capacity MicroSD Card

Yahoo group: FT-1D
Date: 2015-09-19 17:14:29 UTC
From: 2e0jtp@...
Topic: 419 Message: 424

Thanks for the replies.

I've picked up an 8GB card.

It should be way more than enough, but these cards are pretty damn cheap anyway. I guess we can thank all the smartphone users for the mass production of MicroSD cards. :)

Jon

425. Battery recommendations?

Yahoo group: FT-1D
Date: 2015-09-27 22:16:10 UTC
From: 2e0jtp@...
Topic: 425 Message: 425

I have the FT1DE with an 1800mAh battery, and it just about makes it through the day with bits of listening and quite a bit of TX'ing (at L1 power setting).

What batteries are people using, and how long are they getting out of them?

Are there any recommended 3rd party high capacity batteries, as I like the look of the 2200mAh battery that Yaesu sell, but I don' tlike the look of the price (about £70 in the UK)?

Jon

426. New FT-1D tricks

Yahoo group: FT-1D
Date: 2015-09-28 20:31:34 UTC
From: T Rahaim
Topic: 426 Message: 426

Greetings Folks,
Just received my new FT-1D the other day, and before I use the RT systems programming software, are there any other tricks I need to know?
Any other factory software updates I need to download from Yasaeu?
Thanks,
TonyKJ4PUJ

BTW - ordered mine from Universal Radio in Ohio,, had it to me in less than 3 days, as promised.

427. Brick radio?

Yahoo group: FT-1D
Date: 2015-09-29 01:03:02 UTC
From: Jeff Daugherty
Topic: 427 Message: 427

Anyone ever brick there FT1D?

I think this happened while sending a file to it.

I can't get it to turn on now...

428. Re: [FT-1D] Brick radio?

Yahoo group: FT-1D
Date: 2015-09-29 02:27:46 UTC
From: Mike Perez
Topic: 427 Message: 428

Take battery out, put it back, plug in charger cord and then try to re-start it.

Thanks,
Michael Pérez
Sent from my iPhone

On Sep 28, 2015, at 8:03 PM, 'Jeff Daugherty' jadaugh@... [FT-1D] <FT-1D@...m> wrote:

Anyone ever brick there FT1D?

I think this happened while sending a file to it.

I can't get it to turn on now...

430. FT2-DR for sale $420 shipped

Yahoo group: FT-1D
Date: 2015-10-18 12:42:19 UTC
From: w4yx@...
Topic: 430 Message: 430

Hi,

One week old FT2-DR. I've taken the current price less rebate and knocked off $20, so $120 under retail. PayPal only; shipped USPS Priority Mail

I've owned both the FT1-DR and the FT2-DR. I've ordered at FTM-100 and I've acquired a 2nd FT1-DR. This is the best combo for me since we have two full-time Fusion repeaters locally.

100% rating on Ebay [if that matters]

73,

Bill
w4yx a t arrl.net

431. Still confused about auto-mode

Yahoo group: FT-1D
Date: 2015-10-22 17:25:36 UTC
From: Brian Smithson
Topic: 431 Message: 431

After several months of owning this radio I am still puzzled by the auto-modes.

I have a bunch of analog FM repeaters stored in memory in FM mode as well as aircraft freq's in AM mode.

There is one SystemFusion repeater in my area, so that is one of them. I tried to save it to a memory in "DN" mode and it seemed to go in. but then when I changed memories to the other analog repeaters, the mode stays DN! Not how it was stored.

So I hit the Dx key until an analog repeater is FM, but when I change back to the Fusion repeater it too says FM. I thought I'd stored it as DN?

Now I experiment with the auto-mode. On an analog repeater, I press Dx until it has that little bar to the left of FM - auto-mode, right?

I move the dial down to an AM aircraft frequency, and it still says auto-FM. That's ok, because when I hear a transmission it switches to auto-AM. Confusing, because in memory it was saved as AM.

Move the dial back to an FM repeater and it still says auto-AM. Again, when someone keys up, it'll change to auto-FM. While it is auto-AM I can transmit and apparently it transmits FM because when the repeater responds it switches to auto-FM.

But back to the Fusion repeater - if it is in an auto-mode and a digital signal transmits, I *think* it will switch to DN so I can hear it. But how do *I* transmit if I haven't heard a digital signal first? Press Dx until the mode is DN and then key up?

What happens when I turn the dial to other frequencies and the mode stays DN? It is not auto-DN, so when there is a signal I hear nothing.

What am I doing wrong?

Thanks for the time!

73

-Brian n8wrl

432. Re: [FT-1D] Still confused about auto-mode

Yahoo group: FT-1D
Date: 2015-10-22 18:25:17 UTC
From: Mike Perez
Topic: 431 Message: 432

I leave mine in auto mode all the time. When I transmit will transmit as programmed.

Also, it will receive digital or analog based on of Fusion repeater or not.

Best way to do that. For me.

Hope that helps.

Thanks,
Michael Pérez W5ZAP
Sent from my iPhone

On Oct 22, 2015, at 12:25 PM, Brian Smithson n8wrl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

After several months of owning this radio I am still puzzled by the auto-modes.

I have a bunch of analog FM repeaters stored in memory in FM mode as well as aircraft freq's in AM mode.

There is one SystemFusion repeater in my area, so that is one of them. I tried to save it to a memory in "DN" mode and it seemed to go in. but then when I changed memories to the other analog repeaters, the mode stays DN! Not how it was stored.

So I hit the Dx key until an analog repeater is FM, but when I change back to the Fusion repeater it too says FM. I thought I'd stored it as DN?

Now I experiment with the auto-mode. On an analog repeater, I press Dx until it has that little bar to the left of FM - auto-mode, right?

I move the dial down to an AM aircraft frequency, and it still says auto-FM. That's ok, because when I hear a transmission it switches to auto-AM. Confusing, because in memory it was saved as AM.

Move the dial back to an FM repeater and it still says auto-AM. Again, when someone keys up, it'll change to auto-FM. While it is auto-AM I can transmit and apparently it transmits FM because when the repeater responds it switches to auto-FM.

But back to the Fusion repeater - if it is in an auto-mode and a digital signal transmits, I *think* it will switch to DN so I can hear it. But how do *I* transmit if I haven't heard a digital signal first? Press Dx until the mode is DN and then key up?

What happens when I turn the dial to other frequencies and the mode stays DN? It is not auto-DN, so when there is a signal I hear nothing.

What am I doing wrong?

Thanks for the time!

73

-Brian n8wrl

433. Re: [FT-1D] Still confused about auto-mode

Yahoo group: FT-1D
Date: 2015-10-22 18:39:50 UTC
From: Brian Smithson
Topic: 431 Message: 433

Thank you Michael!

What do you mean when you say "when I transmit will transmit as
programmed?"

I noticed in the manual after posting this that operating mode isn't even
saved with a memory.

So, if auto-FM is selected and you tune to a Fusion repeater and key up,
what mode are you transmitting in?

I can't seem to find an 'auto-DN' choice when I press Dx?

Thanks again, and 73!

-Brian n8wrl

On Thu, Oct 22, 2015 at 2:25 PM, Mike Perez mikerey01@... [FT-1D] <
FT-1D@yahoogroups.com> wrote:

>
>
> I leave mine in auto mode all the time. When I transmit will transmit as
> programmed.
>
> Also, it will receive digital or analog based on of Fusion repeater or
> not.
>
> Best way to do that. For me.
>
> Hope that helps.
>
> Thanks,
> Michael Pérez W5ZAP
> Sent from my iPhone
>
> On Oct 22, 2015, at 12:25 PM, Brian Smithson n8wrl@... [FT-1D] <
> FT-1D@yahoogroups.com> wrote:
>
>
>
>
> After several months of owning this radio I am still puzzled by the
> auto-modes.
>
> I have a bunch of analog FM repeaters stored in memory in FM mode as well
> as aircraft freq's in AM mode.
>

> There is one SystemFusion repeater in my area, so that is one of them. I
> tried to save it to a memory in "DN" mode and it seemed to go in. but then
> when I changed memories to the other analog repeaters, the mode stays DN!
> Not how it was stored.
>
> So I hit the Dx key until an analog repeater is FM, but when I change back
> to the Fusion repeater it too says FM. I thought I'd stored it as DN?
>
> Now I experiment with the auto-mode. On an analog repeater, I press Dx
> until it has that little bar to the left of FM - auto-mode, right?
>
> I move the dial down to an AM aircraft frequency, and it still says
> auto-FM. That's ok, because when I hear a transmission it switches to
> auto-AM. Confusing, because in memory it was saved as AM.
>
> Move the dial back to an FM repeater and it still says auto-AM. Again,
> when someone keys up, it'll change to auto-FM. While it is auto-AM I can
> transmit and apparently it transmits FM because when the repeater responds
> it switches to auto-FM.
>
> But back to the Fusion repeater - if it is in an auto-mode and a digital
> signal transmits, I *think* it will switch to DN so I can hear it. But how
> do *I* transmit if I haven't heard a digital signal first? Press Dx until
> the mode is DN and then key up?
>
> What happens when I turn the dial to other frequencies and the mode stays
> DN? It is not auto-DN, so when there is a signal I hear nothing.
>
> What am I doing wrong?
>
> Thanks for the time!
>
> 73
>
> -Brian n8wrl
>
>
>

434. Re: [FT-1D] Still confused about auto-mode

Yahoo group: FT-1D
Date: 2015-10-22 23:21:54 UTC
From: Mike Perez
Topic: 431 Message: 434

You are correct. Operating mode cannot saved with memory.

If on auto mode, it just transmits as usual. If digital and repeater is digital, you will receive on digital vs analog.

At least that's the way I understand it.

I've had my FT1DR for four months and have used it that way the whole time.

We only have one Fusion repeater here in San Antonio and getting another one. Not like we have a lot of choices.

Good luck.
Maybe someone else has a better perspective on this.

Thanks,
Michael Pérez
Sent from my iPhone

On Oct 22, 2015, at 1:39 PM, Brian Smithson n8wrl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

Thank you Michael!

What do you mean when you say "when I transmit will transmit as programmed?"

I noticed in the manual after posting this that operating mode isn't even saved with a memory.

So, if auto-FM is selected and you tune to a Fusion repeater and key up, what mode are you transmitting in?

I can't seem to find an 'auto-DN' choice when I press Dx?

Thanks again, and 73!

-Brian n8wrl

> On Thu, Oct 22, 2015 at 2:25 PM, Mike Perez mikerey01@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> I leave mine in auto mode all the time. When I transmit will transmit as programmed.
>
> Also, it will receive digital or analog based on of Fusion repeater or not.
>
> Best way to do that. For me.
>
> Hope that helps.
>

> Thanks,
> Michael Pérez W5ZAP
> Sent from my iPhone
>
> On Oct 22, 2015, at 12:25 PM, Brian Smithson n8wrl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>
> After several months of owning this radio I am still puzzled by the auto-modes.
>
> I have a bunch of analog FM repeaters stored in memory in FM mode as well as aircraft freq's in AM mode.
>
> There is one SystemFusion repeater in my area, so that is one of them. I tried to save it to a memory in "DN" mode and it seemed to go in. but then when I changed memories to the other analog repeaters, the mode stays DN! Not how it was stored.
>
> So I hit the Dx key until an analog repeater is FM, but when I change back to the Fusion repeater it too says FM. I thought I'd stored it as DN?
>
> Now I experiment with the auto-mode. On an analog repeater, I press Dx until it has that little bar to the left of FM - auto-mode, right?
>
> I move the dial down to an AM aircraft frequency, and it still says auto-FM. That's ok, because when I hear a transmission it switches to auto-AM. Confusing, because in memory it was saved as AM.
>
> Move the dial back to an FM repeater and it still says auto-AM. Again, when someone keys up, it'll change to auto-FM. While it is auto-AM I can transmit and apparently it transmits FM because when the repeater responds it switches to auto-FM.
>
> But back to the Fusion repeater - if it is in an auto-mode and a digital signal transmits, I *think* it will switch to DN so I can hear it. But how do *I* transmit if I haven't heard a digital signal first? Press Dx until the mode is DN and then key up?
>
> What happens when I turn the dial to other frequencies and the mode stays DN? It is not auto-DN, so when there is a signal I hear nothing.
>
> What am I doing wrong?
>
> Thanks for the time!
>
> 73
>
> -Brian n8wrl

435. Re: [FT-1D] Still confused about auto-mode

Yahoo group: FT-1D
Date: 2015-10-22 23:24:07 UTC
From: Brian Smithson
Topic: 431 Message: 435

This is very helpful, Michael!

I think, to transmit on a repeater I know to be Fusion in digital, I have to either wait for it to transmit and the radio to detect DN or set it to DN myself before I key. That removes the auto-ness of the mode.

Thank you so much for your help!

73

-Brian n8wrl

On Thu, Oct 22, 2015 at 7:21 PM, Mike Perez mikerey01@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> You are correct. Operating mode cannot saved with memory.
>
> If on auto mode, it just transmits as usual. If digital and repeater is
> digital, you will receive on digital vs analog.
>
> At least that's the way I understand it.
>
> I've had my FT1DR for four months and have used it that way the whole
> time.
>
> We only have one Fusion repeater here in San Antonio and getting another
> one. Not like we have a lot of choices.
>
> Good luck.
> Maybe someone else has a better perspective on this.
>
> Thanks,
> Michael Pérez
> Sent from my iPhone
>
> On Oct 22, 2015, at 1:39 PM, Brian Smithson n8wrl@... [FT-1D] <
> FT-1D@yahoogroups.com> wrote:
>
>
>
>
> Thank you Michael!
>
> What do you mean when you say "when I transmit will transmit as
> programmed?"

>
> I noticed in the manual after posting this that operating mode isn't even
> saved with a memory.
>
> So, if auto-FM is selected and you tune to a Fusion repeater and key up,
> what mode are you transmitting in?
>
> I can't seem to find an 'auto-DN' choice when I press Dx?
>
> Thanks again, and 73!
>
> -Brian n8wrl
>
> On Thu, Oct 22, 2015 at 2:25 PM, Mike Perez mikerey01@... [FT-1D] <
> FT-1D@yahoogroups.com> wrote:
>
>>
>>
>> I leave mine in auto mode all the time. When I transmit will transmit as
>> programmed.
>>
>> Also, it will receive digital or analog based on of Fusion repeater or
>> not.
>>
>> Best way to do that. For me.
>>
>> Hope that helps.
>>
>> Thanks,
>> Michael Pérez W5ZAP
>> Sent from my iPhone
>>
>> On Oct 22, 2015, at 12:25 PM, Brian Smithson n8wrl@... [FT-1D] <
>> FT-1D@yahoogroups.com> wrote:
>>
>>
>>
>>
>> After several months of owning this radio I am still puzzled by the
>> auto-modes.
>>
>> I have a bunch of analog FM repeaters stored in memory in FM mode as well
>> as aircraft freq's in AM mode.
>>
>> There is one SystemFusion repeater in my area, so that is one of them. I
>> tried to save it to a memory in "DN" mode and it seemed to go in. but then
>> when I changed memories to the other analog repeaters, the mode stays DN!
>> Not how it was stored.
>>
>> So I hit the Dx key until an analog repeater is FM, but when I change
>> back to the Fusion repeater it too says FM. I thought I'd stored it as DN?

>>
>> Now I experiment with the auto-mode. On an analog repeater, I press Dx
>> until it has that little bar to the left of FM - auto-mode, right?
>>
>> I move the dial down to an AM aircraft frequency, and it still says
>> auto-FM. That's ok, because when I hear a transmission it switches to
>> auto-AM. Confusing, because in memory it was saved as AM.
>>
>> Move the dial back to an FM repeater and it still says auto-AM. Again,
>> when someone keys up, it'll change to auto-FM. While it is auto-AM I can
>> transmit and apparently it transmits FM because when the repeater responds
>> it switches to auto-FM.
>>
>> But back to the Fusion repeater - if it is in an auto-mode and a digital
>> signal transmits, I *think* it will switch to DN so I can hear it. But how
>> do *I* transmit if I haven't heard a digital signal first? Press Dx until
>> the mode is DN and then key up?
>>
>> What happens when I turn the dial to other frequencies and the mode stays
>> DN? It is not auto-DN, so when there is a signal I hear nothing.
>>
>> What am I doing wrong?
>>
>> Thanks for the time!
>>
>> 73
>>
>> -Brian n8wrl
>>
>>
>
>

436. Re: [FT-1D] Still confused about auto-mode

Yahoo group: FT-1D
Date: 2015-10-22 23:53:23 UTC
From: Mike Perez
Topic: 431 Message: 436

You're welcome, Brian.

Thanks,
Michael Pérez W5ZAP
Sent from my iPhone

On Oct 22, 2015, at 6:24 PM, Brian Smithson n8wrl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

This is very helpful, Michael!

I think, to transmit on a repeater I know to be Fusion in digital, I have to either wait for it to transmit and the radio to detect DN or set it to DN myself before I key. That removes the auto-ness of the mode.

Thank you so much for your help!

73

-Brian n8wrl

> On Thu, Oct 22, 2015 at 7:21 PM, Mike Perez mikerey01@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> You are correct. Operating mode cannot saved with memory.
>
> If on auto mode, it just transmits as usual. If digital and repeater is digital, you will receive on digital vs analog.
>
> At least that's the way I understand it.
>
> I've had my FT1DR for four months and have used it that way the whole time.
>
> We only have one Fusion repeater here in San Antonio and getting another one. Not like we have a lot of choices.
>
> Good luck.
> Maybe someone else has a better perspective on this.
>
> Thanks,
> Michael Pérez
> Sent from my iPhone
>
> On Oct 22, 2015, at 1:39 PM, Brian Smithson n8wrl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>
>

> Thank you Michael!
>
> What do you mean when you say "when I transmit will transmit as programmed?"
>
> I noticed in the manual after posting this that operating mode isn't even saved with a memory.
>
> So, if auto-FM is selected and you tune to a Fusion repeater and key up, what mode are you transmitting in?
>
> I can't seem to find an 'auto-DN' choice when I press Dx?
>
> Thanks again, and 73!
>
> -Brian n8wrl
>
>> On Thu, Oct 22, 2015 at 2:25 PM, Mike Perez mikerey01@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>>
>> I leave mine in auto mode all the time. When I transmit will transmit as programmed.
>>
>> Also, it will receive digital or analog based on of Fusion repeater or not.
>>
>> Best way to do that. For me.
>>
>> Hope that helps.
>>
>> Thanks,
>> Michael Pérez W5ZAP
>> Sent from my iPhone
>>
>> On Oct 22, 2015, at 12:25 PM, Brian Smithson n8wrl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>>
>>
>> After several months of owning this radio I am still puzzled by the auto-modes.
>>
>> I have a bunch of analog FM repeaters stored in memory in FM mode as well as aircraft freq's in AM mode.
>>
>> There is one SystemFusion repeater in my area, so that is one of them. I tried to save it to a memory in "DN" mode and it seemed to go in. but then when I changed memories to the other analog repeaters, the mode stays DN! Not how it was stored.
>>
>> So I hit the Dx key until an analog repeater is FM, but when I change back to the Fusion repeater it too says FM. I thought I'd stored it as DN?
>>
>> Now I experiment with the auto-mode. On an analog repeater, I press Dx until it has that little bar to the left of FM - auto-mode, right?
>>

>> I move the dial down to an AM aircraft frequency, and it still says auto-FM. That's ok, because when I hear a transmission it switches to auto-AM. Confusing, because in memory it was saved as AM.
>>
>> Move the dial back to an FM repeater and it still says auto-AM. Again, when someone keys up, it'll change to auto-FM. While it is auto-AM I can transmit and apparently it transmits FM because when the repeater responds it switches to auto-FM.
>>
>> But back to the Fusion repeater - if it is in an auto-mode and a digital signal transmits, I *think* it will switch to DN so I can hear it. But how do *I* transmit if I haven't heard a digital signal first? Press Dx until the mode is DN and then key up?
>>
>> What happens when I turn the dial to other frequencies and the mode stays DN? It is not auto-DN, so when there is a signal I hear nothing.
>>
>> What am I doing wrong?
>>
>> Thanks for the time!
>>
>> 73
>>
>> -Brian n8wrl

437. 12 volt power and external antenna

Yahoo group: FT-1D
Date: 2015-10-29 05:50:40 UTC
From: alekach@...
Topic: 437 Message: 437

Not sure why the manual indicates that when using an external 12 v. power supply you need to use an external antenna? One of the values of the HT is in ARES/RACES use, but with the GPS and APRS turned on you can go through batteries pretty quickly. I was thinking of using an external light weight Li rechargeable at nominal 13.8 v. carried on a belt and wired into the external DC jack of the radio to provide power during a day long event, but I am wondering if the same caution applies as with external power supplies?

438. Re: COM PORT SETTINGS and APRS Data

Yahoo group: FT-1D
Date: 2015-11-06 02:49:55 UTC
From: texasmike_2000@...
Topic: 271 Message: 438

Bob did ever get this to work properly. I am looking to output to a windows tablet running aprsisce software.

439. Saturday Night Fusion Net

Yahoo group: FT-1D
Date: 2015-11-07 15:20:43 UTC
From: shinysideup@...
Topic: 439 Message: 439

S.E. Wisconsin Yaesu System Fusion Net.
Saturday Evenings 7:00 P.M. Local Time.
Sponsored By
The Milwaukee Radio Amateurs' Club.

Where:

MRAC repeater. 145.390MHz, Offset -600KHz, PL Tone encode of 127.3.

When:

Every Saturday Eveing starting at 7:00 P.M. Central.

Mixed Mode Friendly:

Analog as well as Digital users can check in, and the first go around is specifically allocated to questions, comments, and answers from and for our analog guests, in analog mode. The net then moves on to Digital Mode for the remainder of the net. We encourage those who are interested in Yaesu System Fusion products to check in.

Thanks and hope to hear you on the net!

Bob
KC9YRR

440. System Fusion Net

Yahoo group: FT-1D
Date: 2015-11-13 13:30:26 UTC
From: shinysideup@...
Topic: 440 Message: 440

S.E. Wisconsin Yaesu System Fusion Net.
Saturday Evenings 7:00 P.M. Local Time.
Sponsored By
The Milwaukee Radio Amateurs' Club.

Where:

MRAC repeater. 145.390MHz, Offset -600KHz, PL Tone encode of 127.3.

When:

Every Saturday Eveing starting at 7:00 P.M. Central.

Mixed Mode Friendly:

Analog as well as Digital users can check in, and the first go around is specifically allocated to questions, comments, and answers from and for our analog guests, in analog mode. The net then moves on to Digital Mode for the remainder of the net. We encourage those who are interested in Yaesu System Fusion products to check in.

Thanks and hope to hear you on the net!

Bob
KC9YRR

441. Re: Saturday Night Fusion Net

Yahoo group: FT-1D
Date: 2015-11-20 22:17:16 UTC
From: alekach@...
Topic: 439 Message: 441

Any chance of getting this on echolink?

442. Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-04 22:50:08 UTC
From: Edward Ivester
Topic: 442 Message: 442

I've recently purchased a new FT-1dx and think that is just great - but.
I downloaded the latest ADMS-6 Programmer (ver. 1.0.2.15) and successfully got data from the radio. All went well. I changed some of the data and went to upload it back to the radio but the 'send' icon was greyed out as well as the 'Send Data to FT1D' in the 'Communications' tool bar. Puzzling. Another issue, in the 'File' tool bar the 'Open' is also greyed out. I can only find and open the desired file using the 'File' icon on the lower tool bar.
Any thoughts?

Ted, N7NSL

443. RE: [FT-1D] Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-05 15:07:02 UTC
From: N9WYS
Topic: 442 Message: 443

Ted,

I tried Yaesu’s software as well... and promptly went out and bought the ADMS software from RT Systems. It is a MUCH better piece of software.

I found the Yaesu software had several bugs that prevented me from using the USB programmer. Yes, Yaesu did help with some of that, but they told me straight up that some issues hadn’t been addressed yet, and wouldn’t be for some time. The ADMS from RT Systems eliminated any/all programming issues, and - honestly - was easier to use. In my humble opinion, it is WELL worth the money.

Mark – N9WYS

From: FT-1D@yahoogroups.com
Sent: Friday, December 4, 2015 4:50 PM
To: ft-1d@yahoogroups.com
Subject: [FT-1D] Send data from the computer to the radio?

I've recently purchased a new FT-1dx and think that is just great - but.

I downloaded the latest ADMS-6 Programmer (ver. 1.0.2.15) and successfully got data from the radio. All went well. I changed some of the data and went to upload it back to the radio but the 'send' icon was greyed out as well as the 'Send Data to FT1D' in the 'Communications' tool bar. Puzzling. Another issue, in the 'File' tool bar the 'Open' is also greyed out. I can only find and open the desired file using the 'File' icon on the lower tool bar.

Any thoughts?

Ted, N7NSL

444. Re: [FT-1D] Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-05 15:51:13 UTC
From: Brian Smithson
Topic: 442 Message: 444

I have had excellent results from RT Systems' software for several of the radios I own. I have to say that the FT1D version is 4 out of 5 for me.

The Fusion system makes storing mode irrelevant. In fact, it wasn't until I did some close testing that I discovered the radio doesn't even store mode when you save to a memory. When in auto-mode, the radio figures out the mode from the signal. RT systems kind-of understands that, but there is still a mode column and, reading from the radio, it is always FM.

That's ok for that radio, but it really breaks things when I try to share chunks of memories between radios. I've suggested to RT that they come up with some sort of common-frequency database that the radio-specific apps could talk to and interpret for their radios.

RT Aside, the auto-mode still puzzles me because it seems the radio has to hear something on a channel before it knows what mode it is, and that means you can't trasnmit first unless you specifically set the mode - every time! There are a few Fusion repeaters in my area that I _know_ are fusion - I'd like to save that to memory so tuning to it and transmitting works in digital as well as the analog machines do.

I've gone off topic a bit here, but it was using RT's software that helped me discover this usability problem with the radio.

Still, RT is the best programming system out there!

73!

-Brian n8wrl

On Sat, Dec 5, 2015 at 10:07 AM, 'N9WYS' n9wys@... [FT-1D] <
FT-1D@yahoogroups.com> wrote:

>
>
> Ted,
>
>
>
> I tried Yaesu’s software as well... and promptly went out and bought the
> ADMS software from RT Systems. It is a MUCH better piece of software.
>
>
>
> I found the Yaesu software had several bugs that prevented me from using
> the USB programmer. Yes, Yaesu did help with some of that, but they told
> me straight up that some issues hadn’t been addressed yet, and wouldn’t be

> for some time. The ADMS from RT Systems eliminated any/all programming
> issues, and - honestly - was easier to use. In my humble opinion, it is
> WELL worth the money.
>
>
>
> Mark – N9WYS
>
>
>
> *From:* FT-1D@yahoogroups.com
> *Sent:* Friday, December 4, 2015 4:50 PM
> *To:* ft-1d@yahoogroups.com
> *Subject:* [FT-1D] Send data from the computer to the radio?
>
>
>
>
>
>
> I've recently purchased a new FT-1dx and think that is just great - but.
>
>
>
> I downloaded the latest ADMS-6 Programmer (ver. 1.0.2.15) and successfully
> got data from the radio. All went well. I changed some of the data and
> went to upload it back to the radio but the 'send' icon was greyed out as
> well as the 'Send Data to FT1D' in the 'Communications' tool bar.
> Puzzling. Another issue, in the 'File' tool bar the 'Open' is also greyed
> out. I can only find and open the desired file using the 'File' icon on
> the lower tool bar.
>
>
>
> Any thoughts?
>
>
>
> Ted, N7NSL
>
>
>

445. Re: Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-05 16:54:42 UTC
From: rondcole@...
Topic: 442 Message: 445

To Answer the question.

You have to Read from the radio before you can Send to the radio.

Just Don't exit from the program after you have Read the radio or you will have to start over again and Read from the radio to enable the Send to Radio button.

You can close whatever radio load you have and open another file or import a file and send that load to the radio.

That's one of the wonderful better ideas some programmer came up with since no one would want to simply send a file to the radio without first reading whats in the radio...

de
n5hyh

446. Re: [FT-1D] Re: Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-05 19:12:46 UTC
From: Edward Ivester
Topic: 442 Message: 446

To All:
It works when the radio is Read first! Who would of thought. I'm to cheap to buy the RT Systems software.

Thank you for your help!
Ted, N7NSL

On Saturday, December 5, 2015 8:54 AM, "rondcole@... [FT-1D]" <FT-1D@yahoogroups.com> wrote:

  To Answer the question.
You have to Read from the radio before you can Send to the radio.
Just Don't exit from the program after you have Read the radio or you will have to start over again and Read from the radio to enable the Send to Radio button.
You can close whatever radio load you have and open another file or import a file and send that load to the radio.
That's one of the wonderful better ideas some programmer came up with since no one would want to simply send a file to the radio without first reading whats in the radio...

den5hyh

447. Re: [FT-1D] Re: Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-11 11:28:28 UTC
From: Marco Filippi IZ3GME
Topic: 442 Message: 447

If you don't like stock yaesu ADMS-6 software you can try Chirp
http://chirp.danplanet.com/ which is free.

73 de IZ3GME Marco

On 05/12/2015 20:12, Edward Ivester n7nsl@... [FT-1D] wrote:
> To All:
>
> It works when the radio is *Read* first! Who would of thought. I'm to
> cheap to buy the RT Systems software.
>
> Thank you for your help!
>
> Ted, N7NSL
>
>
>
> On Saturday, December 5, 2015 8:54 AM, "rondcole@... [FT-1D]"
> <FT-1D@yahoogroups.com> wrote:
>
>
>
> To Answer the question.
>
> You have to Read from the radio before you can Send to the radio.
>
> Just Don't exit from the program after you have Read the radio or you
> will have to start over again and Read from the radio to enable the
> Send to Radio button.
>
> You can close whatever radio load you have and open another file or
> import a file and send that load to the radio.
>
> That's one of the wonderful better ideas some programmer came up with
> since no one would want to simply send a file to the radio without first
> reading whats in the radio...
>
>
>
> de
> n5hyh
>
>
>

448. Re: [FT-1D] Re: Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-11 12:57:58 UTC
From: Gary M
Topic: 442 Message: 448

After spending $400 plus for the radio, what's $50 more.., RT software is the best!

Gary Johnson 801-558-3552
N7dnd@...

> On Dec 11, 2015, at 04:28, Marco Filippi IZ3GME iz3gme.marco@... [FT-1D]
<FT-1D@yahoogroups.com> wrote:
>
> If you don't like stock yaesu ADMS-6 software you can try Chirp
> http://chirp.danplanet.com/ which is free.
>
> 73 de IZ3GME Marco
>
> On 05/12/2015 20:12, Edward Ivester n7nsl@... [FT-1D] wrote:
> > To All:
> >
> > It works when the radio is *Read* first! Who would of thought. I'm to
> > cheap to buy the RT Systems software.
> >
> > Thank you for your help!
> >
> > Ted, N7NSL
> >
> >
> >
> > On Saturday, December 5, 2015 8:54 AM, "rondcole@... [FT-1D]"
> > <FT-1D@yahoogroups.com> wrote:
> >
> >
> > To Answer the question.
> >
> > You have to Read from the radio before you can Send to the radio.
> >
> > Just Don't exit from the program after you have Read the radio or you
> > will have to start over again and Read from the radio to enable the
> > Send to Radio button.
> >
> > You can close whatever radio load you have and open another file or
> > import a file and send that load to the radio.
> >
> > That's one of the wonderful better ideas some programmer came up with
> > since no one would want to simply send a file to the radio without first
> > reading whats in the radio...
> >
> >

> > de
> > n5hyh
> >
> >
> >
>
>

449. Re: [FT-1D] Re: Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-11 13:14:24 UTC
From: Marco Filippi IZ3GME
Topic: 442 Message: 449

There's a world out there, not only windows.
I can't comment on RT software quality as I don't have any windows-pc to run it.

Anyway 50$ over 400 are 12.5% more ... quite a lot from my (empty pocket) point of view.

73 de IZ3GME Marco

On 11/12/2015 13:57, Gary M n7dnd@... [FT-1D] wrote:
> After spending $400 plus for the radio, what's $50 more.., RT software
> is the best!
>
> Gary Johnson 801-558-3552
> N7dnd@... <mailto:N7dnd@...>
>
> On Dec 11, 2015, at 04:28, Marco Filippi IZ3GME iz3gme.marco@...
> <mailto:iz3gme.marco@...> [FT-1D] <FT-1D@yahoogroups.com
> <mailto:FT-1D@yahoogroups.com>> wrote:
>
>> If you don't like stock yaesu ADMS-6 software you can try Chirp
>> http://chirp.danplanet.com/ which is free.
>>
>> 73 de IZ3GME Marco
>>
>> On 05/12/2015 20:12, Edward Ivester n7nsl@...
>> <mailto:n7nsl@...> [FT-1D] wrote:
>> > To All:
>> >
>> > It works when the radio is *Read* first! Who would of thought. I'm to
>> > cheap to buy the RT Systems software.
>> >
>> > Thank you for your help!
>> >
>> > Ted, N7NSL
>> >
>> >
>> >
>> > On Saturday, December 5, 2015 8:54 AM, "rondcole@...
>> <mailto:rondcole@...> [FT-1D]"
>> > <FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>> wrote:
>> >
>> >
>> > To Answer the question.
>> >
>> > You have to Read from the radio before you can Send to the radio.

>> >
>> > Just Don't exit from the program after you have Read the radio or you
>> > will have to start over again and Read from the radio to enable the
>> > Send to Radio button.
>> >
>> > You can close whatever radio load you have and open another file or
>> > import a file and send that load to the radio.
>> >
>> > That's one of the wonderful better ideas some programmer came up with
>> > since no one would want to simply send a file to the radio without first
>> > reading whats in the radio...
>> >
>> >
>> > de
>> > n5hyh
>> >
>> >
>> >
>>
>

450. Re: [FT-1D] Re: Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-11 16:00:20 UTC
From: Edward Ivester
Topic: 442 Message: 450

Well said! Since I'm cheap Adms6 will work - grumble!
Ted, N7NSL

On Friday, December 11, 2015 5:14 AM, "Marco Filippi IZ3GME iz3gme.marco@... [FT-1D]"
<FT-1D@yahoogroups.com> wrote:

  There's a world out there, not only windows.
I can't comment on RT software quality as I don't have any windows-pc to
run it.

Anyway 50$ over 400 are 12.5% more ... quite a lot from my (empty
pocket) point of view.

73 de IZ3GME Marco

On 11/12/2015 13:57, Gary M n7dnd@... [FT-1D] wrote:
> After spending $400 plus for the radio, what's $50 more.., RT software
> is the best!
>
> Gary Johnson 801-558-3552
> N7dnd@... <mailto:N7dnd@...>
>
> On Dec 11, 2015, at 04:28, Marco Filippi IZ3GME iz3gme.marco@...
> <mailto:iz3gme.marco@...> [FT-1D] <FT-1D@yahoogroups.com
> <mailto:FT-1D@yahoogroups.com>> wrote:
>
>> If you don't like stock yaesu ADMS-6 software you can try Chirp
>> http://chirp.danplanet.com/ which is free.
>>
>> 73 de IZ3GME Marco
>>
>> On 05/12/2015 20:12, Edward Ivester n7nsl@yahoo.com
>> <mailto:n7nsl@...> [FT-1D] wrote:
>> > To All:
>> >
>> > It works when the radio is *Read* first! Who would of thought. I'm to
>> > cheap to buy the RT Systems software.
>> >
>> > Thank you for your help!
>> >
>> > Ted, N7NSL
>> >
>> >
>> >
>> > On Saturday, December 5, 2015 8:54 AM, "rondcole@...
>> <mailto:rondcole@...> [FT-1D]"

>> > <FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>> wrote:
>> >
>> >
>> > To Answer the question.
>> >
>> > You have to Read from the radio before you can Send to the radio.
>> >
>> > Just Don't exit from the program after you have Read the radio or you
>> > will have to start over again and Read from the radio to enable the
>> > Send to Radio button.
>> >
>> > You can close whatever radio load you have and open another file or
>> > import a file and send that load to the radio.
>> >
>> > That's one of the wonderful better ideas some programmer came up with
>> > since no one would want to simply send a file to the radio without first
>> > reading whats in the radio...
>> >
>> >
>> > de
>> > n5hyh
>> >
>> >
>> >
>>
>

451. Re: [FT-1D] Re: Send data from the computer to the radio?

Yahoo group: FT-1D
Date: 2015-12-11 16:40:28 UTC
From: Gary M
Topic: 442 Message: 451

Great, have a great holiday. 73

Gary Johnson 801-558-3552
N7dnd@...

> On Dec 11, 2015, at 06:14, Marco Filippi IZ3GME iz3gme.marco@... [FT-1D]
<FT-1D@yahoogroups.com> wrote:
>
> There's a world out there, not only windows.
> I can't comment on RT software quality as I don't have any windows-pc to
> run it.
>
> Anyway 50$ over 400 are 12.5% more ... quite a lot from my (empty
> pocket) point of view.
>
> 73 de IZ3GME Marco
>
> On 11/12/2015 13:57, Gary M n7dnd@... [FT-1D] wrote:
> > After spending $400 plus for the radio, what's $50 more.., RT software
> > is the best!
> >
> > Gary Johnson 801-558-3552
> > N7dnd@... <mailto:N7dnd@yahoo.com>
> >
> > On Dec 11, 2015, at 04:28, Marco Filippi IZ3GME iz3gme.marco@gmail.com
> > <mailto:iz3gme.marco@...> [FT-1D] <FT-1D@...m
> > <mailto:FT-1D@yahoogroups.com>> wrote:
> >
> >> If you don't like stock yaesu ADMS-6 software you can try Chirp
> >> http://chirp.danplanet.com/ which is free.
> >>
> >> 73 de IZ3GME Marco
> >>
> >> On 05/12/2015 20:12, Edward Ivester n7nsl@...
> >> <mailto:n7nsl@...> [FT-1D] wrote:
> >> > To All:
> >> >
> >> > It works when the radio is *Read* first! Who would of thought. I'm to
> >> > cheap to buy the RT Systems software.
> >> >
> >> > Thank you for your help!
> >> >
> >> > Ted, N7NSL
> >> >
> >> >

> >> >
> >> > On Saturday, December 5, 2015 8:54 AM, "rondcole@...
> >> <mailto:rondcole@...> [FT-1D]"
> >> > <FT-1D@yahoogroups.com <mailto:FT-1D@yahoogroups.com>> wrote:
> >> >
> >> >
> >> > To Answer the question.
> >> >
> >> > You have to Read from the radio before you can Send to the radio.
> >> >
> >> > Just Don't exit from the program after you have Read the radio or you
> >> > will have to start over again and Read from the radio to enable the
> >> > Send to Radio button.
> >> >
> >> > You can close whatever radio load you have and open another file or
> >> > import a file and send that load to the radio.
> >> >
> >> > That's one of the wonderful better ideas some programmer came up with
> >> > since no one would want to simply send a file to the radio without first
> >> > reading whats in the radio...
> >> >
> >> >
> >> > de
> >> > n5hyh
> >> >
> >> >
> >> >
> >>
> >
>
>

452. APRS ON/OFF

Yahoo group: FT-1D
Date: 2015-12-12 02:41:35 UTC
From: wd8jwj@...
Topic: 452 Message: 452

What method is being used to shut off and turn on APRS ?
I go to the APRS modem menu and shut it off.
Can you just move the freq out of the VFO ?
73, Bill, WD8JWJ

453. Re: APRS ON/OFF

Yahoo group: FT-1D
Date: 2015-12-13 23:20:53 UTC
From: ke6gyd@...
Topic: 452 Message: 453

I haven't found any quick and easy way to turn it on/off. After tuning to the APRS frequency in B Band, I just go into the APRS menu, turn on modem to 1200 and then GPS power ON. I've already set the beacon settings for the desired interval so beaconing commences once the above settings are done. I don't use Smart Beaconing, it's beyond my willingness to learn at this point with all the parameters to deal with. Then you're good to go after it locks on to the sats. Reverse to turn off. Seems to be a global setting, just like the Digital side of things on A Band.

If you leave the modem and GPS power ON, then even if you change to a different frequency either in VFO or memory, the radio will beacon the APRS packets, annoying anyone listening on the other frequency or repeater. In addition, if you don't need APRS function, by turning them off, the battery will last longer.

If someone else knows of a different, more efficient way to turn on and off APRS, or if I've got this wrong, I'm all ears.

73
KE6GYD

454. Smart Beaconing

Yahoo group: FT-1D
Date: 2015-12-20 02:39:06 UTC
From: wd8jwj@...
Topic: 454 Message: 454

HELP! Does anybody have the default settings for TYPE 1 ?
I should have written them down. Couldn't find them in any documentation. I have been messing around with them and have them all out of kilter.
73, Bill, WD8JWJ

455. Re: [FT-1D] Smart Beaconing

Yahoo group: FT-1D
Date: 2015-12-20 02:45:14 UTC
From: Michael W. Geoghegan
Topic: 454 Message: 455

Smart Beaconing

Type 1
Low Speed: 5mph
High Speed: 70mph

Best,

Michael W. Geoghegan
KX6A

> On Dec 19, 2015, at 6:39 PM, wd8jwj@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> HELP! Does anybody have the default settings for TYPE 1 ?
> I should have written them down. Couldn't find them in any documentation. I have been messing around with them and have them all out of kilter.
> 73, Bill, WD8JWJ
>
>
>
>
>

456. Re: [FT-1D] Smart Beaconing

Yahoo group: FT-1D
Date: 2015-12-20 02:48:22 UTC
From: Michael W. Geoghegan
Topic: 454 Message: 456

Sorry, forgot all the settings:

Smart Beaconing

Type 1
Low Speed: 5mph
High Speed: 70mph
Slow Rate: 30min
First Rate: 120sec
Turn Angle: 28 deg
Turn Slop: 26
Turn Time: 30 sec

Best,

Michael W. Geoghegan
KX6A

Best,

Michael W. Geoghegan
GigaVox Media, Inc.
Michael@...

> On Dec 19, 2015, at 6:39 PM, wd8jwj@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> HELP! Does anybody have the default settings for TYPE 1 ?
> I should have written them down. Couldn't find them in any documentation. I have been messing around with them and have them all out of kilter.
> 73, Bill, WD8JWJ
>
>
>
>
>

457. Re: Stuck Transmitting...

Yahoo group: FT-1D
Date: 2015-12-20 15:42:35 UTC
From: radioblanca@...
Topic: 189 Message: 457

Hello, I also happened to me and I have the latest update.

458. Re: [FT-1D] Smart Beaconing

Yahoo group: FT-1D
Date: 2015-12-20 18:09:04 UTC
From: wd8jwj@...
Topic: 454 Message: 458

Tnx Michael.
I have been trying to figure out what these settings do to no avail other than cause APRS to do what I didn't want it to do ???
I will make changes to only one setting at a time then test from now on. I only make short trips to town and it would not show all the turns. I don't really need APRS. It's something to play with with the new HT. We have a new Fusion on the air in town so that negated the purchase of the HT which I am happy with. They sure have stuffed a lot of stuff inside that little case.
73, Bill, WD8JWJ

459. APRS Walkthrough video

Yahoo group: FT-1D
Date: 2015-12-24 21:27:53 UTC
From: thepixelated13@...
Topic: 459 Message: 459

I just stumbled onto this video and I thought I'd share. The guy walks you through each setting under the APRS menu and what they are. I found it very helpful on actually using APRS for the first time.

https://youtu.be/0nDdzyPlwr8 https://youtu.be/0nDdzyPlwr8

73!

460. RT Systems FT1D Programmer cable support update

Yahoo group: FT-1D
Date: 2015-12-27 15:19:20 UTC
From: David Piontek
Topic: 460 Message: 460

Haven't seen this mentioned in the group, though I may have missed it. I just found out in an email exchange with their tech support, and suppose there may be others in this group who are not aware.

Initially, FT1D radios were shipped with the SCU-18 cable, which worked with the RT Systems FT-1D Programmer. At some point, and as was the case when I got my FT1D, Yaesu had switched to shipping the SCU-19 cable with the radio - which did NOT work with the RTS Programmer. The alternate solution was the RTS option to get the software with a USB card reader and microSD card. The Programmer can also save programmed channels and settings to a file on the card, which could be imported from the card when it was inserted into the radio - a multi-step process not as convenient as using a cable, and in my experience limited to a single file on the chip.

What I just now discovered is that the RTS FT1D Programmer has been updated and now DOES support the SCU-19 cable. Good news if you have that cable and thought it was just excess packing material. In case someone does not have either SCU-18 or SCU-19 supplied by Yaesu, they also sell the RTS equivalent cable, the USB-68. See https://www.rtsystemsinc.com/FT-1D-programming-software-and-USB-cable-s/2244.htm

BTW, the software update can be run from within the software while it is running, or from a trouble shooting page on the RTS web site at http://www.rtsystemsinc.com/kb_results.asp?ID=13

David Piontek
KV7I

461. Re: RT Systems FT1D Programmer cable support update

Yahoo group: FT-1D
Date: 2015-12-28 18:16:53 UTC
From: wj3k@...
Topic: 460 Message: 461

Thank you, David, for getting this to us. It's very good news.

I have an earlier FT-1D with the SCU-18 cable, and a later one that came with the SCU-19.

A friend with an SCU-19 came over to program his FT-1D. My app would not recognize the SCU-19 so we used the SIM card for the initial transfer. For some reason, the digital modes on his rig were inop after the SIM card transfer. When we transferred through my SCU-18, it worked fine.

I just now updated the app and tried the SCU-19 in my newer rig It worked fine.

Happy New Year!

Gordon Davids, WJ3K

462. RE: [FT-1D] RT Systems FT1D Programmer cable support update

Yahoo group: FT-1D
Date: 2015-12-29 01:23:40 UTC
From: N9WYS
Topic: 460 Message: 462

David,

Thanks for the heads-up on this! I had this "particular" problem - my cable didn't work with the RTS software, but the USB did - so I'm happy to know that with the upgrade my cable will work now and I don't have to plunk down $$$ for another cable.

73 de Mark - N9WYS

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Sunday, December 27, 2015 9:19 AM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] RT Systems FT1D Programmer cable support update

Haven't seen this mentioned in the group, though I may have missed it. I just found out in an email exchange with their tech support, and suppose there may be others in this group who are not aware.

Initially, FT1D radios were shipped with the SCU-18 cable, which worked with the RT Systems FT-1D Programmer. At some point, and as was the case when I got my FT1D, Yaesu had switched to shipping the SCU-19 cable with the radio - which did NOT work with the RTS Programmer. The alternate solution was the RTS option to get the software with a USB card reader and microSD card. The Programmer can also save programmed channels and settings to a file on the card, which could be imported from the card when it was inserted into the radio - a multi-step process not as convenient as using a cable, and in my experience limited to a single file on the chip.

What I just now discovered is that the RTS FT1D Programmer has been updated and now DOES support the SCU-19 cable. Good news if you have that cable and thought it was just excess packing material. In case someone does not have either SCU-18 or SCU-19 supplied by Yaesu, they also sell the RTS equivalent cable, the USB-68. See https://www.rtsystemsinc.com/FT-1D-programming-software-and-USB-cable-s/2244.htm

BTW, the software update can be run from within the software while it is running, or from a trouble shooting page on the RTS web site at http://www.rtsystemsinc.com/kb_results.asp?ID=13

David Piontek
KV7I

463. FT1XD Gets Warm

Yahoo group: FT-1D
Date: 2015-12-30 23:01:17 UTC
From: wd8jwj@...
Topic: 463 Message: 463

Today I plugged in my external 10 cell nimh because the battery indicator was blinking at me. In a short period the entire radio was very warm. Radio was on during this period. Turned the radio off and it went to "battery charging".
Has anyone else experienced this with the FT1D with either an external 12volt source or a power supply.
73, Bill, WD8JWJ

464. RE: [FT-1D] FT1XD Gets Warm

Yahoo group: FT-1D
Date: 2015-12-30 23:38:56 UTC
From: N9WYS
Topic: 463 Message: 464

I had mine on the other day, just scanning (both bands), and it was warm (not hot) to the touch after about 2½ hours… Not receiving anything, just scanning. Operating on the NiMH battery, no charger.

Things that make you go “hmmmmmmmmmmm”…. ;-)

Mark – N9WYS

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Wednesday, December 30, 2015 5:01 PM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] FT1XD Gets Warm

Today I plugged in my external 10 cell nimh because the battery indicator was blinking at me. In a short period the entire radio was very warm. Radio was on during this period. Turned the radio off and it went to "battery charging".
Has anyone else experienced this with the FT1D with either an external 12volt source or a power supply.
73, Bill, WD8JWJ

465. Re: [FT-1D] FT1XD Gets Warm

Yahoo group: FT-1D
Date: 2015-12-31 00:34:29 UTC
From: Jim K5JG
Topic: 463 Message: 465

Do the FT-1XDR's come with a NiMH battery?

I would have thought they'd come with the lithium-ion battery like the FT-1DR.

73, Jim K5JH

On 12/30/2015 5:38 PM, 'N9WYS' n9wys@... [FT-1D] wrote:

> Operating on the NiMH battery, no charger.

466. Re: [FT-1D] FT1XD Gets Warm

Yahoo group: FT-1D
Date: 2015-12-31 04:13:08 UTC
From: wd8jwj@...
Topic: 463 Message: 466

2200 mah Lithium for the FT1XD.
73, Bill, WD8JWJ

467. RE: [FT-1D] FT1XD Gets Warm

Yahoo group: FT-1D
Date: 2016-01-02 20:39:50 UTC
From: N9WYS
Topic: 463 Message: 467

Maybe it's a lithium battery - to be honest, I didn't look that closely....

Mark - N9WYS

-----Original Message-----
From: FT-1D@yahoogroups.com
Sent: Wednesday, December 30, 2015 6:34 PM
To: FT-1D@yahoogroups.com
Subject: Re: [FT-1D] FT1XD Gets Warm

Do the FT-1XDR's come with a NiMH battery?

I would have thought they'd come with the lithium-ion battery like the
FT-1DR.

73, Jim K5JH

On 12/30/2015 5:38 PM, 'N9WYS' n9wys@... [FT-1D] wrote:

> Operating on the NiMH battery, no charger.

468. Re: 12 volt power and external antenna

Yahoo group: FT-1D
Date: 2016-01-03 17:27:50 UTC
From: pmo75@...
Topic: 437 Message: 468

I am not English but the way i understand the manual is...

Yaesu don't knowing details about your external PSU about any RFI problem prefer to say you to use an external antenna reducing any RFI problem inside the PSU because this one will be far away from the external antenna.
Of course, with a Li battery, no RFI problem at all, then the warning could not be apply.

And sorry for my Frenchy English, hi !

469. FT1D APRS/SOTA Trail Card

Yahoo group: FT-1D
Date: 2016-01-06 17:44:51 UTC
From: michael@...
Topic: 469 Message: 469

For those that may be interested I put together a quick reference card (cheat sheet) for field use of the FT1D. It is customized to my needs for SOTA and hiking use but thought some others may find it useful.

Details and download posted here: Yaesu FT1D SOTA Trail Card - MWGblog
http://mwgblog.link/FT1D_SOTA

http://mwgblog.link/FT1D_SOTA

Yaesu FT1D SOTA Trail Card - MWGblog http://mwgblog.link/FT1D_SOTA Custom reference sheet for Yaesu FT1DR/DE use in SOTA and APRS field use.

View on mwgblog.link http://mwgblog.link/FT1D_SOTA
Preview by Yahoo

73

Michael Geoghegan
KX6A

470. Re: [FT-1D] FT1D APRS/SOTA Trail Card

Yahoo group: FT-1D
Date: 2016-01-06 17:47:00 UTC
From: Brian Smithson
Topic: 469 Message: 470

This is very cool, Michael - thank you for sharing!

73

-Brian n8wrl

On Wed, Jan 6, 2016 at 12:44 PM, michael@... [FT-1D] <
FT-1D@yahoogroups.com> wrote:

>
>
> For those that may be interested I put together a quick reference card
> (cheat sheet) for field use of the FT1D. It is customized to my needs for
> SOTA and hiking use but thought some others may find it useful.
>
>
> Details and download posted here: Yaesu FT1D SOTA Trail Card - MWGblog
> <http://mwgblog.link/FT1D_SOTA>
> [image: image] <http://mwgblog.link/FT1D_SOTA>
> Yaesu FT1D SOTA Trail Card - MWGblog <http://mwgblog.link/FT1D_SOTA>
> Custom reference sheet for Yaesu FT1DR/DE use in SOTA and APRS field use.
> View on mwgblog.link <http://mwgblog.link/FT1D_SOTA>
> Preview by Yahoo
>
>
> 73
>
>
> Michael Geoghegan
>
> KX6A
>
>
>

471. Re: FT1D APRS/SOTA Trail Card

Yahoo group: FT-1D
Date: 2016-01-06 17:50:24 UTC
From: Jeff Pixelated
Topic: 469 Message: 471

That's awesome! Nice work!

472. Re: [FT-1D] FT1D APRS/SOTA Trail Card

Yahoo group: FT-1D
Date: 2016-01-06 18:00:47 UTC
From: rb95403
Topic: 469 Message: 472

Very impressive

Sent from my iPhone

> On Jan 6, 2016, at 9:47 AM, Brian Smithson n8wrl@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> This is very cool, Michael - thank you for sharing!
>
> 73
>
> -Brian n8wrl
>
>> On Wed, Jan 6, 2016 at 12:44 PM, michael@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>>
>> For those that may be interested I put together a quick reference card (cheat sheet) for field use of the FT1D. It is customized to my needs for SOTA and hiking use but thought some others may find it useful.
>>
>>
>>
>> Details and download posted here: Yaesu FT1D SOTA Trail Card - MWGblog
>>
>>
>> Yaesu FT1D SOTA Trail Card - MWGblog
>> Custom reference sheet for Yaesu FT1DR/DE use in SOTA and APRS field use.
>> View on mwgblog.link
>> Preview by Yahoo
>>
>>
>> 73
>>
>>
>>
>> Michael Geoghegan
>>
>> KX6A
>>
>
>

473. Re: FT1D APRS/SOTA Trail Card

Yahoo group: FT-1D
Date: 2016-01-06 19:53:27 UTC
From: davelist@...
Topic: 469 Message: 473

Very nice! As a fellow owner of an FT1D and SOTA activator, I will put it to good use! Thanks!

Dave, AE9Q

474. Re: [FT-1D] FT1D APRS/SOTA Trail Card

Yahoo group: FT-1D
Date: 2016-01-07 11:37:47 UTC
From: Marco Filippi IZ3GME
Topic: 469 Message: 474

Nice job! TNX for sharing!

73 de IZ3GME Marco

On 06/01/2016 18:44, michael@... [FT-1D] wrote:
> For those that may be interested I put together a quick reference card
> (cheat sheet) for field use of the FT1D. It is customized to my needs
> for SOTA and hiking use but thought some others may find it useful.
>
>
> Details and download posted here: Yaesu FT1D SOTA Trail Card - MWGblog
> <http://mwgblog.link/FT1D_SOTA>
>
>
> image <http://mwgblog.link/FT1D_SOTA>
>
>
> Yaesu FT1D SOTA Trail Card - MWGblog <http://mwgblog.link/FT1D_SOTA>
> Custom reference sheet for Yaesu FT1DR/DE use in SOTA and APRS field use.
>
> View on mwgblog.link <http://mwgblog.link/FT1D_SOTA>
>
> Preview by Yahoo
>
>
> 73
>
>
> Michael Geoghegan
>
> KX6A
>
>

475. Programming the FT1XD

Yahoo group: FT-1D
Date: 2016-01-07 17:55:49 UTC
From: wd8jwj@...
Topic: 475 Message: 475

Whew! What an exercise in IT land. Took me two days to finally get things to go. Had a heck of a time figuring out the SD card/reader thing. Went right to RT Sys web site and brought up the video and followed it and it still took four shots at getting the file from the computer to the radio. Almost scared to try it again. Both radios always go to the first Freq entered in the program file and with squelch off. Took some doin' to get it quieted down.
Tried the Yaesu supplied -19 cable first and it wouldn't work, or so I thought. Next tried a regular USB cable and it wouldn't work either, or so I thought. Now sometime I will have to re-visit the whole process to see where I'm right and wrong.
I have pushed the buttons more than I have talked on the radio. ???
I guess it's just part of the FUN of ham radio in 2016.
73, Bill, WD8JWJ

PS: Nice job on the QR/Sota card Michael. No hills here in NW Ohio though. Flat as can be...73

476. Re: [FT-1D] Programming the FT1XD

Yahoo group: FT-1D
Date: 2016-01-07 18:14:16 UTC
From: David Piontek
Topic: 475 Message: 476

Bill,

See my 12/27 post about cable support update,
pasted below for reference. My SCU-19 cable does
work now, yours should too if you are running the
most recent updated version. 73, Dave/KV7I

Date: Sun, 27 Dec 2015 07:19:20 -0800
Subject: [FT-1D] RT Systems FT1D Programmer cable support update

Haven't seen this mentioned in the group, though
I may have missed it. I just found out in an
email exchange with their tech support, and
suppose there may be others in this group who are not aware.

Initially, FT1D radios were shipped with the
SCU-18 cable, which worked with the RT Systems
FT-1D Programmer. At some point, and as was the
case when I got my FT1D, Yaesu had switched to
shipping the SCU-19 cable with the radio - which
did NOT work with the RTS Programmer. The
alternate solution was the RTS option to get the
software with a USB card reader and microSD card.
The Programmer can also save programmed channels
and settings to a file on the card, which could
be imported from the card when it was inserted
into the radio - a multi-step process not as
convenient as using a cable, and in my experience
limited to a single file on the chip.

What I just now discovered is that the RTS FT1D
Programmer has been updated and now DOES support
the SCU-19 cable. Good news if you have that
cable and thought it was just excess packing
material. In case someone does not have either
SCU-18 or SCU-19 supplied by Yaesu, they also
sell the RTS equivalent cable, the USB-68. See
https://www.rtsystemsinc.com/FT-1D-programming-software-and-USB-cable-s/2244.htm

BTW, the software update can be run from within
the software while it is running, or from a
trouble shooting page on the RTS web site at
http://www.rtsystemsinc.com/kb_results.asp?ID=13

David Piontek
KV7I

At 09:55 1/7/2016, wd8jwj@... [FT-1D] wrote:
>
>Whew! What an exercise in IT land. Took me two
>days to finally get things to go. Had a heck of
>a time figuring out the SD card/reader thing.
>Went right to RT Sys web site and brought up the
>video and followed it and it still took four
>shots at getting the file from the computer to
>the radio. Almost scared to try it again. Both
>radios always go to the first Freq entered in
>the program file and with squelch off. Took some doin' to get it quieted down.
>Tried the Yaesu supplied -19 cable first and it
>wouldn't work, or so I thought. Next tried a
>regular USB cable and it wouldn't work either,
>or so I thought. Now sometime I will have to
>re-visit the whole process to see where I'm right and wrong.
>I have pushed the buttons more than I have talked on the radio. ???
>I guess it's just part of the FUN of ham radio in 2016.
>73, Bill, WD8JWJ
>
>PS: Nice job on the QR/Sota card Michael. No
>hills here in NW Ohio though. Flat as can be...73
>
>
>

David Piontek
KV7I

477. Re: [FT-1D] Programming the FT1XD

Yahoo group: FT-1D
Date: 2016-01-07 21:19:32 UTC
From: wd8jwj@...
Topic: 475 Message: 477

Tnx David.
I went to the Programmer and clicked on get up dates. Then had to close the program while a bunch of updates took place. Now when I get brave I"ll get the -19 cable out and give it a try.
I also think that if you leave the SD card in its slot and make changes to the radio and then turn it off, that when you turn it back on everything changed goes back to all the original settings that are on the SD card. So if you want to save all the new settings you must go to the menu for the SD card and "write to SD card". Then take the card out and store it.
I'm wearin' out my manual.
73, Bill, WD8JWJ

478. Anyone using GM (Group Monitor)?

Yahoo group: FT-1D
Date: 2016-01-12 16:20:16 UTC
From: Bob K0NR - email list
Topic: 478 Message: 478

I've been playing around with the FT-1DR and its GPS features.
Right now, I am using a pair of FT-1DR's to maintain contact while
hiking and doing SOTA activations.
The digital mode with position embedded in the transmission is pretty
handy for that.

It would seem that the Group Monitor (GM) mode would be useful as well.
So far, I have found that GM is mostly useful for running your battery
down quickly :-(
Is anyone actually using the GM function? If so, what for? Any tips?

73, Bob K0NR

--
Bob Witte K0NR
bob@...

479. Re: Anyone using GM (Group Monitor)?

Yahoo group: FT-1D
Date: 2016-01-12 23:49:13 UTC
From: wd8jwj@...
Topic: 478 Message: 479

Hi Bob,
I believe it is one of the Bells or Whistles of the radio. I have turned it on while two or more stations are in QSO and I can see the distance to them. I believe it sends out a short packet to see the other radios. Probably why it'l eat up the battery. I leave it off. Maybe would be of value in a high radio density area, but not here with only four C4FM'ers on the repeater.
And then there's the Frequency memories, Gads!
73, Bill, WD8JWJ

480. Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-13 03:50:37 UTC
From: wd8jwj@...
Topic: 480 Message: 480

I purchased the Yaesu speaker/ mic. The speaker leaves a lot to be desired. Much worse than the HT's speaker. With the Sp[/Mic single 4 cond jack it's all or none. I would like to have the microphone with an external speaker. Looks like I am going to have to make a cable to do that. I just happen to have a couple 4 conductor jack pigtails. I know there is a jack on the Microphone, but not a good place to plug in an external speaker or headphones. Where the mic goes the speaker/headset goes.
This set-up is for the vehicle. I am wondering if there is an input to the vehicle's audio system. I will have to check on that.
73, Bill, WD8JWJ

481. Re: Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-13 08:25:20 UTC
From: pmo75@...
Topic: 480 Message: 481

Hi Bill,

An option could be to buy a cheap Chinese compatible mike for the FT1 on ebay or other place, to cut the cord near the microphone and use the remaining jack + cord to input in a small junction box where you could fit standard plugs for mike and external speaker (the real problem is the jack and if possible the cord, there you have it, no more problem).

Another option could be to buy a small external speaker and to use the cabinet of it to directly input the previous jack+cord and to fit the standard plug for the external mike on it.

I hope your understand my bad English, sorry. ;-)

HNY and 73.
Philippe https://plus.google.com/114869439804810633003

482. Re: [FT-1D] Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-13 08:46:27 UTC
From: Dennis Griffin
Topic: 480 Message: 482

Is this a speaker/mic other than the one with camera?

73 de Dennis KD7CAC
Scottsdale, AZ

> On Jan 12, 2016, at 8:50 PM, wd8jwj@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> I purchased the Yaesu speaker/ mic. The speaker leaves a lot to be desired. > clip <
>

> 73, Bill, WD8JWJ
>
>
> Posted by: wd8jwj@...

483. Re: [FT-1D] Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-13 13:23:43 UTC
From: wd8jwj@...
Topic: 480 Message: 483

It is the Yeasu MH34. I see my 2014 Jeep has an AUX jack. I will dig out the manual and see what that will do. It may solve my speaker needs by using the vehicle's sound system. Not sure how that is going to be with APRS beacons. APRS beacons coming thru over the cars radio may not set well with the XYL ???
I do have a four conductor jack plug to break out the speaker/ microphone output from the radio.
I bought cup holder mount to hold the radio, but first I have to modify it to accept the HT, for easy on easy off.
73, Bill, WD8JWJ

484. Re: [FT-1D] Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-14 17:51:32 UTC
From: ke6gyd@...
Topic: 480 Message: 484
Attachments: 1 described; binary payloads are missing from this source WARC

You can also purchase a Yaesu CT-44 adapter that splits the mic input and speaker out. They're around $15. Just find/purchase/ebay a two pin Yaesu or compatible mic and plug in the mic pin to the adapter and leave the speaker part out. Then plug in an external speaker into the other part. See attachment.

As for the XYL, create three APRS memory channels. I leave one open to the APRS Hz, put a 100hz tone decode/CTCSS on another (Call it Voice Alert), and then a DCS tone on the third (call it APRSmute). Then if your are squawking APRS, you won't hear any packet bursts on the VA or mute channels. VA is used to contact another on the APRS frequency with voice. It turns on your speaker when another transmits the 100 Hz nationwide tone looking for a contact. If contact is made, move to another Hz to continue the conversation. It's like another calling channel like 146.520, for for the APRS community.

Hope this helps.

73
Bob
KE6GYD

485. Re: [FT-1D] Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-14 21:33:26 UTC
From: wd8jwj@...
Topic: 480 Message: 485

Tnx Bob, I did see that also. Just got done checking out the AUX input on the vehicle. Looks like that isn't going to work. When AUX is selected it cuts off the radio and all you get is, well, nothing, unless someone is talking to you thru the HT.
Now to decide whether to make a cable or just buy Yaesu's. I have the jack for the four prong mic plug to use the Yaesu mic. Then will need a small speaker. Or maybe, wait for the Hamfest in March.
I think I do more fiddling with projects than I do operating. Too Much Fun
73, Bill, WD8JWJ

486. Re: [FT-1D] Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-15 17:12:09 UTC
From: ke6gyd@...
Topic: 480 Message: 486

Bill,
Just read something on another yahoo group post that may be the ticket for you.

To confirm, looks like you want to run mobile using the ht with an external mic and external speaker.

Using the mics available today with the external speaker jack on the bottom of the mic, just connect a 3.5mm cable of sufficient length to the bottom of the mic jack and coil the wire inside the mic cord down to the ht, then run to the external speaker. That way, you don't need to have the cord dangling from the mic to the speaker or, unless you really want to, make or purchase the adapter.

Then run voice, APRS, or whatever you wish.

73
Bob
KE6GYD

487. Re: [FT-1D] Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-15 22:11:47 UTC
From: wd8jwj@...
Topic: 480 Message: 487

YES, great idea Bob, tnx for sharing it. I hadn't thought of running the audio cable down the center of the mic coiled cord to capture/contain it. That will eliminate the need to come up with special cable. Whoo Hooo.
Too Much Fun
73, Bill, WD8JWJ

488. Re: [FT-1D] Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-16 14:29:36 UTC
From: ke6gyd@...
Topic: 480 Message: 488

Oh, and just use a mono tip & sleeve cable to the speaker from the mic, not a stereo tip, ring, sleeve type. Found it doesnt work on my yaesu mic.

489. Re: Speaker Microphone

Yahoo group: FT-1D
Date: 2016-01-16 15:09:48 UTC
From: jared.kaczynski@...
Topic: 480 Message: 489

I too bought the speaker Mic without the camera and found its really not worth the cost. I think my baofeng hand mic is louder and more substantial than the tiny yaesu.

490. Hi capacity battery

Yahoo group: FT-1D
Date: 2016-01-16 17:37:35 UTC
From: w4yx@...
Topic: 490 Message: 490

Has anyone sourced a hi-capacity battery for the FT-1D aside from Yaesu?

Bill
W4YX

491. Re: [FT-1D] Hi capacity battery

Yahoo group: FT-1D
Date: 2016-01-16 18:34:58 UTC
From: Jim K5JG
Topic: 490 Message: 491

Bill,

Try Batteries America, http://www.batteriesamerica.com/.

73, Jim K5JG

On 1/16/2016 11:37 AM, w4yx@... [FT-1D] wrote:
> Has anyone sourced a hi-capacity battery for the FT-1D aside from Yaesu?
>
> Bill
> W4YX

492. Re: [FT-1D] Hi capacity battery

Yahoo group: FT-1D
Date: 2016-01-16 23:04:02 UTC
From: wd8jwj@...
Topic: 490 Message: 492

Yes, Batteries America. I just saw an ad in QST a 2000mah Lipo for less than $50.
I think I may go for one of these. Also need to order some AA's for my Analizer.
73, Bill, WD8JWJ

493. Programming ft-1d

Yahoo group: FT-1D
Date: 2016-01-17 22:16:49 UTC
From: n9mpv@...
Topic: 493 Message: 493

I am getting ready to program a new ft-1d handheld and I have heard some horror stories about the Yaesu software. Is it safe to use or should I buy RT system software and cord?

Thanks n9mpv

494. Re: [FT-1D] Programming ft-1d

Yahoo group: FT-1D
Date: 2016-01-17 22:41:44 UTC
From: Carl E Luft
Topic: 493 Message: 494

I highly recommend the rt systems software that you can download from them and if you have a micro sd card or get one locally, you don't need a cable.

Carl kb3thm

Sent from my iPad

> On Jan 17, 2016, at 5:16 PM, n9mpv@yahoo.com [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> I am getting ready to program a new ft-1d handheld and I have heard some horror stories about the Yaesu software. Is it safe to use or should I buy RT system software and cord?
>
>
>
> Thanks n9mpv
>
>

495. Re: Programming ft-1d

Yahoo group: FT-1D
Date: 2016-01-18 00:09:07 UTC
From: Jeff Pixelated
Topic: 493 Message: 495

I have a Mac so I use CHIRP and it works great with my FT-1D.

496. Re: [FT-1D] Programming ft-1d

Yahoo group: FT-1D
Date: 2016-01-18 03:55:26 UTC
From: n9mpv@...
Topic: 493 Message: 496

Thanks I am probably going to buy ft systems

497. Re: [FT-1D] Programming ft-1d

Yahoo group: FT-1D
Date: 2016-01-18 08:21:04 UTC
From: David Piontek
Topic: 493 Message: 497

I also highly recommend the RTS software. With the latest version of software (update from within the software while it's running, or from a page on the RTS website), it now works with the Yaesu SCU-19 cable that is supplied with the radio, so you do not need to buy the RTS cable. You can do the micro sd card of course, but its a bit tedious and has some limitations.

Dave/KV7I

At 14:41 1/17/2016, Carl E Luft celuft@... [FT-1D] wrote:
>
>
>I highly recommend the rt systems software that you can download
>from them and if you have a micro sd card or get one locally, you
>don't need a cable.
>
>Carl kb3thm
>
>
>Sent from my iPad
>
>On Jan 17, 2016, at 5:16 PM, <mailto:n9mpv@...>n9mpv@...
>[FT-1D] <<mailto:FT-1D@yahoogroups.com>FT-1D@yahoogroups.com> wrote:
>
>>
>>
>>I am getting ready to program a new ft-1d handheld and I have heard
>>some horror stories about the Yaesu software. Is it safe to use or
>>should I buy RT system software and cord?
>>
>>
>>Thanks n9mpv
>
>
>----------
>Posted by: Carl E Luft <celuft@...>
>
>----------
>

David Piontek
KV7I

498. Re: [FT-1D] Programming ft-1d

Yahoo group: FT-1D
Date: 2016-01-18 17:44:27 UTC
From: wd8jwj@...
Topic: 493 Message: 498

I second what Dave/KV7I says. Since I did my programming using the micro SD I think RT Syst have updated the software where the FT1XD as I have can use the supplied programming cable, the one with the football thing in the middle of the cord. I have not tried it yet.
RT Syst is the way to go, programming menu settings as well.
73, Bill, WD8JWJ

499. Re: Programming ft-1d

Yahoo group: FT-1D
Date: 2016-01-18 17:57:03 UTC
From: Karl Harris
Topic: 493 Message: 499

Chirp works fine with my FT-1D

K3KH

--
Karl Harris
email: karl.harris@...
phone: 215-264-1855

500. Re: Programming ft-1d

Yahoo group: FT-1D
Date: 2016-01-19 13:19:44 UTC
From: Gerry
Topic: 493 Message: 500

This also works

http://www.g4hfq.co.uk/ftb1d.html

Gerry
K8GEE

Sent from my iPhone

502. Re: Programming ft-1d

Yahoo group: FT-1D
Date: 2016-01-20 14:09:31 UTC
From: n9mpv@...
Topic: 493 Message: 502

Ok all is well. I bought RT systems software and used the sd card method. After about six hours of frustration things started to shape up. Then a few tweeks this morning and I have memory channels in two banks. Bank 1 vhf and digital channels and bank 2 with uhf channels.

Thanks everyone for input,

73 n9mpv

503. ARS UHF issue or operator?

Yahoo group: FT-1D
Date: 2016-02-03 20:06:50 UTC
From: alewien5000@...
Topic: 503 Message: 503

Hello everyone,
I'm getting to know my new FT-1DR and the group has been a good source of knowledge so far. My current question is on the behavior of the ARS function. If I enable ARS the HT wants to shift 446.000 as if it were a repeater frequency. Has anyone else noticed this? I have other Yaesu radios that seem to handle ARS for UHF frequencies just fine. ARS for VHF appears normal and helpful but I can't make sense of it on UHF.

Thanks in advance,
73's, KD0TQT

504. Re: [FT-1D] ARS UHF issue or operator?

Yahoo group: FT-1D
Date: 2016-02-04 02:31:18 UTC
From: Bob K0NR - email list
Topic: 503 Message: 504

My FT-1DR does the same thing (sets repeater offset on 446.0 MHz).
My FT-60 does the same. One of the most annoying "features" of the radio.
I turn it off and leave it off.

73, Bob K0NR

On 2/3/2016 1:06 PM, alewien5000@... [FT-1D] wrote:
>
> Hello everyone,
>
> I'm getting to know my new FT-1DR and the group has been a good source
> of knowledge so far. My current question is on the behavior of the
> ARS function. If I enable ARS the HT wants to shift 446.000 as if it
> were a repeater frequency. Has anyone else noticed this? I have
> other Yaesu radios that seem to handle ARS for UHF frequencies just
> fine. ARS for VHF appears normal and helpful but I can't make sense
> of it on UHF.
>
>
> Thanks in advance,
>
> 73's, KD0TQT
>

--

--
Bob Witte K0NR
bob@...

505. System Fusion Forum at Dayton Hamvention on Saturday, May 21st @ 9:15 am

Yahoo group: FT-1D
Date: 2016-02-08 22:50:21 UTC
From: Mark Thompson
Topic: 505 Message: 505

We have confirmed with the Dayton Hamvention Forums Chairman
that the System Fusion Forum at the 2016 Hamvention will be
on Saturday, May 21st at 9:15 am in the second largest forum room.

Last year, 2015 the first System Fusion forum was on Sunday morning at 10:30 am in the largest forum room and
the room was nearly full with around 300 in attendance so it's likely this year the forum might be standing room only.

We anticipate Yaesu will be presenting at the forum and taking Q&A.

If you would like to give a brief presentation at the forum regarding some aspect of System Fusion
please email me directly with Topic & Brief Description.

As more details regarding the forum become available
they will be posted on the Yaesu System Fusion yahoo group.
If you're not a member of the group you can join at the link below.

73, Mark, WB9QZBHamvention System Fusion Forum Moderator
Yaesu System Fusion Group Moderator
Mobile: +1 847 867 2774Email: wb9qzb@...

Yaesu System Fusion Grouphttps://groups.yahoo.com/neo/groups/yaesusystemfusion/info

506. DR-1X Repeater Internet Connectivity Through a WiRES-X Node.pdf

Yahoo group: FT-1D
Date: 2016-02-24 07:22:29 UTC
From: Mark Thompson
Topic: 506 Message: 506
Attachments: 1 described; binary payloads are missing from this source WARC

DR-1X Repeater Internet Connectivity Through a WiRES-X Node
(Remote Connect Method)
by Yaesu
http://www.yaesu.com/downloadFile.cfm?FileID=9227&FileCatID=148&FileName=DR%2D1X%20Repeater%20Internet%20Connectivity%20through%20a%20WiRES%2DX%20Node.pdf&FileContentType=application%2Fpdf

File attached.

Yaesu System Fusion Group Available
at: https://groups.yahoo.com/neo/groups/YaesuSystemFusion/info

507. FT1XD Dislikes

Yahoo group: FT-1D
Date: 2016-02-26 19:59:05 UTC
From: wd8jwj@...
Topic: 507 Message: 507

The rubber port covers. Difficult to plug in speaker mic at same time power cord is plugged in. I want to have the cords exit to the rear, but that is nearly impossible. Straight plugs vs angle plugs would work better, BUT. Thought about cutting off rubber covers, but really don't want to do that.

Volume control takes two hands. If you don't change the volume you end up muting it. Or you end up pressing the wrong button for volume. Not a good thing if mobile.

Neither of these affect the operation of the HT, but do make some actions difficult.
JMO
73, Bill, WD8JWJ

508. FT-1DR Firmware Update

Yahoo group: FT-1D
Date: 2016-02-27 22:53:14 UTC
From: shinysideup@...
Topic: 508 Message: 508

Hi to the Group,

I have a question. Seeing that the other Fusion radios have all had DSP software updates, why will there not be any updating the DSP version on the FT-1DR?

I am not sure if it is not possible or are there other reasons? Just curious. It seems to me that from what I understand the FT-1XD is basically the same radio as the FT-1DR, except for enhance GPS module and larger battery. The FT-1XD however comes with an updated version of the DSP software- (ver. 4.10) per an FT-1XD owner.. If so why can't the FT-1DR be updated as well? Anyone have any idea why Yaesu isn't going to release Firmware and DSP updates for this version Radio?

Thanks,

Rock
KC9YRR

509. Fusion Net

Yahoo group: FT-1D
Date: 2016-02-27 22:59:59 UTC
From: shinysideup@...
Topic: 509 Message: 509

S.E. Wisconsin Yaesu System Fusion Net.
Saturday Evenings 7:00 P.M. Local Time.
Sponsored By
The Milwaukee Radio Amateurs' Club.

Where:

MRAC repeater. 145.390MHz, Offset -600KHz, PL Tone encode of 127.3.

When:

Every Saturday Eveing starting at 7:00 P.M. Central.

Mixed Mode Friendly:

Analog as well as Digital users can check in, and the first go around is specifically allocated to questions, comments, and answers from and for our analog guests, in analog mode. The net then moves on to Digital Mode for the remainder of the net. We encourage those who are interested in Yaesu System Fusion products to check in.

Thanks and hope to hear you on the net!

Bob
KC9YRR

510. Re: [FT-1D] FT-1DR Firmware Update

Yahoo group: FT-1D
Date: 2016-02-27 23:50:28 UTC
From: Brian Smithson
Topic: 508 Message: 510

What makes you think there won't be an update? In my experience with other Yaesu radios they've been pretty good about software updates when they're warranted.

73

-Brian n8wrl

On Sat, Feb 27, 2016 at 5:53 PM, shinysideup@hotmail.com [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> Hi to the Group,
>
>
> I have a question. Seeing that the other Fusion radios have all had DSP
> software updates, why will there not be any updating the DSP version on the
> FT-1DR?
>
>
> I am not sure if it is not possible or are there other reasons? Just
> curious. It seems to me that from what I understand the FT-1XD is basically
> the same radio as the FT-1DR, except for enhance GPS module and larger
> battery. The FT-1XD however comes with an updated version of the DSP
> software- (ver. 4.10) per an FT-1XD owner.. If so why can't the FT-1DR be
> updated as well? Anyone have any idea why Yaesu isn't going to release
> Firmware and DSP updates for this version Radio?
>
>
> Thanks,
>
>
> Rock
>
> KC9YRR
>
>
>

511. Re: [FT-1D] FT-1DR Firmware Update

Yahoo group: FT-1D
Date: 2016-02-28 00:03:29 UTC
From: Jim K5JG
Topic: 508 Message: 511

Someone in this group, Chris from Yaesu (I think), said several weeks ago that no updates were planned for the FT-1DR.

73, Jim K5JG

On 2/27/2016 5:50 PM, Brian Smithson n8wrl@... [FT-1D] wrote:
> What makes you think there won't be an update?

512. Re: [FT-1D] FT-1DR Firmware Update

Yahoo group: FT-1D
Date: 2016-02-28 00:07:38 UTC
From: Jim K5JG
Topic: 508 Message: 512

Oops. I didn't realize this is a different forum than the one where that info was posted.

It was in the "YaesuSystemFusion" group.

73, Jim K5JG

On 2/27/2016 6:03 PM, Jim K5JG k5jg@... [FT-1D] wrote:
> Someone in this group, Chris from Yaesu (I think), said several weeks
> ago that no updates were planned for the FT-1DR.
>
> 73, Jim K5JG
>
> On 2/27/2016 5:50 PM, Brian Smithson n8wrl@... [FT-1D] wrote:
>> What makes you think there won't be an update?
>
>
> ------------------------------------
>
> ------------------------------------
>
>
> ------------------------------------
>
> Yahoo Groups Links
>
>
>
>

513. UPDATE: System Fusion Forum at Dayton Hamvention on Saturday, May 21st @ 2:30 - 3:30 pm in Forum Room #3

Yahoo group: FT-1D
Date: 2016-02-28 23:20:03 UTC
From: Mark Thompson
Topic: 505 Message: 513

The Dayton Hamvention Forums Chairman has notified us that
the System Fusion Forum at the 2016 Hamvention has been rescheduled
to Saturday, May 21st at 2:30 - 3:30 pm in Forum Room #3.

Last year, 2015 the first System Fusion forum was on Sunday morning at 10:30 am in the largest forum room and
the room was nearly full with around 300 in attendance so it's likely this year the forum might be standing room only.

We anticipate Yaesu will be presenting at the forum and taking Q&A.

If you would like to give a brief presentation at the forum regarding some aspect of System Fusion
please email me directly with Topic & Brief Description.

As more details regarding the forum become available
they will be posted on the Yaesu System Fusion yahoo group.
If you're not a member of the group you can join at the link below.

73, Mark, WB9QZBHamvention System Fusion Forum Moderator
Yaesu System Fusion Group Moderator
Mobile: +1 847 867 2774Email: wb9qzb@aol.com

Yaesu System Fusion Grouphttps://groups.yahoo.com/neo/groups/yaesusystemfusion/info

From: Mark Thompson <wb9qzb_groups@...>
To:
Cc:
Sent: Monday, February 8, 2016 4:50 PM
Subject: System Fusion Forum at Dayton Hamvention on Saturday, May 21st @ 9:15 am

We have confirmed with the Dayton Hamvention Forums Chairman
that the System Fusion Forum at the 2016 Hamvention will be
on Saturday, May 21st at 9:15 am in the second largest forum room.

Last year, 2015 the first System Fusion forum was on Sunday morning at 10:30 am in the largest forum room and
the room was nearly full with around 300 in attendance so it's likely this year the forum might be standing room only.

We anticipate Yaesu will be presenting at the forum and taking Q&A.

If you would like to give a brief presentation at the forum regarding some aspect of System Fusion
please email me directly with Topic & Brief Description.

As more details regarding the forum become available
they will be posted on the Yaesu System Fusion yahoo group.
If you're not a member of the group you can join at the link below.

73, Mark, WB9QZBHamvention System Fusion Forum Moderator
Yaesu System Fusion Group Moderator
Mobile: +1 847 867 2774Email: wb9qzb@...

Yaesu System Fusion Grouphttps://groups.yahoo.com/neo/groups/yaesusystemfusion/info

514. QSY Info placement

Yahoo group: FT-1D
Date: 2016-04-04 18:02:49 UTC
From: frankmhowell@...
Topic: 514 Message: 514

Hi,

I just got a new FT1XDR...and have two FTM-400DRs. On APRS the FTM400's have a menu option for the Frequency on VFO A to be automatically inserted into the Beacon. I've found that on or about Page 42 of the APRS Manual for the 400DR.

However, the FT1DR/XDR APRS Manual portion on the STATUS TXT (Page 30ff) only gives a general set of instructions for inserting "text" into the STATUS TXT. My questions are:

a. Can the FT1XDR automatically transmit the VFO A frequency/tone/offset info;

b. OR is it just a manually set static frequency/tone/offset string?;

c. If a, what paramters are entered in the BEACON TXT (or anywhere else, if that's the case)?

73,

Frank
K4FMH

515. Re: QSY Info placement

Yahoo group: FT-1D
Date: 2016-04-06 02:30:53 UTC
From: wj3k@...
Topic: 514 Message: 515

Frank -

- Good questions, and I'm glad that you asked. This is a very useful function if it is done correctly.

"However, the FT1DR/XDR APRS Manual portion on the STATUS TXT (Page 30ff) only gives a general set of instructions for inserting "text" into the STATUS TXT. My questions are:

a. Can the FT1XDR automatically transmit the VFO A frequency/tone/offset info;"

-> No. It has to be done manually.

"b. OR is it just a manually set static frequency/tone/offset string?;"

-> It is.

"c. If a, what parameters are entered in the BEACON TXT (or anywhere else, if that's the case)?"

-> To transmit a beacon that will permit automatic QSY or tuning by Yaesu or Kenwood mobiles (FTM-400, TM-V710G, etc) your BEACON TXT string begins immediately, as an example,

442.300MHz T107 +500 (followed by any additional info).

The frequency - tone - split must be in that format:
###.###MHz T### +###

(with that exact set of two upper case MH and one lower case z as "MHz")

The PL tone is just the whole frequency in Hz (the decimal is redundant and is dropped). T107 indicates that the tone 107.2 is necessary to access the repeater or station. C107 would indicate that the station transmits a PL tone of 107.2 and 107.2 is also necessary to access the station.

The split, or offset, is "+" or "-" followed by the offset in MHz. +500 or -500 is common for 70cm, and +060 or -060 is common for 2 meters. If the other station is set to use the standard offsets, it is not necessary to include them, but you don't know that from the start.

The FTM-400 will read that string when you press QSY, and will tune the A channel VFO to that frequency, tone and offset. The Kenwood TM-D710G will do the same by pressing "Tune." Both radios can automatically insert all of that data into their transmitted beacon string.

The earlier TM-D710 will automatically insert only the frequency into the beacon string. It will automatically tune only to the frequency that it reads, not the tone and split. I believe the Kenwoods are more flexible regarding format, but I think it best to use the format that will work with the most configurations.

A fixed APRS station can also transmit repeater objects so that the FTM-400 and TM-D710G can tune to them. Our repeaters in the Annapolis, MD area transmit the object name as, for example, 442.300MD. The beacon status text is the same as above:

442.300 MHz T107 +500 C4FM KB3CMA

You can search in ww.aprs.fi for 44?.???MD and see the 70 cm repeater objects in Maryland, or 14
?.???MD for 2-meter repeaters. Unfortunately, not all use that format for object names or QSY strings.

Comments are welcome.

Gordon Davids, WJ3K

516. What DV header transmits.

Yahoo group: FT-1D
Date: 2016-04-06 04:44:16 UTC
From: thuffaker@...
Topic: 516 Message: 516

Today I noticed today some callsigns also showed the persons first name. Their callsigns and first name would scroll by when they were talking. I'm sure my callsigns shows up when I talk but not my name. So how do I get my name to show up when talking?

Thank you,
Tim KM4ESU

517. Re: What DV header transmits.

Yahoo group: FT-1D
Date: 2016-04-06 10:24:15 UTC
From: Jeff Pixelated
Topic: 516 Message: 517

You have to type that in after your callsign. Out a some or dash between the two, but not both due to lack of space.

518. Re: What DV header transmits.

Yahoo group: FT-1D
Date: 2016-04-06 12:59:19 UTC
From: thuffaker@...
Topic: 516 Message: 518

Hi Jeff,

I will try it.

Thank you,
Tim KM4ESU

519. Re: QSY Info placement

Yahoo group: FT-1D
Date: 2016-04-06 16:30:42 UTC
From: frankmhowell@...
Topic: 514 Message: 519

Gordon,

Thank you so much for your responses!

So the FT1?DR has only a manually added "static" frequency option. Am I correct in reading my FTM-400DR manual that the '400 has the ability to AUTOMATICALLY insert VFO A's frequency, offset and tone into this BEACON TXT string? So the '400 has an enhanced capability in this regard?

73,

Frank
K4FMH

520. Re: What DV header transmits.

Yahoo group: FT-1D
Date: 2016-04-07 00:26:57 UTC
From: wj3k@...
Topic: 516 Message: 520

The "CALLSIGN" string will hold up to ten characters. "-TIM" will fit after the call sign and one space or hyphen.

- Gordon Davids /WJ3K

521. Re: QSY Info placement

Yahoo group: FT-1D
Date: 2016-04-07 00:42:32 UTC
From: wj3k@...
Topic: 514 Message: 521

"So the FT1?DR has only a manually added "static" frequency option. Am I correct in reading my FTM-400DR manual that the '400 has the ability to AUTOMATICALLY insert VFO A's frequency, offset and tone into this BEACON TXT string? So the '400 has an enhanced capability in this regard?"

Yes, Frank, it does.

The instructions to set it up are in Page 42 of the APRS Manual.

"Attaching Status Text to a Beacon."

If you are entering data for a repeater that you monitor, it helps to enter the call sign of the repeater after the automatic offset field (insert one space between each field following the offset.

In my experience the only thing that the TM-D710G will do that the FTM-400 will not do is cross-band repeat (with analog FM, of course).

Gordon / WJ3K

522. Re: QSY Info placement

Yahoo group: FT-1D
Date: 2016-04-08 13:35:03 UTC
From: Corwin Willys
Topic: 514 Message: 522

Hi,

with regards to APRS and QSY info, does anyone
know if the FT-1D supports APRS "Voice Alert"?

It's basically adding a CTCSS to the beacons so
you only hear "local" squawks (not digipeated ones)
and then you can do a quick voice call
on the APRS freq. akin to "Voice alert, voice alert,
this is VK3ZZZ please QSY to XYZ"
and then the person nearby using APRS with
the official Voice alert CTCSS tone will get the message.

Details here:
http://www.aprs.org/VoiceAlert3.html

The threads linked below suggest the YAESU doesn't allow CTCSS
menus when the APRS modem is turned on, which would be
a shame, unless they fixed it in a firmware upgrade?

http://ham-gear.com/yaesu-ft1dr-aprs-notes/
http://forums.radioreference.com/amateur-radio-data-transmissions/223146-aprs-voice-alert.
html

Thank you for your advice.

Corwin VK3FLIC

On 7/04/2016 10:42 AM, wj3k@... [FT-1D] wrote:
> "So the FT1?DR has only a manually added "static" frequency option
> Am I correct in reading my FTM-400DR manual that the '400 has the ability to
AUTOMATICALLY insert VFO A's frequency,
> offset and tone into this BEACON TXT string?"

523. Re: QSY Info placement

Yahoo group: FT-1D
Date: 2016-04-10 19:49:17 UTC
From: thuffaker@...
Topic: 514 Message: 523

Hello Corwin,

Thank for letting us know about voice alerts. I have turned APRS on my FT1XD and receive lots of stations. Presently I do not show up on the APRS map but that is another issue. I did check signaling on 144.390 the USA APRS frequency. Menu 4 signaling, menu 11 tone squelch, menu 12 tone squelch frequency. It was set to 100 the tone for ctcss in the USA. That should give you voice alerts.

Can anyone confirm since I cannot test it myself.

Tim
KM4ESU

524. Re: QSY Info placement

Yahoo group: FT-1D
Date: 2016-04-11 15:20:28 UTC
From: Corwin Willys
Topic: 514 Message: 524

Hi Tim

Thank you for confirming those menu settings are available
for APRS Voice Alert (tone Sql).
In my "AUS" version FT1D (not FT1XD)
the option 4 SIGNALING, menu 11 SQL TYPE
is forced to "OFF" and cannot be changed
when the APRS modem is turned on.
I'm not sure if it got fixed in the "X" version
or if it is due to the USA/AUS export model behaviour.

Cheers, Corwin VK3FLIC

525. Re: QSY Info placement

Yahoo group: FT-1D
Date: 2016-04-13 03:15:54 UTC
From: thuffaker@...
Topic: 514 Message: 525

Hi Corwin,

Did you update the firmware on your version of the radio? If you have and still cannot get the ctcss to work I would contact Yaesu's technical help to see if they can get it turned on. I have many times and they give excellent support.

Tim KM4ESU

526. Firmware Upate 04/19/2016

Yahoo group: FT-1D
Date: 2016-04-22 23:31:10 UTC
From: thepixelated13@...
Topic: 526 Message: 526

Yaesu released a firmware update for the FT-1DR/DE (Main 2.07 & DSP 04.10) & FT-1XDR/DE (MAIN 12.07. Both separate versions.

More info on Yaesu's website.

Happy updating!

527. Split PL tones

Yahoo group: FT-1D
Date: 2016-04-23 00:03:48 UTC
From: acmcjr@...
Topic: 527 Message: 527

I am trying to use a UHF repeater that has different pl tones for transmit and receive. I have a FT1XDR. Can this radio do this?

528. Re: Split PL tones

Yahoo group: FT-1D
Date: 2016-04-24 23:48:34 UTC
From: wj3k@...
Topic: 527 Message: 528

There is not a specific setting on the FT-1DR to transmit with one PL tone and receive with another, but you don't need that. As I understand your question, the repeater requires one PL tone on its receive frequency, and superimposes a different PL tone on its transmitted signal. I assume that you are dealing with an analog FM repeater, not a digital signal, because System Fusion does not use PL tones with digital signals.

If you transmit to the repeater with the PL tone that it wants to hear, it will repeat your signal with its different transmit PL tone.

Go to the menu: 4-Signalling, 11-SQL Type, TONE (Tn) and ENTER that setting. Then back up to 4-Signalling, 12-TONE SQL FREQ, select the PL tone that the repeater wants to hear, and ENTER that tone. Do NOT set TSQ. Your radio will receive everything from that repeater and any others on that frequency within range. As long as your radio hears everything, it doesn't care what PL tone is transmitted by the repeater.

Now, say another repeater on the same frequency transmits with the tone that you have set for transmit, and you want to block those signals while MONITORING your repeater. You can set another memory channel (probably adjacent, for easy tuning) with Tone Squelch (Tsq, TX and RX) set, to receive only the transmit signal from your repeater. Then you have one memory set for monitoring (but not transmitting), and another memory set on the same frequency pair for communicating (TX & RX).

If it is a System Fusion repeater, your monitoring memory set will not hear the noise from a digital signal, because it is transmitted with no PL tone. But you can set Automatic Mode Select ON and you will hear the digital signals as voice.

- Gordon Davids / WJ3K

529. Re: [FT-1D] Re: Split PL tones

Yahoo group: FT-1D
Date: 2016-04-25 10:16:47 UTC
From: Albert McCrae
Topic: 527 Message: 529

Thanks for the reply.
I need to run tone squelch at my house because of the local interference causes the scan to stop.
So I will set it up as you recommend with 2 channels adjacent to each other and see how that works.

KA3ODI

> On Apr 24, 2016, at 19:48, wj3k@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> There is not a specific setting on the FT-1DR to transmit with one PL tone and receive with another, but you don't need that. As I understand your question, the repeater requires one PL tone on its receive frequency, and superimposes a different PL tone on its transmitted signal. I assume that you are dealing with an analog FM repeater, not a digital signal, because System Fusion does not use PL tones with digital signals.
>
> If you transmit to the repeater with the PL tone that it wants to hear, it will repeat your signal with its different transmit PL tone.
>
> Go to the menu: 4-Signalling, 11-SQL Type, TONE (Tn) and ENTER that setting. Then back up to 4-Signalling, 12-TONE SQL FREQ, select the PL tone that the repeater wants to hear, and ENTER that tone. Do NOT set TSQ. Your radio will receive everything from that repeater and any others on that frequency within range. As long as your radio hears everything, it doesn't care what PL tone is transmitted by the repeater.
>
> Now, say another repeater on the same frequency transmits with the tone that you have set for transmit, and you want to block those signals while MONITORING your repeater. You can set another memory channel (probably adjacent, for easy tuning) with Tone Squelch (Tsq, TX and RX) set, to receive only the transmit signal from your repeater. Then you have one memory set for monitoring (but not transmitting), and another memory set on the same frequency pair for communicating (TX & RX).
>
> If it is a System Fusion repeater, your monitoring memory set will not hear the noise from a digital signal, because it is transmitted with no PL tone. But you can set Automatic Mode Select ON and you will hear the digital signals as voice.
>
> - Gordon Davids / WJ3K
>
>

530. Re: Firmware Upate 04/19/2016

Yahoo group: FT-1D
Date: 2016-04-25 18:43:01 UTC
From: wj3k@...
Topic: 526 Message: 530

I updated my FT-1DR's today after spending some time trying to figure out the instructions, printed vs application screens. They don't play nicely in a few spots, so maybe this will be useful.

The Main Firmware Update Instruction Manual is OK. It explains steps that are not obvious in the app screens. Particularly, it does detail the procedures for "ALL RESET" and for checking the Version Number when you finish.

For "ALL RESET," press and hold [Dx], [GM] and [ENT] keys while turning the transceiver ON.

Press [F] and you will be asked for your (Digital) call sign.

Power OFF and ON, then enter the call sign and restore your memory settings. You did remember to save them to the SD card or in a computer file, didn't you?

The DSP Firmware Instruction Manual isn't quite as good. The on-line instructions don't mention anything about removing the battery pack and AC adapter before connecting the data cable (SCU-18 or SCU-19). The instructions only tell you to look in the PDF file for details.

In step 3, the on-line instructions tell us to "Turn the transceiver on in C4FM-DSP F/W write mode," whatever that is.

The Manual tells us to "Press and hold [A/B] key for over one second to turn the power ON and press the [F] key to check that DSP WRITE is blinking."

The missing step here is the power switch. [A/B] does not turn the power on. Press and hold [A/B] AND [Power ON] for over one second, and you will be in the correct mode. Then click on UPDATE on the screen and you are on your way. That instance was the only real failing in the instructions. Other than that, my advice is to make sure that you have the PDF manual close at hand (I printed mine) and read back and forth between the manual and the screen while you are going through the steps.

I don't have anything on the FT-1XDR procedure and I don't know yet what, if any, obvious changes have been made with the updates.

73,
Gordon Davids / WJ3K

531. Re: Firmware Upate 04/19/2016

Yahoo group: FT-1D
Date: 2016-04-25 22:58:05 UTC
From: kc9yrr@...
Topic: 526 Message: 531

Gordon,

Thanks for pointing out the inconsistencies in the instruction. Sometimes those of us who can figure out what should be and what is don't take the time to help make things clear and correct simple things that make things frustrating for some.

I am sure your post will help many out there who have followed instructions to the t, even if they are not quite completely accurate.

Thanks for taking the time!

Bob,
KC9YRR

532. Re: APRS Problem

Yahoo group: FT-1D
Date: 2016-04-28 02:05:45 UTC
From: smallfryfd@...
Topic: 532 Message: 532

Hello All,

I had my radio working APRS like a champ for a while, but now, dispite running down the start up list I can no get it to link up. The GPS works, its on the right Frq. (the Node/Repeater is about 600m from my house, so I know I can hear/hit it), but it is 1) no "reading" what is coming over (I am getting the static packets I can hear but nothing else) and it is 2) not transmitting my info/location.

Thoughts?

Dave/KG6JOL

533. Re: APRS Problem

Yahoo group: FT-1D
Date: 2016-04-28 03:51:46 UTC
From: Ron
Topic: 532 Message: 533

At any time you can transmit a beacon manually by Pressing "F" then "9" and the radio should transmit a beacon.
Check what Beacon TX Mode the radio is in. My guess is its in Manual.Press "F" then "0" and see what icon is in the Station List. Press "F" athen "BAND" to change modes from Manual to Auto to Smart Beacon.

See page 26 of the APRS Manual for details.
 Ron

534. Rubber cover flaps for plugs

Yahoo group: FT-1D
Date: 2016-04-29 16:22:42 UTC
From: Thanh Nguyen
Topic: 534 Message: 534

I mistakenly torn off the middle rubber flap that covers the plug for the external charger. It seems that the whole rubber part with 3 flaps should be replaceable but I could not find a store online to buy from.

Thank you very much for any hint on where and how I can get it replaced.
thanh

535. Re: Firmware Upate 04/19/2016

Yahoo group: FT-1D
Date: 2016-04-30 04:38:18 UTC
From: db4pa@...
Topic: 526 Message: 535

Hi all,

after updating my FT-1DE to DSP 04.10 I check the DSP Version Number, it shows only a dot.

The fix is simple :
Turn the Radio OFF and unplug the Wallcharger. Put in Batterie and turn Radio ON.

Check the DSP Version again, it shows the correct Versionnumber (4.10)

55/73 de Stefan DB4PA

536. Re: [FT-1D] Rubber cover flaps for plugs

Yahoo group: FT-1D
Date: 2016-05-03 16:45:19 UTC
From: Thanh Nguyen
Topic: 534 Message: 536

FYI, it's easy and painless to order this rubber cover from the Part
Dept. Yaesu USA. Price is 96 cent plus 40 cent for stamps. Cool :)

thanh
AG6BB

On 4/29/2016 9:22 AM, Thanh Nguyen tvnasap@... [FT-1D] wrote:
>
> I mistakenly torn off the middle rubber flap that covers the plug for
> the external charger. It seems that the whole rubber part with 3 flaps
> should be replaceable but I could not find a store online to buy from.
>
> Thank you very much for any hint on where and how I can get it replaced.
> thanh
>
>

537. Narrow FM

Yahoo group: FT-1D
Date: 2016-06-19 08:33:40 UTC
From: pmo75@...
Topic: 537 Message: 537

Hi to all,
Where is the Narrow FM setting in the FT1 ?
73.
Phil

538. Re: Narrow FM

Yahoo group: FT-1D
Date: 2016-06-19 14:33:10 UTC
From: altecradio@...
Topic: 537 Message: 538

There is none. My only complaint with any of these Fusion radios.

What the hell was Yaesu thinking leaving out that functionality?!?

73
Scott

539. Re: Narrow FM

Yahoo group: FT-1D
Date: 2016-06-19 14:50:10 UTC
From: pmo75@...
Topic: 537 Message: 539

Strange, it's on a few $$$ Baofeng and not on this expensive unit ?
Thanks for your answer, 73.
Philippe

540. Re: [FT-1D] Re: Narrow FM

Yahoo group: FT-1D
Date: 2016-06-19 15:13:41 UTC
From: Dan Sullivan
Topic: 537 Message: 540

Using the ADMS, NFM is the only option other than AM.

Sent from my iPhone

> On Jun 19, 2016, at 10:50, pmo75@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> Strange, it's on a few $$$ Baofeng and not on this expensive unit ?
> Thanks for your answer, 73.
> Philippe
>
>

541. Re: Narrow FM

Yahoo group: FT-1D
Date: 2016-06-19 18:19:32 UTC
From: kc9yrr@...
Topic: 537 Message: 541

Menu:

1. TX/RX
2. Mode
3. Option 3 - Half deviation.

542. No audio in digital modes

Yahoo group: FT-1D
Date: 2016-06-28 16:55:54 UTC
From: jfstein04@...
Topic: 542 Message: 542

I must have mis-selected something in the settings, but I can no longer hear any audio using VW or DN. I know its receiving a signal but I'm not able to hear it. I tried a factory reset to restore the default settings but its still silent. I appreciate any suggestions. Thanks, John

543. Re: No audio in digital modes

Yahoo group: FT-1D
Date: 2016-06-29 23:32:22 UTC
From: jfstein04@...
Topic: 542 Message: 543

No digital audio - solved

Just a followup in case anyone else sees odd behavior after a firmware update. I had recently updated the main f/w and (I thought) the DSP f/w. Turns out I had conflicting versions in the radio. Yaesu wanted me to return it for service because they didn't have any idea what was going on. I would just say,,,,, the update instructions for the main f/w are fine, but the DSP update instructions ought to be refined a little bit.

544. APRS output to a pc

Yahoo group: FT-1D
Date: 2016-08-20 00:29:15 UTC
From: ka0ynw@...
Topic: 544 Message: 544

Little new to this setup. I did read #271 message, but, cannot get the radio to send data to UIview32. What program should I use for an actual pc? I am aware that the rig will not transmit info from the pc, but, I would like to get info to a map and be able to really track movement in my county. Tnx
Jack KA0YNW

545. FT1XDR -- For Satellite

Yahoo group: FT-1D
Date: 2016-09-26 05:53:44 UTC
From: mauromelgar@...
Topic: 545 Message: 545

Hello, sorry my english, long time working satellites with my ft-60r and my antenna Arrow II, buy my FT1XDR and so far not been able to work well satellites, or do not listen or hear too low. someone had a problem? They configured something special? I must say that this FM analog mode in VFO B

546. APRS Mute to fully working

Yahoo group: FT-1D
Date: 2017-01-06 12:53:50 UTC
From: doug.mccomber@...
Topic: 546 Message: 546

I have APRS Mute turned on which works for all packets except a DE of my own call sign. When that packet is received mute is off briefly followed by a beep. Then mute goes back on. Under Ringer I have everything off except weather, msg, grp and my msg. Turning my msg off doesn't solve the issue either (wouldn't expect it too but you never know).

So is this "normal" behaviour, am I missing a setting, or do you think it is a firmware (I'm on the latest) bug?

73,
Doug
VE1FAL
FT1XDR

547. Not receiving IS to RF messages

Yahoo group: FT-1D
Date: 2017-01-06 13:17:19 UTC
From: doug.mccomber@...
Topic: 547 Message: 547

I haven't been able to receive any messages sent to me via APRS-IS. For example, if I use openaprs.net to send a message to VE1FAL-7 it never arrives on my HT. I assume my local igate is bi-directional but I don't know for sure, the op hasn't responded to my query yet.

Googling I found a blog that claims there is a firmware bug where messages will only be received if no ssid is set on the radio. See APRS messaging bug in the Yaesu FT1D
https://mikebeach.org/2015/10/26/aprs-messaging-bug-in-the-yaesu-ft1d/comment-page-1/

https://mikebeach.org/2015/10/26/aprs-messaging-bug-in-the-yaesu-ft1d/comment-page-1/

APRS messaging bug in the Yaesu FT1D
https://mikebeach.org/2015/10/26/aprs-messaging-bug-in-the-yaesu-ft1d/comment-page-1/ I have a Yaesu FT1D that supports APRS messaging. I set the callsign ...

View on mikebeach.org
https://mikebeach.org/2015/10/26/aprs-messaging-bug-in-the-yaesu-ft1d/comment-page-1/
Preview by Yahoo

Anyone else experience this problem?

73,
Doug
VE1FAL
FT1XDR

548. Re: APRS Mute to fully working

Yahoo group: FT-1D
Date: 2017-01-06 13:20:06 UTC
From: doug.mccomber@...
Topic: 546 Message: 548

I see that this is only happening when my radio is beaconing. I suppose that is "normal" behaviour and there is no way to mute it?

549. Re: Not receiving IS to RF messages

Yahoo group: FT-1D
Date: 2017-01-25 18:56:52 UTC
From: doug.mccomber@...
Topic: 547 Message: 549

The IGate in my area was only RF to IS so I have set up my own bi-directional IGate and messaging is working just fine on my HT.

550. QRU only returning 2 objects

Yahoo group: FT-1D
Date: 2017-01-27 12:54:47 UTC
From: doug.mccomber@...
Topic: 550 Message: 550

When I QRU for FUEL the QRU server is sending out 8 objects of which 4 are under 10km from my position. I know this because I run the QRU server (and I can see the objects appear on aprs.fi). But my radio only ever receives 2 objects (the 2 nearest). I've tried QRUing (can that be a verb?) FUEL 20 but I get the same results. What am I missing?

551. APRS Data

Yahoo group: FT-1D
Date: 2017-02-24 21:34:12 UTC
From: thepixelated13@...
Topic: 551 Message: 551

Is there a way to download APRS data from the radio or to the SD card in the radio? I know you can dump the GPS data, but I want the APRS data.

Thanks.

552. Won't work on SharkRF Hotspot

Yahoo group: FT-1D
Date: 2017-07-03 13:55:44 UTC
From: ad5md@...
Topic: 552 Message: 552

I used to be able able to communicate on Fusion with my HT and the SharkRF but this morning I can no longer do it. Checked the previous settings, mode on DN, simplex, correct frequency (verified with hotspot settings), hotspot set to C4FM. I did not change anything on the hotspot. Tried with my DMR and it does communicate with the hotspot and was able to qso.

All I did last night was use the RT Systems software to read the data from.the HT & followed the instruction to turn off the tcvr after. I did a full reset, set freq, simplex, DN mode but still won't work.

What am I missing? Tnx

553. Re: [FT-1D] Won't work on SharkRF Hotspot

Yahoo group: FT-1D
Date: 2017-07-03 16:10:06 UTC
From: Ted Lyon
Topic: 552 Message: 553

For some reason my FT-2D did the same thing yesterday. I could see on my S meter that a QSO was going on, but couldn't hear anything. I cycle through VW-FM-back to DN and could hear the QSO.

Sent from my iPhone

> On Jul 3, 2017, at 8:55 AM, ad5md@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> I used to be able able to communicate on Fusion with my HT and the SharkRF but this morning I can no longer do it. Checked the previous settings, mode on DN, simplex, correct frequency (verified with hotspot settings), hotspot set to C4FM. I did not change anything on the hotspot. Tried with my DMR and it does communicate with the hotspot and was able to qso.
>
> All I did last night was use the RT Systems software to read the data from.the HT & followed the instruction to turn off the tcvr after. I did a full reset, set freq, simplex, DN mode but still won't work.
>
> What am I missing? Tnx
>
>

554. Re: Won't work on SharkRF Hotspot

Yahoo group: FT-1D
Date: 2017-07-04 01:22:59 UTC
From: Ernie Ong
Topic: 552 Message: 554

I figured out what was wrong, I remember having changed the callsign programmed to the radio. From just the callsign, I included -Ernie (my name) and that solved the issue.

555. FT1D firmware

Yahoo group: FT-1D
Date: 2017-07-16 16:12:41 UTC
From: rogerd111@...
Topic: 555 Message: 555

Hi All,
I just got an FT1D and am looking to update the firmware. I believe the current version is 2.something. When I look for it on the Yaesu website, it's no where to be found. Does anyone know where I can find the latest version of firmware for the radio?
Thank,
Roger
N6DVZ

556. Re: [FT-1D] FT1D firmware

Yahoo group: FT-1D
Date: 2017-07-16 16:44:14 UTC
From: Dennis Griffin
Topic: 555 Message: 556

http://www.yaesu.com/indexVS.cfm?cmd=DisplayProducts&ProdCatID=111&encProdID=25F65DA12CA1FCB444A927CD14417BFD&DivisionID=65&isArchived=0

73 de Dennis KD7CAC
Scottsdale, AZ

> On Jul 16, 2017, at 9:12 AM, rogerd111@msn.com [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> Hi All,
>
> I just got an FT1D and am looking to update the firmware. I believe the current version is 2.something. When I look for it on the Yaesu website, it's no where to be found. Does anyone know where I can find the latest version of firmware for the radio?
>
> Thank,
>
> Roger
>
> N6DVZ
>
>
> Posted by: rogerd111@... <mailto:rogerd111@...>

557. Re: [FT-1D] FT1D firmware

Yahoo group: FT-1D
Date: 2017-07-16 17:03:22 UTC
From: n4lbl
Topic: 555 Message: 557

Use: http://systemfusion.yaesu.com/ft1dr/
and look for related files at the bottom.

I'm waiting for instructions to install the SCU-18 cable driver on WIN10.

Alan,,, n4lbl

On Sun, Jul 16, 2017 at 10:44 AM, Dennis Griffin eagleeyedennis@...
[FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> http://www.yaesu.com/indexVS.cfm?cmd=DisplayProducts&
> ProdCatID=111&encProdID=25F65DA12CA1FCB444A927CD14417B
> FD&DivisionID=65&isArchived=0
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
> On Jul 16, 2017, at 9:12 AM, rogerd111@... [FT-1D] <
> FT-1D@yahoogroups.com> wrote:
>
> Hi All,
>
> I just got an FT1D and am looking to update the firmware. I believe the
> current version is 2.something. When I look for it on the Yaesu website,
> it's no where to be found. Does anyone know where I can find the latest
> version of firmware for the radio?
>
> Thank,
>
> Roger
>
> N6DVZ
> ------------------------------
> Posted by: rogerd111@...
>
>
>

--
miaj ŝvebŝipo plenas je angiloj

558. Re: [FT-1D] FT1D firmware

Yahoo group: FT-1D
Date: 2017-07-16 19:04:51 UTC
From: JSpen@...
Topic: 555 Message: 558

A Google search with "Yaesu FT1D firmware" will take you to http://www.yaesu.com/indexVS.cfm?cmd=DisplayProducts&ProdCatID=111&encProdID=25F65DA12CA1FCB444A927CD14417BFD. Click on the "Files" tab for the latest link in the bottom list.

-----Original Message-----
From: rogerd111@msn.com [FT-1D] <FT-1D@yahoogroups.com>
To: FT-1D <FT-1D@yahoogroups.com>
Sent: Sun, Jul 16, 2017 12:12 pm
Subject: [FT-1D] FT1D firmware

Hi All,
I just got an FT1D and am looking to update the firmware. I believe the current version is 2.something. When I look for it on the Yaesu website, it's no where to be found. Does anyone know where I can find the latest version of firmware for the radio?
Thank,
Roger
N6DVZ

559. Re: [FT-1D] FT1D firmware

Yahoo group: FT-1D
Date: 2017-07-16 19:16:47 UTC
From: Simone Sbressa
Topic: 555 Message: 559

https://systemfusion.yaesu.com/ft1dr/

Simone Sbressa

> Il giorno 16 lug 2017, alle ore 18:44, Dennis Griffin eagleeyedennis@... [FT-1D] <FT-1D@yahoogroups.com> ha scritto:
>
> http://www.yaesu.com/indexVS.cfm?cmd=DisplayProducts&ProdCatID=111&encProdID=25F65DA12CA1FCB444A927CD14417BFD&DivisionID=65&isArchived=0
>
>
> 73 de Dennis KD7CAC
> Scottsdale, AZ
>
>> On Jul 16, 2017, at 9:12 AM, rogerd111@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>>
>> Hi All,
>>
>> I just got an FT1D and am looking to update the firmware. I believe the current version is 2.something. When I look for it on the Yaesu website, it's no where to be found. Does anyone know where I can find the latest version of firmware for the radio?
>>
>> Thank,
>>
>> Roger
>>
>> N6DVZ
>>
>> Posted by: rogerd111@...
>
>

560. Re: [FT-1D] FT1D firmware

Yahoo group: FT-1D
Date: 2017-07-16 19:49:35 UTC
From: n4lbl
Topic: 555 Message: 560

Come on guys. Repeating the www.yeasu.com site doesn't make it true.
Actually look there. The systemfusion.yaesu.com has the software there.

Alan,,, n4lbl

On Sun, Jul 16, 2017 at 1:04 PM, JSpen@... [FT-1D] <
FT-1D@yahoogroups.com> wrote:

>
>
> A Google search with "Yaesu FT1D firmware" will take you to
> http://www.yaesu.com/indexVS.cfm?cmd=DisplayProducts&
> ProdCatID=111&encProdID=25F65DA12CA1FCB444A927CD14417BFD. Click on the
> "Files" tab for the latest link in the bottom list.
>
>
>
> -----Original Message-----
> From: rogerd111@... [FT-1D] <FT-1D@yahoogroups.com>
> To: FT-1D <FT-1D@yahoogroups.com>
> Sent: Sun, Jul 16, 2017 12:12 pm
> Subject: [FT-1D] FT1D firmware
>
>
> Hi All,
> I just got an FT1D and am looking to update the firmware. I believe the
> current version is 2.something. When I look for it on the Yaesu website,
> it's no where to be found. Does anyone know where I can find the latest
> version of firmware for the radio?
> Thank,
> Roger
> N6DVZ
>
>
>

--
miaj ŝvebŝipo plenas je angiloj

561. Re: FT1D firmware

Yahoo group: FT-1D
Date: 2017-07-16 23:17:45 UTC
From: rogerd111@...
Topic: 555 Message: 561

Thanks Guys. Much appreciated. The file is note on Yaesu.com where you think you would find it. It's on the systemfusion.yaesu.com http://systemfusion.yaesu.com/ site.
73,
Roger
N6DVZ

562. FT-1D gets warm

Yahoo group: FT-1D
Date: 2017-07-21 23:51:05 UTC
From: rogerd111@...
Topic: 562 Message: 562

Hi All,
Another FT-1D question.....
I noticed the FT-1D runs warm. Is this normal?
Roger
N6DVZ

563. Re: FT-1D gets warm

Yahoo group: FT-1D
Date: 2017-07-22 01:15:23 UTC
From: Bill WD8JWJ
Topic: 562 Message: 563

Yes, I believe that is normal. Mine does the same thing. 73

564. Re: [FT-1D] FT-1D gets warm

Yahoo group: FT-1D
Date: 2017-07-22 01:35:43 UTC
From: n4lbl
Topic: 562 Message: 564

At home I run it on 12 V. with the battery pack removed to help dissipate heat. It does run hot.

Alan,,, n4lbl

On Fri, Jul 21, 2017 at 5:51 PM, rogerd111@... [FT-1D] <FT-1D@yahoogroups.com> wrote:

>
>
> Hi All,
>
> Another FT-1D question.....
>
> I noticed the FT-1D runs warm. Is this normal?
>
> Roger
>
> N6DVZ
>
>
>

--
miaj ŝvebŝipo plenas je angiloj

565. Re: FT-1D gets warm

Yahoo group: FT-1D
Date: 2017-07-22 18:34:39 UTC
From: rogerd111@...
Topic: 562 Message: 565

Just wanted to be sure all is good. Thanks again guys.
73,
Roger
N6DVZ

566. FT1DR; Cannot read SD card after firmware update

Yahoo group: FT-1D
Date: 2018-01-09 16:51:39 UTC
From: w1wv_denis@...
Topic: 566 Message: 566

Has anyone witnessed this issue with recent firmware update of FT1DR?

Updated firmware and DSP to version 3.01 and 4.51 respectively. Updates performed per instruction without issue yet when restoring memories from SD card, HT will not read the card. Same card is readable through RT software on local PC. Also tried downloading memories via scu18 cable and receive error saying “file does not match”.

Thoughts?

Denis, W1WV

567. Re: FT1DR; Cannot read SD card after firmware update

Yahoo group: FT-1D
Date: 2018-01-10 01:45:56 UTC
From: ke6gyd@...
Topic: 566 Message: 567

Cannot restore memories from a card that had settings from prior to the update. Will have to reformat card in radio then load new memories from the RT software to the card then to radio.

OR load to radio via programming cable.

You may need to read from the radio first via the cable or with a reformatted card, save settings to card in radio then read from the card in RT. RT also must have the latest update for this to work.

Hope this helps
73
Bob
KE6GYD

568. Re: FT1DR; Cannot read SD card after firmware update

Yahoo group: FT-1D
Date: 2018-01-10 02:05:02 UTC
From: Lou Janicek
Topic: 566 Message: 568

Something similar happened to me. I contacted RT systems and they told me I had to upgrade the version of RT software on my laptop. Lou Janicek N2CYY
Ramsey, NJ RACES Radio Officer, Ramsey OEM
N2CYY
www.ramseynjoem.com
http://www.linkedin.com/in/louisjanicek/

"All that is necessary for the triumph of evil is that good men do nothing." (Edmund Burke)
"Success is not final, failure is not fatal: it is courage to continue that counts." (Winston S. Churchill)

569. FT-1DR internal speaker problems/replacement?

Yahoo group: FT-1D
Date: 2018-01-11 13:37:16 UTC
From: zm1267@...
Topic: 569 Message: 569

Hi all, I experienced a failure of the internal speaker and was wondering if anyone has experienced the same thing. I did a quick search and couldn't find anyone selling a replacement speaker - any suggestions OTHER than Yaesu? I was thinking a speaker mic might use the same size unit... (P/N SP0001 in the service manual).

FYI - the symptoms I experienced was an intermittent "chatter" on audio which would only last a few seconds and then clear up. Finally one day in the mobile while listening to NOAA it just quit. If I gently pressed on the face of the radio it would come back to life, so I knew it wasn't a transistor or something. After removing the speaker I tried to repair the break, but it was under the rubber compound they use for securing the wires to the voice coil. I took a couple of pictures if anyone would like me to post them.

570. Re: [FT-1D] FT-1DR internal speaker problems/replacement?

Yahoo group: FT-1D
Date: 2018-01-11 14:59:15 UTC
From: Dennis Griffin
Topic: 569 Message: 570

A possibility may be that some grit has gotten into the voice coil gap, initially causing restricted, then finally complete, lack of movement. Have you inspected the speaker with that in mind?

73 de Dennis KD7CAC
Scottsdale, AZ

> On Jan 11, 2018, at 6:37 AM, zm1267@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
>
> Hi all, I experienced a failure of the internal speaker and was wondering if anyone has experienced the same thing. I did a quick search and couldn't find anyone selling a replacement speaker - any suggestions OTHER than Yaesu? I was thinking a speaker mic might use the same size unit... (P/N SP0001 in the service manual).
>
>
>
> FYI - the symptoms I experienced was an intermittent "chatter" on audio which would only last a few seconds and then clear up. Finally one day in the mobile while listening to NOAA it just quit. If I gently pressed on the face of the radio it would come back to life, so I knew it wasn't a transistor or something. After removing the speaker I tried to repair the break, but it was under the rubber compound they use for securing the wires to the voice coil. I took a couple of pictures if anyone would like me to post them.
>
>
>
> Posted by: zm1267@... <mailto:zm1267@...>

571. Re: [FT-1D] FT-1DR internal speaker problems/replacement?

Yahoo group: FT-1D
Date: 2018-01-11 22:24:07 UTC
From: zm1267@...
Topic: 569 Message: 571

Hi Dennis,

That possibility never crossed my mind because it's not a "typical" construction speaker - it's designed with waterproofing in mind by the looks of it, and there's also a rubber gasket that sits around the outer perimeter of the voice coil. Any dust or dirt that would enter through the radio grill would just sit on a smooth surface.

The wire was definitely broken under the adhesive/rubber compound. I was hoping I could've patched it together, but it's just too short & delicate.

572. Re: [FT-1D] FT1DR internal speaker problems/replacement?

Yahoo group: FT-1D
Date: 2018-01-11 22:59:33 UTC
From: Dennis Griffin
Topic: 569 Message: 572

Yes, I wondered if the speaker might be sealed, since I've never had mine opened up.

It just seemed odd to me that what is likely a stranded copper wire, albeit tiny gauge, would break of its own accord, snuggled away in confined quarters, especially since you mentioned that it is potted at its connection with the speaker.

Must be some little grinch running around inside your FT1DR looking for weak connections to tug on, hi. I've carried HT's on motorcycle & bicycle handlebars for decades and never had a failure due to something vibrating loose or apart.

Sounds to me like this should be covered by warranty, even if outside the coverage period.

73 de Dennis KD7CAC
Scottsdale, AZ

> On Jan 11, 2018, at 3:24 PM, zm1267@... [FT-1D] <FT-1D@yahoogroups.com> wrote:
>
> Hi Dennis,
>
>
> That possibility never crossed my mind because it's not a "typical" construction speaker - it's designed with waterproofing in mind by the looks of it, and there's also a rubber gasket that sits around the outer perimeter of the voice coil. Any dust or dirt that would enter through the radio grill would just sit on a smooth surface.
>
> The wire was definitely broken under the adhesive/rubber compound. I was hoping I could've patched it together, but it's just too short & delicate.
>
>
> Posted by: zm1267@gmail.com

573. Wires X Won't Work

Yahoo group: FT-1D
Date: 2018-01-17 01:07:51 UTC
From: wd8jwj@...
Topic: 573 Message: 573

Our Fusion rpt just got upgraded with Wires X. I try to get the FT1xd to go Wires X and it won't. It keys the rpt and I get a reply back in 1/4 second but no wires X info.
I tried the FT 991 and it works fine.
Would a firmware upgrade be what I need. What I have is a couple years old.
73, Bill, WD8JWJ

574. Issues with Mac & Chirp after firmware update

Yahoo group: FT-1D
Date: 2018-02-10 21:15:34 UTC
From: thepixelated13@...
Topic: 574 Message: 574
Attachments: 1 described; binary payloads are missing from this source WARC

I just updated my FT1D to Main 3.01 and DSP 4.15 (both from 09/08/2017). I'm running a 2017 iMac (High Sierra 10.13.3). The firmware & DSP updates went fine on my Windows laptop. Now, I have normally used my iMac (previous was a early 2009 iMac running various OS X versions) and the daily builds of Chirp to program my FT1D. Never had an issue.

After doing the two updates and running the latest version of Chirp (currently 20180210) I get the following error when I try to upload my memories back to the radio: "failed to communications with the radio: radio did not ack block 1".

I'll attach the dbug log if that's any help. I'm not a programmer, but I can look through logs and code (do that at work), but I don't see anything that says "HEY! THIS IS THE ISSUE RIGHT HERE!". Maybe that is something for the people at Chirp to look at.?

Did anyone else have this or similar issue?

Thanks.

575. MH-85A11U mic/camera and Georagged Photos

Yahoo group: FT-1D
Date: 2018-02-21 20:27:41 UTC
From: Scott Samson
Topic: 575 Message: 575

I'm able to take pictures using my FT-1D and the MH-85A11U mic/camera. The GPS is turned on. However, I don't see the embedded map coordinates in the photo's metadata. Has anyone been able to take a picture and automatically embed the GPS coordinates? Scott

576. Re: FT1DR internal speaker problems/replacement?

Yahoo group: FT-1D
Date: 2018-03-08 01:11:39 UTC
From: lz
Topic: 569 Message: 576

Just as a follow-up I ordered a replacement speaker, P/N M4090217 which solved my audio problems. At $1.67 each, I ordered a spare just in case this happens again. I bought an external speaker on eBay in case it had the same size speaker inside - it does not. I will, however, be using the external speaker in the car from now on. It's much easier to clip that speaker wherever I want to than to move the radio around, which is on an external antenna. I don't want the antenna jack to break next!

I also bought 2 extra keypads, P/N RA135900B. I don't need one yet, but at $3.18 each and it's an item that wears out, I thought that might be a good choice as well.

73,

Larry

This email has been checked for viruses by AVG.
http://www.avg.com

577. Programming with a Macbook Pro

Yahoo group: FT-1D
Date: 2018-06-07 15:32:28 UTC
From: nipentuck@...
Topic: 577 Message: 577

Greetings,

I have searched the archives, and could not locate a thread on this topic.

Does anyone have a suggestion to programming Yaseau radios (FT 897D and FT1-D) with an Apple Mac Book Pro, running MAC OS 10.13.5 High Sierra?

It's been a few years since I programmed them, with a rented Windows laptop (don't recommend doing that again); and I will be taking a road trip in Sept/Oct time frame, and would like to use both.

Thank you in advance for your time.

Tony

KJ4PUJ

578. RE: [FT-1D] Programming with a Macbook Pro

Yahoo group: FT-1D
Date: 2018-06-07 15:37:20 UTC
From: Jeff Grantham
Topic: 577 Message: 578

Have you tried CHIRP? It supports this radio and works great.

From: FT-1D@yahoogroups.com [mailto:FT-1D@yahoogroups.com]
Sent: Thursday, June 7, 2018 10:32 AM
To: FT-1D@yahoogroups.com
Subject: [FT-1D] Programming with a Macbook Pro

Greetings,

I have searched the archives, and could not locate a thread on this topic.

Does anyone have a suggestion to programming Yaseau radios (FT 897D and FT1-D) with an Apple Mac Book Pro, running MAC OS 10.13.5 High Sierra?

It's been a few years since I programmed them, with a rented Windows laptop (don't recommend doing that again); and I will be taking a road trip in Sept/Oct time frame, and would like to use both.

Thank you in advance for your time.

Tony

KJ4PUJ

579. Re: Programming with a Macbook Pro

Yahoo group: FT-1D
Date: 2018-06-07 16:03:27 UTC
From: Jeff Pixelated
Topic: 577 Message: 579

I've been using CHIRP on my 2 iMacs to program my FT-1D since I got it over 3 years ago.

580. Re: [FT-1D] Re: Programming with a Macbook Pro

Yahoo group: FT-1D
Date: 2018-06-07 16:33:13 UTC
From: Ed Fardos
Topic: 577 Message: 580

I've used both CHIRP and RTSystems software to program the FT1XDR.

After you program it, get a radio check on important frequencies, and
do frequent backups of your configurations. There were several times
where Chirp caused transmit frequencies to be off by 800Khz on some memories,
different from the value on the display, verified with a scope. There were also
times where the radio would lockup, spewing strange characters on the display.

In both cases a factory reset was required, and use of an older backup.

The frequency shift problem was only observed once using RT Systems.

I'm not advocating either software as a result, just be sure to double
check your changes.

imho,
-craig

On 06/07/2018 09:03 AM, Jeff Pixelated thepixelated13@... [FT-1D] wrote:
> I’ve been using CHIRP on my 2 iMacs to program my FT-1D since I got it over 3 years ago.
>
>

581. Re: [FT-1D] Re: Programming with a Macbook Pro

Yahoo group: FT-1D
Date: 2018-06-17 13:30:31 UTC
From: Ed Fardos
Topic: 577 Message: 581

I've used both CHIRP and RTSystems software to program the FT1XDR.

After you program it, get a radio check on important frequencies, and
do frequent backups of your configurations. There were several times
where Chirp caused transmit frequencies to be off by 800Khz on some
memories,
different from the value on the display, verified with a scope. There were
also
times where the radio would lockup, spewing strange characters on the
display.

In both cases a factory reset was required, and use of an older backup.

The frequency shift problem was only observed once using RT Systems.

I'm not advocating either software as a result, just be sure to double
check your changes.

imho,
-craig

On 06/07/2018 09:03 AM, Jeff Pixelated thepixelated13@gmail.com [FT-1D]
wrote:
> I’ve been using CHIRP on my 2 iMacs to program my FT-1D since I got it
over 3 years ago.
>
>

582. No Audio Transmitting

Yahoo group: FT-1D
Date: 2018-07-04 17:13:17 UTC
From: kdragon874@...
Topic: 582 Message: 582

OK. I'm still new to amateur radio. When I transmit with my FT1DR on 446.750 Simplex everything works as it should, if I move up to 446.775 I can receive the signal but no audio comes across

KE0MST

583. Re: [FT-1D] No Audio Transmitting

Yahoo group: FT-1D
Date: 2018-07-04 17:37:20 UTC
From: n9wys@ameritech.net
Topic: 582 Message: 583

There are a lot of questions that immediately come to mind for me. #1, the subject line indicates "transmitting" but this sounds more like a receiving issue if I understand the description.
First, when on 446.750, what mode are you operating in? FM, DN, VW, what?? If you were operating DN, and now another station is operating FM, unless you have the radio set for Auto Mode Select (AMS), you WON'T hear anything.
Also, if, for some reason, you were operating FM mode plus have a PL selected for decode (RX) you again won't hear anything unless they are transmitting the proper PL code (digital or tone).
Simplex operations work best when you apply the KISS principle - "Keep It Simple, Stupid." I'm NOT implying you are stupid, but rather that there are a plethora of issues/settings that can affect reception of a signal. You indicated you're a newer licensee, so these may be things you're not quite familiar with yet.
Can you see the signal meter on the radio? Does it indicate there IS a signal present, but you just can't receive it?
If so, check ALL the settings (mode, PL, etc.) on your radio, and make sure the other station matches them EXACTLY. Otherwise, you will not be able to communicate.
Good luck and 73!Mark - N9WYS

Sent from the Yahoo Mail app on my Galaxy Note 8. Please excuse all typos - fat fingers on a little keyboard....

On Wed, Jul 4, 2018 at 12:13, kdragon874@... [FT-1D]<FT-1D@yahoogroups.com> wrote:

OK. I'm still new to amateur radio. When I transmit with my FT1DR on 446.750 Simplex everything works as it should, if I move up to 446.775 I can receive the signal but no audio comes across
KE0MST

584. Re: [FT-1D] No Audio Transmitting

Yahoo group: FT-1D
Date: 2018-07-04 20:44:41 UTC
From: kdragon874@...
Topic: 582 Message: 584

Thanks for the reply. I'm using FM mode and not using +/- . I'm pretty sure its some other setting I'm missing. I can receive on my other HT on 446.750 but not 446.775. Yes my other HT is set to the correct frequency.